

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDEANT NARENDRA LAKHADE (ID No. 052142)

Your Score: 656.00/720.00 (91.11%)

Max Score: 656.00

Rank: 1

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 100.00

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.12	47.06	47.06	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	94.12	52.94	41.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	70.59	41.18	29.41	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
7	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	52.94	29.41	23.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	88.24	64.71	23.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
12	41.18	23.53	17.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	29.41	17.65	11.76	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	82.35	70.59	11.76	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	35.29	35.29	0.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	88.24	70.59	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.59	35.29	35.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	64.71	5.88	58.82	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
20	76.47	41.18	35.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	29.41	0.00	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	82.35	64.71	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	52.94	0.00	52.94	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
24	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	64.71	35.29	29.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	76.47	64.71	11.76	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	52.94	47.06	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	41.18	29.41	11.76	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	76.47	52.94	23.53	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	70.59	64.71	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	88.24	52.94	35.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	70.59	47.06	23.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	52.94	23.53	29.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	70.59	52.94	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	70.59	52.94	17.65	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	76.47	52.94	23.53	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	29.41	5.88	23.53	PHY	TOP10	4.00	1.00	A	B	W	-1.00
39	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	A		L	0.00
40	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
41	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	88.24	58.82	29.41	PHY	TOP10	4.00	1.00	C		L	0.00
43	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	17.65	11.76	5.88	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	70.59	58.82	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	41.18	5.88	35.29	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	58.82	47.06	11.76	PHY	TOP10	4.00	1.00	A		L	0.00
49	52.94	17.65	35.29	PHY	TOP10	4.00	1.00	B		L	0.00
50	64.71	52.94	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	76.47	5.88	70.59	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
52	94.12	41.18	52.94	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	76.47	58.82	17.65	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDEANT NARENDRA LAKHADE (ID No. 052142)

Your Score: 656.00/720.00 (91.11%)

Max Score: 656.00

Rank: 1

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 100.00

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.24	52.94	35.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	64.71	41.18	23.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
56	52.94	23.53	29.41	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	70.59	11.76	58.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	29.41	11.76	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	41.18	0.00	41.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	47.06	29.41	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	94.12	94.12	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	70.59	64.71	5.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	88.24	82.35	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	94.12	35.29	58.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	94.12	64.71	29.41	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	82.35	58.82	23.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	35.29	17.65	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	100.00	88.24	11.76	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	52.94	11.76	41.18	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	82.35	41.18	41.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	82.35	64.71	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	88.24	35.29	52.94	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	82.35	47.06	35.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	88.24	70.59	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	52.94	35.29	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	94.12	70.59	23.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	82.35	29.41	52.94	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
84	58.82	52.94	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	47.06	29.41	17.65	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	82.35	64.71	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	76.47	58.82	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	88.24	58.82	29.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	94.12	94.12	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	88.24	88.24	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
92	88.24	70.59	17.65	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	52.94	17.65	35.29	CHEM	TOP10	4.00	1.00	B		L	0.00
94	29.41	17.65	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
95	23.53	0.00	23.53	CHEM	TOP10	4.00	1.00	D		L	0.00
96	94.12	88.24	5.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	23.53	11.76	11.76	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	35.29	23.53	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
99	82.35	41.18	41.18	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	41.18	29.41	11.76	CHEM	TOP10	4.00	1.00	D		L	0.00
101	82.35	47.06	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	94.12	29.41	64.71	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	88.24	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	88.24	88.24	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.12	41.18	52.94	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDEANT NARENDRA LAKHADE (ID No. 052142)

Your Score: 656.00/720.00 (91.11%)

Max Score: 656.00

Rank: 1

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 100.00

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	100.00	64.71	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	52.94	47.06	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	88.24	47.06	41.18	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	76.47	52.94	23.53	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	88.24	58.82	29.41	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	64.71	52.94	11.76	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.24	23.53	64.71	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	52.94	52.94	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	76.47	47.06	29.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	94.12	58.82	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	70.59	58.82	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	82.35	41.18	41.18	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	88.24	70.59	17.65	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	94.12	88.24	5.88	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	70.59	41.18	29.41	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
131	100.00	70.59	29.41	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	94.12	35.29	58.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	88.24	58.82	29.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	70.59	52.94	17.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B		L	0.00
139	35.29	29.41	5.88	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	52.94	5.88	47.06	BOT	TOP10	4.00	1.00	D		L	0.00
141	35.29	23.53	11.76	BOT	TOP10	4.00	1.00	C		L	0.00
142	94.12	88.24	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	D		L	0.00
144	94.12	64.71	29.41	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	58.82	58.82	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	47.06	41.18	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.53	11.76	11.76	BOT	TOP10	4.00	1.00	B		L	0.00
149	76.47	52.94	23.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	88.24	11.76	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	94.12	58.82	35.29	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	23.53	76.47	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDEANT NARENDRA LAKHADE (ID No. 052142)

Your Score: 656.00/720.00 (91.11%)

Max Score: 656.00

Rank: 1

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 100.00

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	88.24	88.24	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	94.12	88.24	5.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	76.47	64.71	11.76	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	70.59	64.71	5.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	70.59	70.59	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.24	29.41	58.82	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	76.47	52.94	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	88.24	82.35	5.88	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	76.47	11.76	64.71	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	88.24	70.59	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	82.35	82.35	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	41.18	29.41	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	82.35	70.59	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	11.76	11.76	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
187	82.35	76.47	5.88	ZOO	TOP10	4.00	1.00	D		L	0.00
188	94.12	94.12	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	52.94	52.94	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
190	52.94	41.18	11.76	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	70.59	58.82	11.76	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	64.71	58.82	5.88	ZOO	TOP10	4.00	1.00	C		L	0.00
194	100.00	100.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	35.29	23.53	11.76	ZOO	TOP10	4.00	1.00	B	B	R	4.00
196	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	17.65	11.76	5.88	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	76.47	70.59	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	58.82	47.06	11.76	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	76.47	58.82	17.65	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 173 (**Correct:** 165 **Incorrect:** 8) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 656.00

Total Positive Marks: 664.00 **Total Negative Marks:** 8.00

PHY	CHEM	BOT	ZOO	Total
152.00	159.00	170.00	175.00	656.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMISH NARENDRA PATHAK (ID No. 051963)

Your Score: 552.00/720.00 (76.67%)

Max Score: 656.00

Rank: 2

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 84.15

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.12	47.06	47.06	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
2	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	94.12	52.94	41.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	70.59	41.18	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
8	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	52.94	29.41	23.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	88.24	64.71	23.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
12	41.18	23.53	17.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	29.41	17.65	11.76	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	82.35	70.59	11.76	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	35.29	35.29	0.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	88.24	70.59	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.59	35.29	35.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	64.71	5.88	58.82	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
20	76.47	41.18	35.29	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	29.41	0.00	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	82.35	64.71	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	52.94	0.00	52.94	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
24	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
25	64.71	35.29	29.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	76.47	64.71	11.76	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	52.94	47.06	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	41.18	29.41	11.76	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	76.47	52.94	23.53	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	70.59	64.71	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	88.24	52.94	35.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	70.59	47.06	23.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	52.94	23.53	29.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
35	70.59	52.94	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	70.59	52.94	17.65	PHY	TOP10	4.00	1.00	C		L	0.00
37	76.47	52.94	23.53	PHY	TOP10	4.00	1.00	A		L	0.00
38	29.41	5.88	23.53	PHY	TOP10	4.00	1.00	A	A	R	4.00
39	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	A	C	W	-1.00
40	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
41	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	88.24	58.82	29.41	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	17.65	11.76	5.88	PHY	TOP10	4.00	1.00	B		L	0.00
46	70.59	58.82	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	41.18	5.88	35.29	PHY	TOP10	4.00	1.00	B	D	W	-1.00
48	58.82	47.06	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	52.94	17.65	35.29	PHY	TOP10	4.00	1.00	B		L	0.00
50	64.71	52.94	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	76.47	5.88	70.59	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
52	94.12	41.18	52.94	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
53	76.47	58.82	17.65	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMISH NARENDRA PATHAK (ID No. 051963)

Your Score: 552.00/720.00 (76.67%)

Max Score: 656.00

Rank: 2

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 84.15

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.24	52.94	35.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	64.71	41.18	23.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
56	52.94	23.53	29.41	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	70.59	11.76	58.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	29.41	11.76	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	41.18	0.00	41.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	47.06	29.41	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	94.12	94.12	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	70.59	64.71	5.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	88.24	82.35	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	94.12	35.29	58.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	94.12	64.71	29.41	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	82.35	58.82	23.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	35.29	17.65	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	100.00	88.24	11.76	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	52.94	11.76	41.18	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	82.35	41.18	41.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	82.35	64.71	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	88.24	35.29	52.94	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	82.35	47.06	35.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	88.24	70.59	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	52.94	35.29	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	94.12	70.59	23.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	82.35	29.41	52.94	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
84	58.82	52.94	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	47.06	29.41	17.65	CHEM	TOP10	4.00	1.00	C		L	0.00
87	82.35	64.71	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	76.47	58.82	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	88.24	58.82	29.41	CHEM	TOP10	4.00	1.00	B		L	0.00
90	94.12	94.12	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	88.24	88.24	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
92	88.24	70.59	17.65	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	52.94	17.65	35.29	CHEM	TOP10	4.00	1.00	B		L	0.00
94	29.41	17.65	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
95	23.53	0.00	23.53	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	94.12	88.24	5.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	23.53	11.76	11.76	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
98	35.29	23.53	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
99	82.35	41.18	41.18	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	41.18	29.41	11.76	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	82.35	47.06	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	94.12	29.41	64.71	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	88.24	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	88.24	88.24	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.12	41.18	52.94	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMISH NARENDRA PATHAK (ID No. 051963)

Your Score: 552.00/720.00 (76.67%)

Max Score: 656.00

Rank: 2

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 84.15

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	100.00	64.71	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	52.94	47.06	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	88.24	47.06	41.18	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	76.47	52.94	23.53	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	88.24	58.82	29.41	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
116	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	64.71	52.94	11.76	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.24	23.53	64.71	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	52.94	52.94	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
124	76.47	47.06	29.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	94.12	58.82	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	70.59	58.82	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	82.35	41.18	41.18	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	88.24	70.59	17.65	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	94.12	88.24	5.88	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	70.59	41.18	29.41	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	100.00	70.59	29.41	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
133	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	94.12	35.29	58.82	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	88.24	58.82	29.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	70.59	52.94	17.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	35.29	29.41	5.88	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	52.94	5.88	47.06	BOT	TOP10	4.00	1.00	D		L	0.00
141	35.29	23.53	11.76	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	94.12	88.24	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	94.12	64.71	29.41	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B		L	0.00
146	58.82	58.82	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
147	47.06	41.18	5.88	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.53	11.76	11.76	BOT	TOP10	4.00	1.00	B		L	0.00
149	76.47	52.94	23.53	BOT	TOP10	4.00	1.00	C	A	W	-1.00
150	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	A		L	0.00
151	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	88.24	11.76	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
153	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	94.12	58.82	35.29	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	23.53	76.47	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMISH NARENDRA PATHAK (ID No. 051963)

Your Score: 552.00/720.00 (76.67%)

Max Score: 656.00

Rank: 2

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 84.15

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	88.24	88.24	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	94.12	88.24	5.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	76.47	64.71	11.76	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	70.59	64.71	5.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	70.59	70.59	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.24	29.41	58.82	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	76.47	52.94	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	88.24	82.35	5.88	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	76.47	11.76	64.71	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	88.24	70.59	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
180	82.35	82.35	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	41.18	29.41	11.76	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
182	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	82.35	70.59	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	11.76	11.76	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
187	82.35	76.47	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	94.12	94.12	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	52.94	52.94	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	52.94	41.18	11.76	ZOO	TOP10	4.00	1.00	A		L	0.00
191	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	70.59	58.82	11.76	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	64.71	58.82	5.88	ZOO	TOP10	4.00	1.00	C		L	0.00
194	100.00	100.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	35.29	23.53	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
196	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
197	17.65	11.76	5.88	ZOO	TOP10	4.00	1.00	B		L	0.00
198	76.47	70.59	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	58.82	47.06	11.76	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	76.47	58.82	17.65	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 172 (**Correct:** 144 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 552.00

Total Positive Marks: 580.00 **Total Negative Marks:** 28.00

PHY	CHEM	BOT	ZOO	Total
131.00	144.00	132.00	145.00	552.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI PARAG JOSHI (ID No. 052263)

Your Score: 503.00/720.00 (69.86%)

Max Score: 656.00

Rank: 3

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 76.68

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.12	47.06	47.06	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	94.12	52.94	41.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	70.59	41.18	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
8	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	52.94	29.41	23.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	88.24	64.71	23.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
12	41.18	23.53	17.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	29.41	17.65	11.76	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	82.35	70.59	11.76	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	35.29	35.29	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	88.24	70.59	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.59	35.29	35.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	64.71	5.88	58.82	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
20	76.47	41.18	35.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	29.41	0.00	29.41	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
22	82.35	64.71	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	52.94	0.00	52.94	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
24	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	64.71	35.29	29.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
26	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
27	76.47	64.71	11.76	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	52.94	47.06	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	41.18	29.41	11.76	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	76.47	52.94	23.53	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	70.59	64.71	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	88.24	52.94	35.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	70.59	47.06	23.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	52.94	23.53	29.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	70.59	52.94	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	70.59	52.94	17.65	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	76.47	52.94	23.53	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	29.41	5.88	23.53	PHY	TOP10	4.00	1.00	A		L	0.00
39	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	A	D	W	-1.00
40	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
41	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	88.24	58.82	29.41	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	B		L	0.00
44	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	D	B	W	-1.00
45	17.65	11.76	5.88	PHY	TOP10	4.00	1.00	B	D	W	-1.00
46	70.59	58.82	11.76	PHY	TOP10	4.00	1.00	A		L	0.00
47	41.18	5.88	35.29	PHY	TOP10	4.00	1.00	B		L	0.00
48	58.82	47.06	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	52.94	17.65	35.29	PHY	TOP10	4.00	1.00	B	A	W	-1.00
50	64.71	52.94	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	76.47	5.88	70.59	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
52	94.12	41.18	52.94	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
53	76.47	58.82	17.65	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI PARAG JOSHI (ID No. 052263)

Your Score: 503.00/720.00 (69.86%)

Max Score: 656.00

Rank: 3

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 76.68

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.24	52.94	35.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	64.71	41.18	23.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
56	52.94	23.53	29.41	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	70.59	11.76	58.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	29.41	11.76	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	41.18	0.00	41.18	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
60	47.06	29.41	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	94.12	94.12	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	70.59	64.71	5.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	88.24	82.35	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	94.12	35.29	58.82	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	94.12	64.71	29.41	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	82.35	58.82	23.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	35.29	17.65	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	100.00	88.24	11.76	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	52.94	11.76	41.18	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
74	82.35	41.18	41.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
75	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	82.35	64.71	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	88.24	35.29	52.94	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
78	82.35	47.06	35.29	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
79	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	88.24	70.59	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	52.94	35.29	17.65	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
82	94.12	70.59	23.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	82.35	29.41	52.94	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
84	58.82	52.94	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	47.06	29.41	17.65	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	82.35	64.71	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	76.47	58.82	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	88.24	58.82	29.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	94.12	94.12	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	88.24	88.24	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
92	88.24	70.59	17.65	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	52.94	17.65	35.29	CHEM	TOP10	4.00	1.00	B		L	0.00
94	29.41	17.65	11.76	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
95	23.53	0.00	23.53	CHEM	TOP10	4.00	1.00	D		L	0.00
96	94.12	88.24	5.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	23.53	11.76	11.76	CHEM	TOP10	4.00	1.00	C		L	0.00
98	35.29	23.53	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
99	82.35	41.18	41.18	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	41.18	29.41	11.76	CHEM	TOP10	4.00	1.00	D		L	0.00
101	82.35	47.06	35.29	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
102	94.12	29.41	64.71	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	88.24	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	88.24	88.24	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.12	41.18	52.94	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI PARAG JOSHI (ID No. 052263)

Your Score: 503.00/720.00 (69.86%)

Max Score: 656.00

Rank: 3

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 76.68

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	100.00	64.71	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	52.94	47.06	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	88.24	47.06	41.18	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	76.47	52.94	23.53	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	88.24	58.82	29.41	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	64.71	52.94	11.76	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.24	23.53	64.71	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
119	52.94	52.94	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
121	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	76.47	47.06	29.41	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
125	94.12	58.82	35.29	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	70.59	58.82	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	82.35	41.18	41.18	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	88.24	70.59	17.65	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	94.12	88.24	5.88	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	70.59	41.18	29.41	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	100.00	70.59	29.41	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	94.12	35.29	58.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	88.24	58.82	29.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	70.59	52.94	17.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B		L	0.00
139	35.29	29.41	5.88	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	52.94	5.88	47.06	BOT	TOP10	4.00	1.00	D		L	0.00
141	35.29	23.53	11.76	BOT	TOP10	4.00	1.00	C		L	0.00
142	94.12	88.24	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	D	C	W	-1.00
144	94.12	64.71	29.41	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	58.82	58.82	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	47.06	41.18	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.53	11.76	11.76	BOT	TOP10	4.00	1.00	B		L	0.00
149	76.47	52.94	23.53	BOT	TOP10	4.00	1.00	C	A	W	-1.00
150	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	A		L	0.00
151	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	88.24	11.76	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	94.12	58.82	35.29	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	23.53	76.47	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI PARAG JOSHI (ID No. 052263)

Your Score: 503.00/720.00 (69.86%)

Max Score: 656.00

Rank: 3

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 76.68

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	88.24	88.24	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	94.12	88.24	5.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	76.47	64.71	11.76	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	70.59	64.71	5.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	70.59	70.59	0.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.24	29.41	58.82	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	76.47	52.94	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	88.24	82.35	5.88	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	76.47	11.76	64.71	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	88.24	70.59	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	82.35	82.35	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	41.18	29.41	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	82.35	70.59	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	11.76	11.76	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
187	82.35	76.47	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	94.12	94.12	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	52.94	52.94	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
190	52.94	41.18	11.76	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
191	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	A		L	0.00
192	70.59	58.82	11.76	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	64.71	58.82	5.88	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	100.00	100.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	35.29	23.53	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
196	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	17.65	11.76	5.88	ZOO	TOP10	4.00	1.00	B		L	0.00
198	76.47	70.59	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	58.82	47.06	11.76	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	76.47	58.82	17.65	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 166 (**Correct:** 133 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 503.00

Total Positive Marks: 536.00 **Total Negative Marks:** 33.00

PHY	CHEM	BOT	ZOO	Total
102.00	103.00	147.00	151.00	503.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA ARUN GHOGALE (ID No. 052532)

Your Score: 492.00/720.00 (68.33%)

Max Score: 656.00

Rank: 4

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 75.00

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.12	47.06	47.06	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
2	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	94.12	52.94	41.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	70.59	41.18	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
8	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	52.94	29.41	23.53	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
10	88.24	64.71	23.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
12	41.18	23.53	17.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	29.41	17.65	11.76	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
14	82.35	70.59	11.76	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	35.29	35.29	0.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	88.24	70.59	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.59	35.29	35.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	64.71	5.88	58.82	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
20	76.47	41.18	35.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	29.41	0.00	29.41	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
22	82.35	64.71	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	52.94	0.00	52.94	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
24	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	64.71	35.29	29.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
27	76.47	64.71	11.76	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	52.94	47.06	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	41.18	29.41	11.76	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	76.47	52.94	23.53	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	70.59	64.71	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	88.24	52.94	35.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	70.59	47.06	23.53	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
34	52.94	23.53	29.41	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
35	70.59	52.94	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	70.59	52.94	17.65	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	76.47	52.94	23.53	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	29.41	5.88	23.53	PHY	TOP10	4.00	1.00	A		L	0.00
39	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	A	D	W	-1.00
40	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
41	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	88.24	58.82	29.41	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	D	A	W	-1.00
45	17.65	11.76	5.88	PHY	TOP10	4.00	1.00	B		L	0.00
46	70.59	58.82	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	41.18	5.88	35.29	PHY	TOP10	4.00	1.00	B	A	W	-1.00
48	58.82	47.06	11.76	PHY	TOP10	4.00	1.00	A		L	0.00
49	52.94	17.65	35.29	PHY	TOP10	4.00	1.00	B		L	0.00
50	64.71	52.94	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	76.47	5.88	70.59	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
52	94.12	41.18	52.94	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
53	76.47	58.82	17.65	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA ARUN GHOGALE (ID No. 052532)

Your Score: 492.00/720.00 (68.33%)

Max Score: 656.00

Rank: 4

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 75.00

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.24	52.94	35.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	64.71	41.18	23.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
56	52.94	23.53	29.41	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	70.59	11.76	58.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	29.41	11.76	17.65	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	41.18	0.00	41.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	47.06	29.41	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	94.12	94.12	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	70.59	64.71	5.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	88.24	82.35	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	94.12	35.29	58.82	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	94.12	64.71	29.41	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	82.35	58.82	23.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	35.29	17.65	17.65	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
68	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	100.00	88.24	11.76	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	52.94	11.76	41.18	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	82.35	41.18	41.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	82.35	64.71	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	88.24	35.29	52.94	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	82.35	47.06	35.29	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
79	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	88.24	70.59	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	52.94	35.29	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	94.12	70.59	23.53	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
83	82.35	29.41	52.94	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
84	58.82	52.94	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	47.06	29.41	17.65	CHEM	TOP10	4.00	1.00	C		L	0.00
87	82.35	64.71	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	76.47	58.82	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	88.24	58.82	29.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	94.12	94.12	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	88.24	88.24	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
92	88.24	70.59	17.65	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
93	52.94	17.65	35.29	CHEM	TOP10	4.00	1.00	B	B	R	4.00
94	29.41	17.65	11.76	CHEM	TOP10	4.00	1.00	B	B	R	4.00
95	23.53	0.00	23.53	CHEM	TOP10	4.00	1.00	D		L	0.00
96	94.12	88.24	5.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	23.53	11.76	11.76	CHEM	TOP10	4.00	1.00	C		L	0.00
98	35.29	23.53	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
99	82.35	41.18	41.18	CHEM	TOP10	4.00	1.00	A		L	0.00
100	41.18	29.41	11.76	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	82.35	47.06	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	94.12	29.41	64.71	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	88.24	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	88.24	88.24	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.12	41.18	52.94	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA ARUN GHOGALE (ID No. 052532)

Your Score: 492.00/720.00 (68.33%)

Max Score: 656.00

Rank: 4

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 75.00

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	100.00	64.71	35.29	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	52.94	47.06	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	88.24	47.06	41.18	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
114	76.47	52.94	23.53	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
115	88.24	58.82	29.41	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
117	64.71	52.94	11.76	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.24	23.53	64.71	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	52.94	52.94	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
121	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	76.47	47.06	29.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	94.12	58.82	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	70.59	58.82	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	82.35	41.18	41.18	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	88.24	70.59	17.65	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	94.12	88.24	5.88	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	70.59	41.18	29.41	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	100.00	70.59	29.41	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
132	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
133	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	94.12	35.29	58.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	88.24	58.82	29.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	70.59	52.94	17.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	35.29	29.41	5.88	BOT	TOP10	4.00	1.00	D		L	0.00
140	52.94	5.88	47.06	BOT	TOP10	4.00	1.00	D		L	0.00
141	35.29	23.53	11.76	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	94.12	88.24	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	D		L	0.00
144	94.12	64.71	29.41	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	58.82	58.82	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
147	47.06	41.18	5.88	BOT	TOP10	4.00	1.00	C	B	W	-1.00
148	23.53	11.76	11.76	BOT	TOP10	4.00	1.00	B		L	0.00
149	76.47	52.94	23.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	88.24	11.76	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	94.12	58.82	35.29	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
156	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	23.53	76.47	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANIKA ARUN GHOGALE (ID No. 052532)

Your Score: 492.00/720.00 (68.33%)

Max Score: 656.00

Rank: 4

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 75.00

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	88.24	88.24	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	94.12	88.24	5.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	76.47	64.71	11.76	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
163	70.59	64.71	5.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	70.59	70.59	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.24	29.41	58.82	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	76.47	52.94	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	88.24	82.35	5.88	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	76.47	11.76	64.71	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	88.24	70.59	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	82.35	82.35	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	41.18	29.41	11.76	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	82.35	70.59	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	11.76	11.76	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
187	82.35	76.47	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	94.12	94.12	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	52.94	52.94	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
190	52.94	41.18	11.76	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	70.59	58.82	11.76	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	64.71	58.82	5.88	ZOO	TOP10	4.00	1.00	C		L	0.00
194	100.00	100.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	35.29	23.53	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
196	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	D		L	0.00
197	17.65	11.76	5.88	ZOO	TOP10	4.00	1.00	B	B	R	4.00
198	76.47	70.59	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	58.82	47.06	11.76	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	76.47	58.82	17.65	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 172 (**Correct:** 132 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 492.00

Total Positive Marks: 532.00 **Total Negative Marks:** 40.00

PHY	CHEM	BOT	ZOO	Total
103.00	111.00	126.00	152.00	492.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA RAJESH RAUT (ID No. 053032)

Your Score: 491.00/720.00 (68.19%)

Max Score: 656.00

Rank: 5

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 74.85

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.12	47.06	47.06	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
2	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
5	94.12	52.94	41.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	70.59	41.18	29.41	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	52.94	29.41	23.53	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
10	88.24	64.71	23.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		C	C	4.00
12	41.18	23.53	17.65	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
13	29.41	17.65	11.76	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	82.35	70.59	11.76	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	35.29	35.29	0.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
17	88.24	70.59	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.59	35.29	35.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	64.71	5.88	58.82	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
20	76.47	41.18	35.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	29.41	0.00	29.41	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
22	82.35	64.71	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	52.94	0.00	52.94	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
24	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	64.71	35.29	29.41	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
26	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	76.47	64.71	11.76	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	52.94	47.06	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	41.18	29.41	11.76	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	76.47	52.94	23.53	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	70.59	64.71	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	88.24	52.94	35.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	70.59	47.06	23.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	52.94	23.53	29.41	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
35	70.59	52.94	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	70.59	52.94	17.65	PHY	TOP10	4.00	1.00	C		L	0.00
37	76.47	52.94	23.53	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	29.41	5.88	23.53	PHY	TOP10	4.00	1.00	A	B	W	-1.00
39	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	A	D	W	-1.00
40	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
41	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	88.24	58.82	29.41	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	17.65	11.76	5.88	PHY	TOP10	4.00	1.00	B		L	0.00
46	70.59	58.82	11.76	PHY	TOP10	4.00	1.00	A		L	0.00
47	41.18	5.88	35.29	PHY	TOP10	4.00	1.00	B	C	W	-1.00
48	58.82	47.06	11.76	PHY	TOP10	4.00	1.00	A		L	0.00
49	52.94	17.65	35.29	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	64.71	52.94	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	76.47	5.88	70.59	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
52	94.12	41.18	52.94	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
53	76.47	58.82	17.65	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA RAJESH RAUT (ID No. 053032)

Your Score: 491.00/720.00 (68.19%)

Max Score: 656.00

Rank: 5

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 74.85

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.24	52.94	35.29	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	64.71	41.18	23.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
56	52.94	23.53	29.41	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
57	70.59	11.76	58.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	29.41	11.76	17.65	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	41.18	0.00	41.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	47.06	29.41	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	94.12	94.12	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	70.59	64.71	5.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	88.24	82.35	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	94.12	35.29	58.82	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	94.12	64.71	29.41	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
66	82.35	58.82	23.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	35.29	17.65	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
68	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	100.00	88.24	11.76	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	52.94	11.76	41.18	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	82.35	41.18	41.18	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
75	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	82.35	64.71	17.65	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
77	88.24	35.29	52.94	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	82.35	47.06	35.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	88.24	70.59	17.65	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
81	52.94	35.29	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	94.12	70.59	23.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	82.35	29.41	52.94	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
84	58.82	52.94	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	47.06	29.41	17.65	CHEM	TOP10	4.00	1.00	C		L	0.00
87	82.35	64.71	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	76.47	58.82	17.65	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
89	88.24	58.82	29.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	94.12	94.12	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	88.24	88.24	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
92	88.24	70.59	17.65	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	52.94	17.65	35.29	CHEM	TOP10	4.00	1.00	B	B	R	4.00
94	29.41	17.65	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
95	23.53	0.00	23.53	CHEM	TOP10	4.00	1.00	D		L	0.00
96	94.12	88.24	5.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	23.53	11.76	11.76	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
98	35.29	23.53	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
99	82.35	41.18	41.18	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
100	41.18	29.41	11.76	CHEM	TOP10	4.00	1.00	D		L	0.00
101	82.35	47.06	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	94.12	29.41	64.71	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	100.00	88.24	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	88.24	88.24	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.12	41.18	52.94	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA RAJESH RAUT (ID No. 053032)

Your Score: 491.00/720.00 (68.19%)

Max Score: 656.00

Rank: 5

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 74.85

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	100.00	64.71	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
112	100.00	52.94	47.06	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	88.24	47.06	41.18	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
114	76.47	52.94	23.53	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	88.24	58.82	29.41	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	64.71	52.94	11.76	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.24	23.53	64.71	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	52.94	52.94	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
121	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
124	76.47	47.06	29.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	94.12	58.82	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	70.59	58.82	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	82.35	41.18	41.18	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	88.24	70.59	17.65	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	94.12	88.24	5.88	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	70.59	41.18	29.41	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	100.00	70.59	29.41	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	94.12	35.29	58.82	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	88.24	58.82	29.41	BOT	TOP10	4.00	1.00	D	A	W	-1.00
137	70.59	52.94	17.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	35.29	29.41	5.88	BOT	TOP10	4.00	1.00	D		L	0.00
140	52.94	5.88	47.06	BOT	TOP10	4.00	1.00	D		L	0.00
141	35.29	23.53	11.76	BOT	TOP10	4.00	1.00	C		L	0.00
142	94.12	88.24	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	D		L	0.00
144	94.12	64.71	29.41	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	58.82	58.82	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	47.06	41.18	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.53	11.76	11.76	BOT	TOP10	4.00	1.00	B		L	0.00
149	76.47	52.94	23.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	A		L	0.00
151	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	88.24	11.76	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	94.12	58.82	35.29	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	23.53	76.47	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA RAJESH RAUT (ID No. 053032)

Your Score: 491.00/720.00 (68.19%)

Max Score: 656.00

Rank: 5

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 74.85

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	88.24	88.24	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	94.12	88.24	5.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	76.47	64.71	11.76	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	70.59	64.71	5.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	70.59	70.59	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.24	29.41	58.82	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	76.47	52.94	23.53	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
169	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	88.24	82.35	5.88	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	76.47	11.76	64.71	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
175	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	88.24	70.59	17.65	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
177	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	82.35	82.35	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	41.18	29.41	11.76	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
182	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
183	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	82.35	70.59	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	11.76	11.76	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
187	82.35	76.47	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	94.12	94.12	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	52.94	52.94	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	52.94	41.18	11.76	ZOO	TOP10	4.00	1.00	A		L	0.00
191	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
192	70.59	58.82	11.76	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	64.71	58.82	5.88	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	100.00	100.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	35.29	23.53	11.76	ZOO	TOP10	4.00	1.00	B	B	R	4.00
196	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	17.65	11.76	5.88	ZOO	TOP10	4.00	1.00	B		L	0.00
198	76.47	70.59	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	58.82	47.06	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
200	76.47	58.82	17.65	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 173 (**Correct:** 132 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 491.00

Total Positive Marks: 532.00 **Total Negative Marks:** 41.00

PHY	CHEM	BOT	ZOO	Total
98.00	112.00	141.00	140.00	491.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YOZA RAMIN SHAIKH (ID No. 222222)

Your Score: 404.00/720.00 (56.11%)

Max Score: 656.00

Rank: 6

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 61.59

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.12	47.06	47.06	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
4	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	94.12	52.94	41.18	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
6	70.59	41.18	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
8	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
9	52.94	29.41	23.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	88.24	64.71	23.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00			C	4.00
12	41.18	23.53	17.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	29.41	17.65	11.76	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	82.35	70.59	11.76	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	35.29	35.29	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	88.24	70.59	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.59	35.29	35.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
19	64.71	5.88	58.82	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
20	76.47	41.18	35.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	29.41	0.00	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	82.35	64.71	17.65	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	52.94	0.00	52.94	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
24	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	64.71	35.29	29.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	76.47	64.71	11.76	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	52.94	47.06	5.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	41.18	29.41	11.76	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	76.47	52.94	23.53	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	70.59	64.71	5.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	88.24	52.94	35.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	70.59	47.06	23.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	52.94	23.53	29.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	70.59	52.94	17.65	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	70.59	52.94	17.65	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	76.47	52.94	23.53	PHY	TOP10	4.00	1.00	A		L	0.00
38	29.41	5.88	23.53	PHY	TOP10	4.00	1.00	A		L	0.00
39	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
41	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	88.24	58.82	29.41	PHY	TOP10	4.00	1.00	C	A	W	-1.00
43	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	B		L	0.00
44	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	D	D	R	4.00
45	17.65	11.76	5.88	PHY	TOP10	4.00	1.00	B		L	0.00
46	70.59	58.82	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	41.18	5.88	35.29	PHY	TOP10	4.00	1.00	B		L	0.00
48	58.82	47.06	11.76	PHY	TOP10	4.00	1.00	A		L	0.00
49	52.94	17.65	35.29	PHY	TOP10	4.00	1.00	B		L	0.00
50	64.71	52.94	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	76.47	5.88	70.59	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
52	94.12	41.18	52.94	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	76.47	58.82	17.65	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YOZA RAMIN SHAIKH (ID No. 222222)

Your Score: 404.00/720.00 (56.11%)

Max Score: 656.00

Rank: 6

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 61.59

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.24	52.94	35.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	64.71	41.18	23.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
56	52.94	23.53	29.41	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	70.59	11.76	58.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	29.41	11.76	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	41.18	0.00	41.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	47.06	29.41	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	94.12	94.12	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	70.59	64.71	5.88	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	88.24	82.35	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	94.12	35.29	58.82	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	94.12	64.71	29.41	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	82.35	58.82	23.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	35.29	17.65	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	100.00	88.24	11.76	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	52.94	11.76	41.18	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	82.35	41.18	41.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
76	82.35	64.71	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	88.24	35.29	52.94	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	82.35	47.06	35.29	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	88.24	70.59	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	52.94	35.29	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	94.12	70.59	23.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	82.35	29.41	52.94	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
84	58.82	52.94	5.88	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
85	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	47.06	29.41	17.65	CHEM	TOP10	4.00	1.00	C		L	0.00
87	82.35	64.71	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	76.47	58.82	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	88.24	58.82	29.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	94.12	94.12	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	88.24	88.24	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
92	88.24	70.59	17.65	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	52.94	17.65	35.29	CHEM	TOP10	4.00	1.00	B	B	R	4.00
94	29.41	17.65	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
95	23.53	0.00	23.53	CHEM	TOP10	4.00	1.00	D		L	0.00
96	94.12	88.24	5.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	23.53	11.76	11.76	CHEM	TOP10	4.00	1.00	C	C	R	4.00
98	35.29	23.53	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
99	82.35	41.18	41.18	CHEM	TOP10	4.00	1.00	A		L	0.00
100	41.18	29.41	11.76	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	82.35	47.06	35.29	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
102	94.12	29.41	64.71	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
103	100.00	88.24	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	88.24	88.24	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.12	41.18	52.94	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YOZA RAMIN SHAIKH (ID No. 222222)

Your Score: 404.00/720.00 (56.11%)

Max Score: 656.00

Rank: 6

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 61.59

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	100.00	64.71	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
112	100.00	52.94	47.06	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	88.24	47.06	41.18	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	76.47	52.94	23.53	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
115	88.24	58.82	29.41	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	64.71	52.94	11.76	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.24	23.53	64.71	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
119	52.94	52.94	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
124	76.47	47.06	29.41	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
125	94.12	58.82	35.29	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
126	70.59	58.82	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	82.35	41.18	41.18	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	88.24	70.59	17.65	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	94.12	88.24	5.88	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
130	70.59	41.18	29.41	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	100.00	70.59	29.41	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
133	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	94.12	35.29	58.82	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
135	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	88.24	58.82	29.41	BOT	TOP10	4.00	1.00	D		L	0.00
137	70.59	52.94	17.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	35.29	29.41	5.88	BOT	TOP10	4.00	1.00	D		L	0.00
140	52.94	5.88	47.06	BOT	TOP10	4.00	1.00	D	D	R	4.00
141	35.29	23.53	11.76	BOT	TOP10	4.00	1.00	C	A	W	-1.00
142	94.12	88.24	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	94.12	64.71	29.41	BOT	TOP10	4.00	1.00	C	A	W	-1.00
145	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B		L	0.00
146	58.82	58.82	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	47.06	41.18	5.88	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.53	11.76	11.76	BOT	TOP10	4.00	1.00	B		L	0.00
149	76.47	52.94	23.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	A		L	0.00
151	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	88.24	11.76	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	94.12	58.82	35.29	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	23.53	76.47	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YOZA RAMIN SHAIKH (ID No. 222222)

Your Score: 404.00/720.00 (56.11%)

Max Score: 656.00

Rank: 6

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 61.59

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	88.24	88.24	0.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	94.12	88.24	5.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	76.47	64.71	11.76	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	70.59	64.71	5.88	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
164	70.59	70.59	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.24	29.41	58.82	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	76.47	52.94	23.53	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
169	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	88.24	82.35	5.88	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	76.47	11.76	64.71	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
176	88.24	70.59	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	82.35	82.35	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	41.18	29.41	11.76	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
183	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
185	82.35	70.59	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	11.76	11.76	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	82.35	76.47	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	94.12	94.12	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	52.94	52.94	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
190	52.94	41.18	11.76	ZOO	TOP10	4.00	1.00	A		L	0.00
191	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	70.59	58.82	11.76	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	64.71	58.82	5.88	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	100.00	100.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	35.29	23.53	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
196	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	17.65	11.76	5.88	ZOO	TOP10	4.00	1.00	B		L	0.00
198	76.47	70.59	5.88	ZOO	TOP10	4.00	1.00	D		L	0.00
199	58.82	47.06	11.76	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	76.47	58.82	17.65	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 130 (**Correct:** 106 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 404.00

Total Positive Marks: 428.00 **Total Negative Marks:** 24.00

PHY	CHEM	BOT	ZOO	Total
52.00	111.00	106.00	135.00	404.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASWI SUSHIL RAUT (ID No. 053034)

Your Score: 394.00/720.00 (54.72%)

Max Score: 656.00

Rank: 7

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 60.06

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.12	47.06	47.06	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
2	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
3	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	A	AB	W	-1.00
4	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	94.12	52.94	41.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	70.59	41.18	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
8	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	52.94	29.41	23.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	88.24	64.71	23.53	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
11	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
12	41.18	23.53	17.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	29.41	17.65	11.76	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	82.35	70.59	11.76	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	35.29	35.29	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	88.24	70.59	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.59	35.29	35.29	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	64.71	5.88	58.82	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
20	76.47	41.18	35.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	29.41	0.00	29.41	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
22	82.35	64.71	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	52.94	0.00	52.94	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
24	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	64.71	35.29	29.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	76.47	64.71	11.76	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	52.94	47.06	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	41.18	29.41	11.76	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	76.47	52.94	23.53	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	70.59	64.71	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	88.24	52.94	35.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	70.59	47.06	23.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	52.94	23.53	29.41	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
35	70.59	52.94	17.65	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
36	70.59	52.94	17.65	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	76.47	52.94	23.53	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	29.41	5.88	23.53	PHY	TOP10	4.00	1.00	A		L	0.00
39	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
41	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	A	C	W	-1.00
42	88.24	58.82	29.41	PHY	TOP10	4.00	1.00	C		L	0.00
43	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	B		L	0.00
44	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	D	B	W	-1.00
45	17.65	11.76	5.88	PHY	TOP10	4.00	1.00	B		L	0.00
46	70.59	58.82	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	41.18	5.88	35.29	PHY	TOP10	4.00	1.00	B		L	0.00
48	58.82	47.06	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	52.94	17.65	35.29	PHY	TOP10	4.00	1.00	B	A	W	-1.00
50	64.71	52.94	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	76.47	5.88	70.59	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
52	94.12	41.18	52.94	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
53	76.47	58.82	17.65	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASWI SUSHIL RAUT (ID No. 053034)

Your Score: 394.00/720.00 (54.72%)

Max Score: 656.00

Rank: 7

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 60.06

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.24	52.94	35.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	64.71	41.18	23.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
56	52.94	23.53	29.41	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	70.59	11.76	58.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	29.41	11.76	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	41.18	0.00	41.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	47.06	29.41	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	94.12	94.12	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	70.59	64.71	5.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	88.24	82.35	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	94.12	35.29	58.82	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
65	94.12	64.71	29.41	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	82.35	58.82	23.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	35.29	17.65	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	100.00	88.24	11.76	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	52.94	11.76	41.18	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
74	82.35	41.18	41.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
75	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	82.35	64.71	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	88.24	35.29	52.94	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
78	82.35	47.06	35.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	88.24	70.59	17.65	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
81	52.94	35.29	17.65	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	94.12	70.59	23.53	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
83	82.35	29.41	52.94	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
84	58.82	52.94	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	47.06	29.41	17.65	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	82.35	64.71	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	76.47	58.82	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	88.24	58.82	29.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	94.12	94.12	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	88.24	88.24	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
92	88.24	70.59	17.65	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	52.94	17.65	35.29	CHEM	TOP10	4.00	1.00	B		L	0.00
94	29.41	17.65	11.76	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
95	23.53	0.00	23.53	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
96	94.12	88.24	5.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	23.53	11.76	11.76	CHEM	TOP10	4.00	1.00	C		L	0.00
98	35.29	23.53	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
99	82.35	41.18	41.18	CHEM	TOP10	4.00	1.00	A		L	0.00
100	41.18	29.41	11.76	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	82.35	47.06	35.29	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
102	94.12	29.41	64.71	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
103	100.00	88.24	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	88.24	88.24	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.12	41.18	52.94	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASWI SUSHIL RAUT (ID No. 053034)

Your Score: 394.00/720.00 (54.72%)

Max Score: 656.00

Rank: 7

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 60.06

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
108	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
109	100.00	64.71	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	52.94	47.06	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	88.24	47.06	41.18	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
114	76.47	52.94	23.53	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	88.24	58.82	29.41	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	64.71	52.94	11.76	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.24	23.53	64.71	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	52.94	52.94	0.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	76.47	47.06	29.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	94.12	58.82	35.29	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	70.59	58.82	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	82.35	41.18	41.18	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	88.24	70.59	17.65	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	94.12	88.24	5.88	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	70.59	41.18	29.41	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
131	100.00	70.59	29.41	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
133	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	94.12	35.29	58.82	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
135	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	88.24	58.82	29.41	BOT	TOP10	4.00	1.00	D	A	W	-1.00
137	70.59	52.94	17.65	BOT	TOP10	4.00	1.00	C		L	0.00
138	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	35.29	29.41	5.88	BOT	TOP10	4.00	1.00	D		L	0.00
140	52.94	5.88	47.06	BOT	TOP10	4.00	1.00	D	B	W	-1.00
141	35.29	23.53	11.76	BOT	TOP10	4.00	1.00	C		L	0.00
142	94.12	88.24	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	D	C	W	-1.00
144	94.12	64.71	29.41	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	58.82	58.82	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
147	47.06	41.18	5.88	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.53	11.76	11.76	BOT	TOP10	4.00	1.00	B	C	W	-1.00
149	76.47	52.94	23.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	88.24	11.76	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	94.12	58.82	35.29	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
156	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	23.53	76.47	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASWI SUSHIL RAUT (ID No. 053034)

Your Score: 394.00/720.00 (54.72%)

Max Score: 656.00

Rank: 7

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 60.06

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	88.24	88.24	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	94.12	88.24	5.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	76.47	64.71	11.76	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	70.59	64.71	5.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	70.59	70.59	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.24	29.41	58.82	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
166	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	76.47	52.94	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	88.24	82.35	5.88	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	76.47	11.76	64.71	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
175	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	88.24	70.59	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	82.35	82.35	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	41.18	29.41	11.76	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	82.35	70.59	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	11.76	11.76	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
187	82.35	76.47	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	94.12	94.12	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	52.94	52.94	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
190	52.94	41.18	11.76	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
191	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
192	70.59	58.82	11.76	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	64.71	58.82	5.88	ZOO	TOP10	4.00	1.00	C		L	0.00
194	100.00	100.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	35.29	23.53	11.76	ZOO	TOP10	4.00	1.00	B	B	R	4.00
196	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	17.65	11.76	5.88	ZOO	TOP10	4.00	1.00	B		L	0.00
198	76.47	70.59	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	58.82	47.06	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
200	76.47	58.82	17.65	ZOO	TOP10	4.00	1.00	C	A	W	-1.00

Total Question: 200 **Attempted:** 160 (**Correct:** 110 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 394.00

Total Positive Marks: 444.00 **Total Negative Marks:** 50.00

PHY	CHEM	BOT	ZOO	Total
70.00	87.00	101.00	136.00	394.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASI PAWAN PATURKAR (ID No. 052637)

Your Score: 372.00/720.00 (51.67%)

Max Score: 656.00

Rank: 8

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 56.71

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.12	47.06	47.06	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
5	94.12	52.94	41.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	70.59	41.18	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
8	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	52.94	29.41	23.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	88.24	64.71	23.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
12	41.18	23.53	17.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	29.41	17.65	11.76	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	82.35	70.59	11.76	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	35.29	35.29	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	88.24	70.59	17.65	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
18	70.59	35.29	35.29	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	64.71	5.88	58.82	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	76.47	41.18	35.29	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	29.41	0.00	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	82.35	64.71	17.65	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
23	52.94	0.00	52.94	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
24	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	64.71	35.29	29.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
27	76.47	64.71	11.76	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	52.94	47.06	5.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	41.18	29.41	11.76	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	76.47	52.94	23.53	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	70.59	64.71	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	88.24	52.94	35.29	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
33	70.59	47.06	23.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	52.94	23.53	29.41	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
35	70.59	52.94	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	70.59	52.94	17.65	PHY	TOP10	4.00	1.00	C	A	W	-1.00
37	76.47	52.94	23.53	PHY	TOP10	4.00	1.00	A	B	W	-1.00
38	29.41	5.88	23.53	PHY	TOP10	4.00	1.00	A		L	0.00
39	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	A		L	0.00
40	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
41	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	A		L	0.00
42	88.24	58.82	29.41	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	B	C	W	-1.00
44	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	D		L	0.00
45	17.65	11.76	5.88	PHY	TOP10	4.00	1.00	B		L	0.00
46	70.59	58.82	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	41.18	5.88	35.29	PHY	TOP10	4.00	1.00	B		L	0.00
48	58.82	47.06	11.76	PHY	TOP10	4.00	1.00	A		L	0.00
49	52.94	17.65	35.29	PHY	TOP10	4.00	1.00	B		L	0.00
50	64.71	52.94	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	76.47	5.88	70.59	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
52	94.12	41.18	52.94	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
53	76.47	58.82	17.65	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASI PAWAN PATURKAR (ID No. 052637)

Your Score: 372.00/720.00 (51.67%)

Max Score: 656.00

Rank: 8

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 56.71

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.24	52.94	35.29	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	64.71	41.18	23.53	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
56	52.94	23.53	29.41	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
57	70.59	11.76	58.82	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
58	29.41	11.76	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	41.18	0.00	41.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	47.06	29.41	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	94.12	94.12	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	70.59	64.71	5.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	88.24	82.35	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	94.12	35.29	58.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	94.12	64.71	29.41	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	82.35	58.82	23.53	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
67	35.29	17.65	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	100.00	88.24	11.76	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	52.94	11.76	41.18	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	82.35	41.18	41.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	82.35	64.71	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	88.24	35.29	52.94	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	82.35	47.06	35.29	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	88.24	70.59	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	52.94	35.29	17.65	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
82	94.12	70.59	23.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	82.35	29.41	52.94	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
84	58.82	52.94	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	47.06	29.41	17.65	CHEM	TOP10	4.00	1.00	C		L	0.00
87	82.35	64.71	17.65	CHEM	TOP10	4.00	1.00	D		L	0.00
88	76.47	58.82	17.65	CHEM	TOP10	4.00	1.00	D		L	0.00
89	88.24	58.82	29.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	94.12	94.12	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	88.24	88.24	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
92	88.24	70.59	17.65	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	52.94	17.65	35.29	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
94	29.41	17.65	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
95	23.53	0.00	23.53	CHEM	TOP10	4.00	1.00	D		L	0.00
96	94.12	88.24	5.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	23.53	11.76	11.76	CHEM	TOP10	4.00	1.00	C		L	0.00
98	35.29	23.53	11.76	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	82.35	41.18	41.18	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	41.18	29.41	11.76	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	82.35	47.06	35.29	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
102	94.12	29.41	64.71	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
103	100.00	88.24	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	88.24	88.24	0.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
105	94.12	41.18	52.94	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASI PAWAN PATURKAR (ID No. 052637)

Your Score: 372.00/720.00 (51.67%)

Max Score: 656.00

Rank: 8

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 56.71

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	100.00	64.71	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	52.94	47.06	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	88.24	47.06	41.18	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	76.47	52.94	23.53	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
115	88.24	58.82	29.41	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
117	64.71	52.94	11.76	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
118	88.24	23.53	64.71	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	52.94	52.94	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
121	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
122	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
124	76.47	47.06	29.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	94.12	58.82	35.29	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	70.59	58.82	11.76	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
127	82.35	41.18	41.18	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	88.24	70.59	17.65	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	94.12	88.24	5.88	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	70.59	41.18	29.41	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	100.00	70.59	29.41	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	94.12	35.29	58.82	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
135	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	88.24	58.82	29.41	BOT	TOP10	4.00	1.00	D	C	W	-1.00
137	70.59	52.94	17.65	BOT	TOP10	4.00	1.00	C	B	W	-1.00
138	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	35.29	29.41	5.88	BOT	TOP10	4.00	1.00	D		L	0.00
140	52.94	5.88	47.06	BOT	TOP10	4.00	1.00	D	B	W	-1.00
141	35.29	23.53	11.76	BOT	TOP10	4.00	1.00	C		L	0.00
142	94.12	88.24	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	D		L	0.00
144	94.12	64.71	29.41	BOT	TOP10	4.00	1.00	C	A	W	-1.00
145	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B		L	0.00
146	58.82	58.82	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	47.06	41.18	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.53	11.76	11.76	BOT	TOP10	4.00	1.00	B		L	0.00
149	76.47	52.94	23.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	88.24	11.76	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	94.12	58.82	35.29	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	100.00	23.53	76.47	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASI PAWAN PATURKAR (ID No. 052637)

Your Score: 372.00/720.00 (51.67%)

Max Score: 656.00

Rank: 8

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 56.71

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	88.24	88.24	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	94.12	88.24	5.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	76.47	64.71	11.76	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
163	70.59	64.71	5.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	70.59	70.59	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.24	29.41	58.82	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	76.47	52.94	23.53	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
169	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	88.24	82.35	5.88	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	76.47	11.76	64.71	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
175	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	88.24	70.59	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	82.35	82.35	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	41.18	29.41	11.76	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
183	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
185	82.35	70.59	11.76	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
186	11.76	11.76	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
187	82.35	76.47	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	94.12	94.12	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	52.94	52.94	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
190	52.94	41.18	11.76	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	70.59	58.82	11.76	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
193	64.71	58.82	5.88	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	100.00	100.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	35.29	23.53	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
196	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	17.65	11.76	5.88	ZOO	TOP10	4.00	1.00	B		L	0.00
198	76.47	70.59	5.88	ZOO	TOP10	4.00	1.00	D		L	0.00
199	58.82	47.06	11.76	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	76.47	58.82	17.65	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 152 (**Correct:** 104 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 372.00

Total Positive Marks: 420.00 **Total Negative Marks:** 48.00

PHY	CHEM	BOT	ZOO	Total
60.00	103.00	87.00	122.00	372.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SATISH RAUT (ID No. 052422)

Your Score: 332.00/720.00 (46.11%)

Max Score: 656.00

Rank: 9

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 50.61

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.12	47.06	47.06	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
2	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	94.12	52.94	41.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	70.59	41.18	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
8	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
9	52.94	29.41	23.53	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
10	88.24	64.71	23.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
12	41.18	23.53	17.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	29.41	17.65	11.76	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	82.35	70.59	11.76	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	35.29	35.29	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	88.24	70.59	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.59	35.29	35.29	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	64.71	5.88	58.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	76.47	41.18	35.29	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
21	29.41	0.00	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	82.35	64.71	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	52.94	0.00	52.94	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
24	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	64.71	35.29	29.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
26	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	76.47	64.71	11.76	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	52.94	47.06	5.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	41.18	29.41	11.76	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	76.47	52.94	23.53	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	70.59	64.71	5.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	88.24	52.94	35.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	70.59	47.06	23.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	52.94	23.53	29.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	70.59	52.94	17.65	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	70.59	52.94	17.65	PHY	TOP10	4.00	1.00	C	B	W	-1.00
37	76.47	52.94	23.53	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	29.41	5.88	23.53	PHY	TOP10	4.00	1.00	A		L	0.00
39	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	A	D	W	-1.00
40	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
41	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	A		L	0.00
42	88.24	58.82	29.41	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	D		L	0.00
45	17.65	11.76	5.88	PHY	TOP10	4.00	1.00	B		L	0.00
46	70.59	58.82	11.76	PHY	TOP10	4.00	1.00	A		L	0.00
47	41.18	5.88	35.29	PHY	TOP10	4.00	1.00	B		L	0.00
48	58.82	47.06	11.76	PHY	TOP10	4.00	1.00	A	D	W	-1.00
49	52.94	17.65	35.29	PHY	TOP10	4.00	1.00	B	A	W	-1.00
50	64.71	52.94	11.76	PHY	TOP10	4.00	1.00	B		L	0.00
51	76.47	5.88	70.59	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
52	94.12	41.18	52.94	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	76.47	58.82	17.65	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SATISH RAUT (ID No. 052422)

Your Score: 332.00/720.00 (46.11%)

Max Score: 656.00

Rank: 9

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 50.61

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.24	52.94	35.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	64.71	41.18	23.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
56	52.94	23.53	29.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
57	70.59	11.76	58.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	29.41	11.76	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	41.18	0.00	41.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	47.06	29.41	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	94.12	94.12	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	70.59	64.71	5.88	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	88.24	82.35	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	94.12	35.29	58.82	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	94.12	64.71	29.41	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	82.35	58.82	23.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	35.29	17.65	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	100.00	88.24	11.76	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
73	52.94	11.76	41.18	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	82.35	41.18	41.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
75	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	82.35	64.71	17.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	88.24	35.29	52.94	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	82.35	47.06	35.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	88.24	70.59	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	52.94	35.29	17.65	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	94.12	70.59	23.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	82.35	29.41	52.94	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
84	58.82	52.94	5.88	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	47.06	29.41	17.65	CHEM	TOP10	4.00	1.00	C		L	0.00
87	82.35	64.71	17.65	CHEM	TOP10	4.00	1.00	D		L	0.00
88	76.47	58.82	17.65	CHEM	TOP10	4.00	1.00	D		L	0.00
89	88.24	58.82	29.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	94.12	94.12	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	88.24	88.24	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
92	88.24	70.59	17.65	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
93	52.94	17.65	35.29	CHEM	TOP10	4.00	1.00	B		L	0.00
94	29.41	17.65	11.76	CHEM	TOP10	4.00	1.00	B	B	R	4.00
95	23.53	0.00	23.53	CHEM	TOP10	4.00	1.00	D		L	0.00
96	94.12	88.24	5.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	23.53	11.76	11.76	CHEM	TOP10	4.00	1.00	C		L	0.00
98	35.29	23.53	11.76	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
99	82.35	41.18	41.18	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
100	41.18	29.41	11.76	CHEM	TOP10	4.00	1.00	D		L	0.00
101	82.35	47.06	35.29	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
102	94.12	29.41	64.71	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
103	100.00	88.24	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	88.24	88.24	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.12	41.18	52.94	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
106	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SATISH RAUT (ID No. 052422)

Your Score: 332.00/720.00 (46.11%)

Max Score: 656.00

Rank: 9

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 50.61

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	100.00	64.71	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
112	100.00	52.94	47.06	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	88.24	47.06	41.18	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
114	76.47	52.94	23.53	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	88.24	58.82	29.41	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
116	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	64.71	52.94	11.76	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.24	23.53	64.71	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
119	52.94	52.94	0.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
123	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	76.47	47.06	29.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
125	94.12	58.82	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	70.59	58.82	11.76	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	82.35	41.18	41.18	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	88.24	70.59	17.65	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
129	94.12	88.24	5.88	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	70.59	41.18	29.41	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	100.00	70.59	29.41	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	94.12	35.29	58.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	88.24	58.82	29.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	70.59	52.94	17.65	BOT	TOP10	4.00	1.00	C		L	0.00
138	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	35.29	29.41	5.88	BOT	TOP10	4.00	1.00	D		L	0.00
140	52.94	5.88	47.06	BOT	TOP10	4.00	1.00	D		L	0.00
141	35.29	23.53	11.76	BOT	TOP10	4.00	1.00	C		L	0.00
142	94.12	88.24	5.88	BOT	TOP10	4.00	1.00	C		L	0.00
143	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	94.12	64.71	29.41	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	58.82	58.82	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
147	47.06	41.18	5.88	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.53	11.76	11.76	BOT	TOP10	4.00	1.00	B		L	0.00
149	76.47	52.94	23.53	BOT	TOP10	4.00	1.00	C	B	W	-1.00
150	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	A		L	0.00
151	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
152	100.00	88.24	11.76	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	94.12	58.82	35.29	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
157	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	23.53	76.47	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SATISH RAUT (ID No. 052422)

Your Score: 332.00/720.00 (46.11%)

Max Score: 656.00

Rank: 9

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 50.61

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	88.24	88.24	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	94.12	88.24	5.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	76.47	64.71	11.76	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
163	70.59	64.71	5.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	70.59	70.59	0.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.24	29.41	58.82	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
168	76.47	52.94	23.53	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
169	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	88.24	82.35	5.88	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
172	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	76.47	11.76	64.71	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
176	88.24	70.59	17.65	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
177	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
180	82.35	82.35	0.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
181	41.18	29.41	11.76	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	82.35	70.59	11.76	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
186	11.76	11.76	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
187	82.35	76.47	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	94.12	94.12	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	52.94	52.94	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	52.94	41.18	11.76	ZOO	TOP10	4.00	1.00	A		L	0.00
191	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	A	AB	W	-1.00
192	70.59	58.82	11.76	ZOO	TOP10	4.00	1.00	A		L	0.00
193	64.71	58.82	5.88	ZOO	TOP10	4.00	1.00	C	A	W	-1.00
194	100.00	100.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	35.29	23.53	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
196	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
197	17.65	11.76	5.88	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
198	76.47	70.59	5.88	ZOO	TOP10	4.00	1.00	D	A	W	-1.00
199	58.82	47.06	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
200	76.47	58.82	17.65	ZOO	TOP10	4.00	1.00	C	A	W	-1.00

Total Question: 200 **Attempted:** 122 (**Correct:** 90 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 332.00

Total Positive Marks: 364.00 **Total Negative Marks:** 32.00

PHY	CHEM	BOT	ZOO	Total
68.00	80.00	93.00	91.00	332.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEELAKSHI MILIND DESHPANDE (ID No. 053480)

Your Score: 321.00/720.00 (44.58%)

Max Score: 656.00

Rank: 10

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 48.93

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.12	47.06	47.06	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
3	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
4	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
5	94.12	52.94	41.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	70.59	41.18	29.41	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
9	52.94	29.41	23.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	88.24	64.71	23.53	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
11	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
12	41.18	23.53	17.65	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
13	29.41	17.65	11.76	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	82.35	70.59	11.76	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	35.29	35.29	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
17	88.24	70.59	17.65	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
18	70.59	35.29	35.29	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	64.71	5.88	58.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	76.47	41.18	35.29	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	29.41	0.00	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	82.35	64.71	17.65	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
23	52.94	0.00	52.94	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
24	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	64.71	35.29	29.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	76.47	64.71	11.76	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	52.94	47.06	5.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	41.18	29.41	11.76	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
30	76.47	52.94	23.53	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
31	70.59	64.71	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	88.24	52.94	35.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	70.59	47.06	23.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	52.94	23.53	29.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	70.59	52.94	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	70.59	52.94	17.65	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	76.47	52.94	23.53	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	29.41	5.88	23.53	PHY	TOP10	4.00	1.00	A		L	0.00
39	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	A	D	W	-1.00
40	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
41	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	88.24	58.82	29.41	PHY	TOP10	4.00	1.00	C	A	W	-1.00
43	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	D		L	0.00
45	17.65	11.76	5.88	PHY	TOP10	4.00	1.00	B		L	0.00
46	70.59	58.82	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	41.18	5.88	35.29	PHY	TOP10	4.00	1.00	B		L	0.00
48	58.82	47.06	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	52.94	17.65	35.29	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	64.71	52.94	11.76	PHY	TOP10	4.00	1.00	B	C	W	-1.00
51	76.47	5.88	70.59	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
52	94.12	41.18	52.94	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
53	76.47	58.82	17.65	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEELAKSHI MILIND DESHPANDE (ID No. 053480)

Your Score: 321.00/720.00 (44.58%)

Max Score: 656.00

Rank: 10

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 48.93

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.24	52.94	35.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	64.71	41.18	23.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
56	52.94	23.53	29.41	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	70.59	11.76	58.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	29.41	11.76	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	41.18	0.00	41.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	47.06	29.41	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	94.12	94.12	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	70.59	64.71	5.88	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	88.24	82.35	5.88	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
64	94.12	35.29	58.82	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	94.12	64.71	29.41	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	82.35	58.82	23.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	35.29	17.65	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	100.00	88.24	11.76	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
72	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	52.94	11.76	41.18	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
74	82.35	41.18	41.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
76	82.35	64.71	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	88.24	35.29	52.94	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
78	82.35	47.06	35.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	88.24	70.59	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	52.94	35.29	17.65	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	94.12	70.59	23.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	82.35	29.41	52.94	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
84	58.82	52.94	5.88	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	47.06	29.41	17.65	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	82.35	64.71	17.65	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
88	76.47	58.82	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	88.24	58.82	29.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	94.12	94.12	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	88.24	88.24	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
92	88.24	70.59	17.65	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	52.94	17.65	35.29	CHEM	TOP10	4.00	1.00	B		L	0.00
94	29.41	17.65	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
95	23.53	0.00	23.53	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	94.12	88.24	5.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	23.53	11.76	11.76	CHEM	TOP10	4.00	1.00	C		L	0.00
98	35.29	23.53	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
99	82.35	41.18	41.18	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	41.18	29.41	11.76	CHEM	TOP10	4.00	1.00	D		L	0.00
101	82.35	47.06	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	94.12	29.41	64.71	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
103	100.00	88.24	11.76	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
104	88.24	88.24	0.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
105	94.12	41.18	52.94	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEELAKSHI MILIND DESHPANDE (ID No. 053480)

Your Score: 321.00/720.00 (44.58%)

Max Score: 656.00

Rank: 10

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 48.93

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	100.00	64.71	35.29	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
111	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	52.94	47.06	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	88.24	47.06	41.18	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
114	76.47	52.94	23.53	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
115	88.24	58.82	29.41	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
116	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	64.71	52.94	11.76	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
118	88.24	23.53	64.71	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	52.94	52.94	0.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
121	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	76.47	47.06	29.41	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
125	94.12	58.82	35.29	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	70.59	58.82	11.76	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
127	82.35	41.18	41.18	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	88.24	70.59	17.65	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	94.12	88.24	5.88	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	70.59	41.18	29.41	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	100.00	70.59	29.41	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	94.12	35.29	58.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	88.24	58.82	29.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	70.59	52.94	17.65	BOT	TOP10	4.00	1.00	C	B	W	-1.00
138	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B		L	0.00
139	35.29	29.41	5.88	BOT	TOP10	4.00	1.00	D		L	0.00
140	52.94	5.88	47.06	BOT	TOP10	4.00	1.00	D	B	W	-1.00
141	35.29	23.53	11.76	BOT	TOP10	4.00	1.00	C		L	0.00
142	94.12	88.24	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	D		L	0.00
144	94.12	64.71	29.41	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	A	W	-1.00
146	58.82	58.82	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	47.06	41.18	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.53	11.76	11.76	BOT	TOP10	4.00	1.00	B	D	W	-1.00
149	76.47	52.94	23.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	A		L	0.00
151	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
152	100.00	88.24	11.76	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	94.12	58.82	35.29	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
156	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	23.53	76.47	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEELAKSHI MILIND DESHPANDE (ID No. 053480)

Your Score: 321.00/720.00 (44.58%)

Max Score: 656.00

Rank: 10

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 48.93

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	88.24	88.24	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	94.12	88.24	5.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	76.47	64.71	11.76	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
163	70.59	64.71	5.88	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	70.59	70.59	0.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.24	29.41	58.82	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
166	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	76.47	52.94	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	88.24	82.35	5.88	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	76.47	11.76	64.71	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
175	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
176	88.24	70.59	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
180	82.35	82.35	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	41.18	29.41	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	82.35	70.59	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	11.76	11.76	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
187	82.35	76.47	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	94.12	94.12	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	52.94	52.94	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	52.94	41.18	11.76	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	A		L	0.00
192	70.59	58.82	11.76	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	64.71	58.82	5.88	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	100.00	100.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	35.29	23.53	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
196	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	17.65	11.76	5.88	ZOO	TOP10	4.00	1.00	B		L	0.00
198	76.47	70.59	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	58.82	47.06	11.76	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
200	76.47	58.82	17.65	ZOO	TOP10	4.00	1.00	C	C	L	0.00

Total Question: 200 **Attempted:** 148 (**Correct:** 93 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 321.00

Total Positive Marks: 376.00 **Total Negative Marks:** 55.00

PHY	CHEM	BOT	ZOO	Total
57.00	63.00	78.00	123.00	321.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIYA RAJESH YADAV (ID No. 053036)

Your Score: 302.00/720.00 (41.94%)

Max Score: 656.00

Rank: 11

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 46.04

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.12	47.06	47.06	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
2	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
5	94.12	52.94	41.18	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
6	70.59	41.18	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
8	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	52.94	29.41	23.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	88.24	64.71	23.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
12	41.18	23.53	17.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	29.41	17.65	11.76	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	82.35	70.59	11.76	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
15	35.29	35.29	0.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
17	88.24	70.59	17.65	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
18	70.59	35.29	35.29	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	64.71	5.88	58.82	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
20	76.47	41.18	35.29	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	29.41	0.00	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	82.35	64.71	17.65	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
23	52.94	0.00	52.94	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
24	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	64.71	35.29	29.41	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
26	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
27	76.47	64.71	11.76	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	52.94	47.06	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	41.18	29.41	11.76	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	76.47	52.94	23.53	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
31	70.59	64.71	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	88.24	52.94	35.29	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
33	70.59	47.06	23.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	52.94	23.53	29.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	70.59	52.94	17.65	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
36	70.59	52.94	17.65	PHY	TOP10	4.00	1.00	C		L	0.00
37	76.47	52.94	23.53	PHY	TOP10	4.00	1.00	A		L	0.00
38	29.41	5.88	23.53	PHY	TOP10	4.00	1.00	A		L	0.00
39	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	A		L	0.00
40	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
41	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	A		L	0.00
42	88.24	58.82	29.41	PHY	TOP10	4.00	1.00	C	A	W	-1.00
43	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	D	C	W	-1.00
45	17.65	11.76	5.88	PHY	TOP10	4.00	1.00	B		L	0.00
46	70.59	58.82	11.76	PHY	TOP10	4.00	1.00	A		L	0.00
47	41.18	5.88	35.29	PHY	TOP10	4.00	1.00	B		L	0.00
48	58.82	47.06	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	52.94	17.65	35.29	PHY	TOP10	4.00	1.00	B	A	W	-1.00
50	64.71	52.94	11.76	PHY	TOP10	4.00	1.00	B	D	W	-1.00
51	76.47	5.88	70.59	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
52	94.12	41.18	52.94	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	76.47	58.82	17.65	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIYA RAJESH YADAV (ID No. 053036)

Your Score: 302.00/720.00 (41.94%)

Max Score: 656.00

Rank: 11

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 46.04

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.24	52.94	35.29	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	64.71	41.18	23.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
56	52.94	23.53	29.41	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	70.59	11.76	58.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
58	29.41	11.76	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	41.18	0.00	41.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	47.06	29.41	17.65	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
61	94.12	94.12	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	70.59	64.71	5.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	88.24	82.35	5.88	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	94.12	35.29	58.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	94.12	64.71	29.41	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	82.35	58.82	23.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
67	35.29	17.65	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
69	100.00	88.24	11.76	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	52.94	11.76	41.18	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
74	82.35	41.18	41.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
75	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	82.35	64.71	17.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	88.24	35.29	52.94	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
78	82.35	47.06	35.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	88.24	70.59	17.65	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
81	52.94	35.29	17.65	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
82	94.12	70.59	23.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	82.35	29.41	52.94	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
84	58.82	52.94	5.88	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	47.06	29.41	17.65	CHEM	TOP10	4.00	1.00	C		L	0.00
87	82.35	64.71	17.65	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	76.47	58.82	17.65	CHEM	TOP10	4.00	1.00	D		L	0.00
89	88.24	58.82	29.41	CHEM	TOP10	4.00	1.00	B	B	R	4.00
90	94.12	94.12	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	88.24	88.24	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
92	88.24	70.59	17.65	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	52.94	17.65	35.29	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
94	29.41	17.65	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
95	23.53	0.00	23.53	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
96	94.12	88.24	5.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	23.53	11.76	11.76	CHEM	TOP10	4.00	1.00	C		L	0.00
98	35.29	23.53	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
99	82.35	41.18	41.18	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
100	41.18	29.41	11.76	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
101	82.35	47.06	35.29	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
102	94.12	29.41	64.71	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
103	100.00	88.24	11.76	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
104	88.24	88.24	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.12	41.18	52.94	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIYA RAJESH YADAV (ID No. 053036)

Your Score: 302.00/720.00 (41.94%)

Max Score: 656.00

Rank: 11

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 46.04

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	100.00	64.71	35.29	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
112	100.00	52.94	47.06	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	88.24	47.06	41.18	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	76.47	52.94	23.53	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
115	88.24	58.82	29.41	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
116	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	64.71	52.94	11.76	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
118	88.24	23.53	64.71	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	52.94	52.94	0.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
121	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
123	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	76.47	47.06	29.41	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
125	94.12	58.82	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	70.59	58.82	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	82.35	41.18	41.18	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	88.24	70.59	17.65	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	94.12	88.24	5.88	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	70.59	41.18	29.41	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	100.00	70.59	29.41	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	94.12	35.29	58.82	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	88.24	58.82	29.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	70.59	52.94	17.65	BOT	TOP10	4.00	1.00	C		L	0.00
138	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B		L	0.00
139	35.29	29.41	5.88	BOT	TOP10	4.00	1.00	D		L	0.00
140	52.94	5.88	47.06	BOT	TOP10	4.00	1.00	D	B	W	-1.00
141	35.29	23.53	11.76	BOT	TOP10	4.00	1.00	C		L	0.00
142	94.12	88.24	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	D	A	W	-1.00
144	94.12	64.71	29.41	BOT	TOP10	4.00	1.00	C	D	W	-1.00
145	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	58.82	58.82	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	47.06	41.18	5.88	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.53	11.76	11.76	BOT	TOP10	4.00	1.00	B	B	R	4.00
149	76.47	52.94	23.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	88.24	11.76	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	94.12	58.82	35.29	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	23.53	76.47	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIYA RAJESH YADAV (ID No. 053036)

Your Score: 302.00/720.00 (41.94%)

Max Score: 656.00

Rank: 11

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 46.04

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	88.24	88.24	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	94.12	88.24	5.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	76.47	64.71	11.76	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	70.59	64.71	5.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	70.59	70.59	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.24	29.41	58.82	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
166	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	76.47	52.94	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	88.24	82.35	5.88	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	76.47	11.76	64.71	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	88.24	70.59	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	82.35	82.35	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	41.18	29.41	11.76	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
184	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	82.35	70.59	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	11.76	11.76	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
187	82.35	76.47	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	94.12	94.12	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	52.94	52.94	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
190	52.94	41.18	11.76	ZOO	TOP10	4.00	1.00	A		L	0.00
191	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
192	70.59	58.82	11.76	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
193	64.71	58.82	5.88	ZOO	TOP10	4.00	1.00	C		L	0.00
194	100.00	100.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	35.29	23.53	11.76	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
196	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	17.65	11.76	5.88	ZOO	TOP10	4.00	1.00	B		L	0.00
198	76.47	70.59	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	58.82	47.06	11.76	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	76.47	58.82	17.65	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 147 (**Correct:** 89 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 302.00

Total Positive Marks: 360.00 **Total Negative Marks:** 58.00

PHY	CHEM	BOT	ZOO	Total
38.00	44.00	87.00	133.00	302.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRIYA LONDHE (ID No. 111111)

Your Score: 299.00/720.00 (41.53%)

Max Score: 656.00

Rank: 12

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 45.58

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.12	47.06	47.06	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
5	94.12	52.94	41.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	70.59	41.18	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
8	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
9	52.94	29.41	23.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	88.24	64.71	23.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
12	41.18	23.53	17.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	29.41	17.65	11.76	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	82.35	70.59	11.76	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	35.29	35.29	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
17	88.24	70.59	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.59	35.29	35.29	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	64.71	5.88	58.82	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
20	76.47	41.18	35.29	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
21	29.41	0.00	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	82.35	64.71	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	52.94	0.00	52.94	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
24	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
25	64.71	35.29	29.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	76.47	64.71	11.76	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	52.94	47.06	5.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	41.18	29.41	11.76	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	76.47	52.94	23.53	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	70.59	64.71	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	88.24	52.94	35.29	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
33	70.59	47.06	23.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	52.94	23.53	29.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	70.59	52.94	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	70.59	52.94	17.65	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	76.47	52.94	23.53	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	29.41	5.88	23.53	PHY	TOP10	4.00	1.00	A		L	0.00
39	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	A	D	W	-1.00
40	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
41	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	A	D	W	-1.00
42	88.24	58.82	29.41	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	D	A	W	-1.00
45	17.65	11.76	5.88	PHY	TOP10	4.00	1.00	B		L	0.00
46	70.59	58.82	11.76	PHY	TOP10	4.00	1.00	A		L	0.00
47	41.18	5.88	35.29	PHY	TOP10	4.00	1.00	B		L	0.00
48	58.82	47.06	11.76	PHY	TOP10	4.00	1.00	A		L	0.00
49	52.94	17.65	35.29	PHY	TOP10	4.00	1.00	B		L	0.00
50	64.71	52.94	11.76	PHY	TOP10	4.00	1.00	B		L	0.00
51	76.47	5.88	70.59	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
52	94.12	41.18	52.94	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	76.47	58.82	17.65	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRIYA LONDHE (ID No. 111111)

Your Score: 299.00/720.00 (41.53%)

Max Score: 656.00

Rank: 12

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 45.58

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.24	52.94	35.29	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	64.71	41.18	23.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
56	52.94	23.53	29.41	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	70.59	11.76	58.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	29.41	11.76	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	41.18	0.00	41.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	47.06	29.41	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
61	94.12	94.12	0.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	70.59	64.71	5.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	88.24	82.35	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	94.12	35.29	58.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	94.12	64.71	29.41	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
66	82.35	58.82	23.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	35.29	17.65	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
69	100.00	88.24	11.76	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
70	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
71	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	52.94	11.76	41.18	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
74	82.35	41.18	41.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
75	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	82.35	64.71	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	88.24	35.29	52.94	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
78	82.35	47.06	35.29	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
79	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	88.24	70.59	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	52.94	35.29	17.65	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	94.12	70.59	23.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	82.35	29.41	52.94	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
84	58.82	52.94	5.88	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	47.06	29.41	17.65	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	82.35	64.71	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	76.47	58.82	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	88.24	58.82	29.41	CHEM	TOP10	4.00	1.00	B		L	0.00
90	94.12	94.12	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	88.24	88.24	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
92	88.24	70.59	17.65	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	52.94	17.65	35.29	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
94	29.41	17.65	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
95	23.53	0.00	23.53	CHEM	TOP10	4.00	1.00	D		L	0.00
96	94.12	88.24	5.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	23.53	11.76	11.76	CHEM	TOP10	4.00	1.00	C		L	0.00
98	35.29	23.53	11.76	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
99	82.35	41.18	41.18	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	41.18	29.41	11.76	CHEM	TOP10	4.00	1.00	D		L	0.00
101	82.35	47.06	35.29	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
102	94.12	29.41	64.71	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
103	100.00	88.24	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	88.24	88.24	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.12	41.18	52.94	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRIYA LONDHE (ID No. 111111)

Your Score: 299.00/720.00 (41.53%)

Max Score: 656.00

Rank: 12

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 45.58

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	100.00	64.71	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	52.94	47.06	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	88.24	47.06	41.18	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
114	76.47	52.94	23.53	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	88.24	58.82	29.41	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
116	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	64.71	52.94	11.76	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
118	88.24	23.53	64.71	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	52.94	52.94	0.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
124	76.47	47.06	29.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
125	94.12	58.82	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	70.59	58.82	11.76	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	82.35	41.18	41.18	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	88.24	70.59	17.65	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
129	94.12	88.24	5.88	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	70.59	41.18	29.41	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	100.00	70.59	29.41	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	94.12	35.29	58.82	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
135	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	88.24	58.82	29.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	70.59	52.94	17.65	BOT	TOP10	4.00	1.00	C		L	0.00
138	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	35.29	29.41	5.88	BOT	TOP10	4.00	1.00	D		L	0.00
140	52.94	5.88	47.06	BOT	TOP10	4.00	1.00	D		L	0.00
141	35.29	23.53	11.76	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	94.12	88.24	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	D		L	0.00
144	94.12	64.71	29.41	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	58.82	58.82	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	47.06	41.18	5.88	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.53	11.76	11.76	BOT	TOP10	4.00	1.00	B		L	0.00
149	76.47	52.94	23.53	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	A	B	W	-1.00
151	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
152	100.00	88.24	11.76	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
153	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	94.12	58.82	35.29	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
156	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
159	100.00	23.53	76.47	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRIYA LONDHE (ID No. 111111)

Your Score: 299.00/720.00 (41.53%)

Max Score: 656.00

Rank: 12

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 45.58

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	88.24	88.24	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	94.12	88.24	5.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	76.47	64.71	11.76	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	70.59	64.71	5.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	70.59	70.59	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.24	29.41	58.82	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
166	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	76.47	52.94	23.53	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
169	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	88.24	82.35	5.88	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	76.47	11.76	64.71	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
175	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	88.24	70.59	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	82.35	82.35	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	41.18	29.41	11.76	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
183	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	82.35	70.59	11.76	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
186	11.76	11.76	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
187	82.35	76.47	5.88	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
188	94.12	94.12	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	52.94	52.94	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	52.94	41.18	11.76	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	70.59	58.82	11.76	ZOO	TOP10	4.00	1.00	A		L	0.00
193	64.71	58.82	5.88	ZOO	TOP10	4.00	1.00	C		L	0.00
194	100.00	100.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	35.29	23.53	11.76	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
196	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
197	17.65	11.76	5.88	ZOO	TOP10	4.00	1.00	B		L	0.00
198	76.47	70.59	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	58.82	47.06	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
200	76.47	58.82	17.65	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 140 (**Correct:** 87 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 299.00

Total Positive Marks: 352.00 **Total Negative Marks:** 53.00

PHY	CHEM	BOT	ZOO	Total
42.00	56.00	95.00	106.00	299.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRIYASH VINAYAK GAWANDE (ID No. 053501)

Your Score: 294.00/720.00 (40.83%)

Max Score: 656.00

Rank: 13

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 44.82

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.12	47.06	47.06	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
2	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
3	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
4	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
5	94.12	52.94	41.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	70.59	41.18	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	52.94	29.41	23.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	88.24	64.71	23.53	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
11	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
12	41.18	23.53	17.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	29.41	17.65	11.76	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	82.35	70.59	11.76	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	35.29	35.29	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
17	88.24	70.59	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.59	35.29	35.29	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	64.71	5.88	58.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	76.47	41.18	35.29	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
21	29.41	0.00	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	82.35	64.71	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	52.94	0.00	52.94	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
24	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	64.71	35.29	29.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	76.47	64.71	11.76	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	52.94	47.06	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
29	41.18	29.41	11.76	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	76.47	52.94	23.53	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
31	70.59	64.71	5.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	88.24	52.94	35.29	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
33	70.59	47.06	23.53	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
34	52.94	23.53	29.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
35	70.59	52.94	17.65	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
36	70.59	52.94	17.65	PHY	TOP10	4.00	1.00	C		L	0.00
37	76.47	52.94	23.53	PHY	TOP10	4.00	1.00	A	B	W	-1.00
38	29.41	5.88	23.53	PHY	TOP10	4.00	1.00	A	B	W	-1.00
39	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	A	B	W	-1.00
40	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
41	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	88.24	58.82	29.41	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	D	B	W	-1.00
45	17.65	11.76	5.88	PHY	TOP10	4.00	1.00	B		L	0.00
46	70.59	58.82	11.76	PHY	TOP10	4.00	1.00	A	B	W	-1.00
47	41.18	5.88	35.29	PHY	TOP10	4.00	1.00	B	A	W	-1.00
48	58.82	47.06	11.76	PHY	TOP10	4.00	1.00	A	D	W	-1.00
49	52.94	17.65	35.29	PHY	TOP10	4.00	1.00	B		L	0.00
50	64.71	52.94	11.76	PHY	TOP10	4.00	1.00	B	D	L	0.00
51	76.47	5.88	70.59	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
52	94.12	41.18	52.94	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
53	76.47	58.82	17.65	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRIYASH VINAYAK GAWANDE (ID No. 053501)

Your Score: 294.00/720.00 (40.83%)

Max Score: 656.00

Rank: 13

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 44.82

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.24	52.94	35.29	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	64.71	41.18	23.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
56	52.94	23.53	29.41	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	70.59	11.76	58.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
58	29.41	11.76	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	41.18	0.00	41.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	47.06	29.41	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	94.12	94.12	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	70.59	64.71	5.88	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	88.24	82.35	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	94.12	35.29	58.82	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
65	94.12	64.71	29.41	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	82.35	58.82	23.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
67	35.29	17.65	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	100.00	88.24	11.76	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
71	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	52.94	11.76	41.18	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
74	82.35	41.18	41.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
75	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	82.35	64.71	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	88.24	35.29	52.94	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
78	82.35	47.06	35.29	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
79	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	88.24	70.59	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	52.94	35.29	17.65	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	94.12	70.59	23.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	82.35	29.41	52.94	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
84	58.82	52.94	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	47.06	29.41	17.65	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	82.35	64.71	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	76.47	58.82	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	88.24	58.82	29.41	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
90	94.12	94.12	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	88.24	88.24	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
92	88.24	70.59	17.65	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	52.94	17.65	35.29	CHEM	TOP10	4.00	1.00	B		L	0.00
94	29.41	17.65	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
95	23.53	0.00	23.53	CHEM	TOP10	4.00	1.00	D		L	0.00
96	94.12	88.24	5.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	23.53	11.76	11.76	CHEM	TOP10	4.00	1.00	C		L	0.00
98	35.29	23.53	11.76	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	82.35	41.18	41.18	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
100	41.18	29.41	11.76	CHEM	TOP10	4.00	1.00	D		L	0.00
101	82.35	47.06	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	94.12	29.41	64.71	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
103	100.00	88.24	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	88.24	88.24	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.12	41.18	52.94	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRIYASH VINAYAK GAWANDE (ID No. 053501)

Your Score: 294.00/720.00 (40.83%)

Max Score: 656.00

Rank: 13

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 44.82

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
109	100.00	64.71	35.29	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
110	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
111	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
112	100.00	52.94	47.06	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	88.24	47.06	41.18	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
114	76.47	52.94	23.53	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
115	88.24	58.82	29.41	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
116	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	64.71	52.94	11.76	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
118	88.24	23.53	64.71	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
119	52.94	52.94	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
121	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
124	76.47	47.06	29.41	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
125	94.12	58.82	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	70.59	58.82	11.76	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	82.35	41.18	41.18	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	88.24	70.59	17.65	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	94.12	88.24	5.88	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	70.59	41.18	29.41	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	100.00	70.59	29.41	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
132	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	94.12	35.29	58.82	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	88.24	58.82	29.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	70.59	52.94	17.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	35.29	29.41	5.88	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	52.94	5.88	47.06	BOT	TOP10	4.00	1.00	D	B	W	-1.00
141	35.29	23.53	11.76	BOT	TOP10	4.00	1.00	C		L	0.00
142	94.12	88.24	5.88	BOT	TOP10	4.00	1.00	C	B	W	-1.00
143	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	D	A	W	-1.00
144	94.12	64.71	29.41	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	58.82	58.82	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
147	47.06	41.18	5.88	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.53	11.76	11.76	BOT	TOP10	4.00	1.00	B		L	0.00
149	76.47	52.94	23.53	BOT	TOP10	4.00	1.00	C		L	0.00
150	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	88.24	11.76	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	94.12	58.82	35.29	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
156	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
158	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	23.53	76.47	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRIYASH VINAYAK GAWANDE (ID No. 053501)

Your Score: 294.00/720.00 (40.83%)

Max Score: 656.00

Rank: 13

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 44.82

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	88.24	88.24	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	94.12	88.24	5.88	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
162	76.47	64.71	11.76	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
163	70.59	64.71	5.88	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
164	70.59	70.59	0.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.24	29.41	58.82	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
166	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
167	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	76.47	52.94	23.53	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
169	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
170	88.24	82.35	5.88	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
173	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
174	76.47	11.76	64.71	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
175	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
176	88.24	70.59	17.65	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
177	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
178	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	82.35	82.35	0.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
181	41.18	29.41	11.76	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	82.35	70.59	11.76	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
186	11.76	11.76	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
187	82.35	76.47	5.88	ZOO	TOP10	4.00	1.00	D		L	0.00
188	94.12	94.12	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00
189	52.94	52.94	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	52.94	41.18	11.76	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	70.59	58.82	11.76	ZOO	TOP10	4.00	1.00	A		L	0.00
193	64.71	58.82	5.88	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	100.00	100.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	35.29	23.53	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
196	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	17.65	11.76	5.88	ZOO	TOP10	4.00	1.00	B		L	0.00
198	76.47	70.59	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	58.82	47.06	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
200	76.47	58.82	17.65	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 130 (**Correct:** 84 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 294.00

Total Positive Marks: 340.00 **Total Negative Marks:** 46.00

PHY	CHEM	BOT	ZOO	Total
44.00	79.00	82.00	89.00	294.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AAYUSHI PRASAD AMBULKAR (ID No. 053030)

Your Score: 291.00/720.00 (40.42%)

Max Score: 656.00

Rank: 14

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 44.36

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.12	47.06	47.06	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
4	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
5	94.12	52.94	41.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	70.59	41.18	29.41	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
8	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	52.94	29.41	23.53	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
10	88.24	64.71	23.53	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
11	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		D	C	4.00
12	41.18	23.53	17.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
13	29.41	17.65	11.76	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
14	82.35	70.59	11.76	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	35.29	35.29	0.00	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
16	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	88.24	70.59	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.59	35.29	35.29	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	64.71	5.88	58.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	76.47	41.18	35.29	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
21	29.41	0.00	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	82.35	64.71	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	52.94	0.00	52.94	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
24	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
25	64.71	35.29	29.41	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
26	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
27	76.47	64.71	11.76	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
28	52.94	47.06	5.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
29	41.18	29.41	11.76	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
30	76.47	52.94	23.53	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
31	70.59	64.71	5.88	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	88.24	52.94	35.29	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
33	70.59	47.06	23.53	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
34	52.94	23.53	29.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	70.59	52.94	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
36	70.59	52.94	17.65	PHY	TOP10	4.00	1.00	C	B	W	-1.00
37	76.47	52.94	23.53	PHY	TOP10	4.00	1.00	A		L	0.00
38	29.41	5.88	23.53	PHY	TOP10	4.00	1.00	A		L	0.00
39	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
41	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	88.24	58.82	29.41	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	B		L	0.00
44	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	D	B	W	-1.00
45	17.65	11.76	5.88	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	70.59	58.82	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	41.18	5.88	35.29	PHY	TOP10	4.00	1.00	B		L	0.00
48	58.82	47.06	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	52.94	17.65	35.29	PHY	TOP10	4.00	1.00	B	A	W	-1.00
50	64.71	52.94	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
51	76.47	5.88	70.59	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
52	94.12	41.18	52.94	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	76.47	58.82	17.65	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AAYUSHI PRASAD AMBULKAR (ID No. 053030)

Your Score: 291.00/720.00 (40.42%)

Max Score: 656.00

Rank: 14

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 44.36

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.24	52.94	35.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	64.71	41.18	23.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
56	52.94	23.53	29.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
57	70.59	11.76	58.82	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
58	29.41	11.76	17.65	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
59	41.18	0.00	41.18	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
60	47.06	29.41	17.65	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
61	94.12	94.12	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	70.59	64.71	5.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	88.24	82.35	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	94.12	35.29	58.82	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	94.12	64.71	29.41	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
66	82.35	58.82	23.53	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
67	35.29	17.65	17.65	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
68	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
69	100.00	88.24	11.76	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
70	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
71	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	52.94	11.76	41.18	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
74	82.35	41.18	41.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
76	82.35	64.71	17.65	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
77	88.24	35.29	52.94	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
78	82.35	47.06	35.29	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
79	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	88.24	70.59	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	52.94	35.29	17.65	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	94.12	70.59	23.53	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
83	82.35	29.41	52.94	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
84	58.82	52.94	5.88	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	47.06	29.41	17.65	CHEM	TOP10	4.00	1.00	C		L	0.00
87	82.35	64.71	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	76.47	58.82	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
89	88.24	58.82	29.41	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
90	94.12	94.12	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	88.24	88.24	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
92	88.24	70.59	17.65	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
93	52.94	17.65	35.29	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
94	29.41	17.65	11.76	CHEM	TOP10	4.00	1.00	B	B	R	4.00
95	23.53	0.00	23.53	CHEM	TOP10	4.00	1.00	D		L	0.00
96	94.12	88.24	5.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	23.53	11.76	11.76	CHEM	TOP10	4.00	1.00	C		L	0.00
98	35.29	23.53	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
99	82.35	41.18	41.18	CHEM	TOP10	4.00	1.00	A	A	R	4.00
100	41.18	29.41	11.76	CHEM	TOP10	4.00	1.00	D		L	0.00
101	82.35	47.06	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	94.12	29.41	64.71	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
103	100.00	88.24	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	88.24	88.24	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.12	41.18	52.94	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
106	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AAYUSHI PRASAD AMBULKAR (ID No. 053030)

Your Score: 291.00/720.00 (40.42%)

Max Score: 656.00

Rank: 14

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 44.36

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	100.00	64.71	35.29	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
112	100.00	52.94	47.06	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	88.24	47.06	41.18	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	76.47	52.94	23.53	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	88.24	58.82	29.41	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
117	64.71	52.94	11.76	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
118	88.24	23.53	64.71	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
119	52.94	52.94	0.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
122	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
124	76.47	47.06	29.41	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
125	94.12	58.82	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	70.59	58.82	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	82.35	41.18	41.18	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
128	88.24	70.59	17.65	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	94.12	88.24	5.88	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	70.59	41.18	29.41	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
131	100.00	70.59	29.41	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
132	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
133	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	94.12	35.29	58.82	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
135	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	88.24	58.82	29.41	BOT	TOP10	4.00	1.00	D	A	W	-1.00
137	70.59	52.94	17.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	35.29	29.41	5.88	BOT	TOP10	4.00	1.00	D		L	0.00
140	52.94	5.88	47.06	BOT	TOP10	4.00	1.00	D	C	W	-1.00
141	35.29	23.53	11.76	BOT	TOP10	4.00	1.00	C		L	0.00
142	94.12	88.24	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	94.12	64.71	29.41	BOT	TOP10	4.00	1.00	C	C	R	4.00
145	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B		L	0.00
146	58.82	58.82	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	47.06	41.18	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.53	11.76	11.76	BOT	TOP10	4.00	1.00	B		L	0.00
149	76.47	52.94	23.53	BOT	TOP10	4.00	1.00	C		L	0.00
150	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	A	D	W	-1.00
151	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	88.24	11.76	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	94.12	58.82	35.29	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
156	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	23.53	76.47	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AAYUSHI PRASAD AMBULKAR (ID No. 053030)

Your Score: 291.00/720.00 (40.42%)

Max Score: 656.00

Rank: 14

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 44.36

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	88.24	88.24	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	94.12	88.24	5.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	76.47	64.71	11.76	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	70.59	64.71	5.88	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	70.59	70.59	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.24	29.41	58.82	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
166	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
167	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	76.47	52.94	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	88.24	82.35	5.88	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
171	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	76.47	11.76	64.71	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	88.24	70.59	17.65	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
177	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
178	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
180	82.35	82.35	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	41.18	29.41	11.76	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
183	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	82.35	70.59	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	11.76	11.76	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
187	82.35	76.47	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	94.12	94.12	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	52.94	52.94	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	52.94	41.18	11.76	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
192	70.59	58.82	11.76	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	64.71	58.82	5.88	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	100.00	100.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	35.29	23.53	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
196	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
197	17.65	11.76	5.88	ZOO	TOP10	4.00	1.00	B		L	0.00
198	76.47	70.59	5.88	ZOO	TOP10	4.00	1.00	D		L	0.00
199	58.82	47.06	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
200	76.47	58.82	17.65	ZOO	TOP10	4.00	1.00	C		L	0.00

Total Question: 200 **Attempted:** 168 (**Correct:** 91 **Incorrect:** 77) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 291.00

Total Positive Marks: 368.00 **Total Negative Marks:** 77.00

PHY	CHEM	BOT	ZOO	Total
53.00	57.00	83.00	98.00	291.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRUTI SHANKAR GHUGE (ID No. 053039)

Your Score: 275.00/720.00 (38.19%)

Max Score: 656.00

Rank: 15

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 41.92

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.12	47.06	47.06	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
2	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	94.12	52.94	41.18	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
6	70.59	41.18	29.41	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
7	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
8	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
9	52.94	29.41	23.53	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
10	88.24	64.71	23.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
12	41.18	23.53	17.65	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
13	29.41	17.65	11.76	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	82.35	70.59	11.76	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
15	35.29	35.29	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
17	88.24	70.59	17.65	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
18	70.59	35.29	35.29	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	64.71	5.88	58.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	76.47	41.18	35.29	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	29.41	0.00	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	82.35	64.71	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
23	52.94	0.00	52.94	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
24	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
25	64.71	35.29	29.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	76.47	64.71	11.76	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
28	52.94	47.06	5.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	41.18	29.41	11.76	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
30	76.47	52.94	23.53	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	70.59	64.71	5.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	88.24	52.94	35.29	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
33	70.59	47.06	23.53	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
34	52.94	23.53	29.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	70.59	52.94	17.65	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	70.59	52.94	17.65	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	76.47	52.94	23.53	PHY	TOP10	4.00	1.00	A	D	W	-1.00
38	29.41	5.88	23.53	PHY	TOP10	4.00	1.00	A		L	0.00
39	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	A	D	W	-1.00
40	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
41	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	88.24	58.82	29.41	PHY	TOP10	4.00	1.00	C	C	R	4.00
43	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	D	A	W	-1.00
45	17.65	11.76	5.88	PHY	TOP10	4.00	1.00	B		L	0.00
46	70.59	58.82	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	41.18	5.88	35.29	PHY	TOP10	4.00	1.00	B	C	W	-1.00
48	58.82	47.06	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	52.94	17.65	35.29	PHY	TOP10	4.00	1.00	B	A	L	0.00
50	64.71	52.94	11.76	PHY	TOP10	4.00	1.00	B		L	0.00
51	76.47	5.88	70.59	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
52	94.12	41.18	52.94	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	76.47	58.82	17.65	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRUTI SHANKAR GHUGE (ID No. 053039)

Your Score: 275.00/720.00 (38.19%)

Max Score: 656.00

Rank: 15

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 41.92

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.24	52.94	35.29	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	64.71	41.18	23.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
56	52.94	23.53	29.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
57	70.59	11.76	58.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	29.41	11.76	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	41.18	0.00	41.18	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
60	47.06	29.41	17.65	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
61	94.12	94.12	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	70.59	64.71	5.88	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
63	88.24	82.35	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	94.12	35.29	58.82	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
65	94.12	64.71	29.41	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
66	82.35	58.82	23.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	35.29	17.65	17.65	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
68	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	100.00	88.24	11.76	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
72	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	52.94	11.76	41.18	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	82.35	41.18	41.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
76	82.35	64.71	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
77	88.24	35.29	52.94	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
78	82.35	47.06	35.29	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
79	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	88.24	70.59	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
81	52.94	35.29	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
82	94.12	70.59	23.53	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
83	82.35	29.41	52.94	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00
84	58.82	52.94	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	47.06	29.41	17.65	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	82.35	64.71	17.65	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	76.47	58.82	17.65	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
89	88.24	58.82	29.41	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
90	94.12	94.12	0.00	CHEM	TOP10	4.00	1.00	C		L	0.00
91	88.24	88.24	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
92	88.24	70.59	17.65	CHEM	TOP10	4.00	1.00	C		L	0.00
93	52.94	17.65	35.29	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
94	29.41	17.65	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
95	23.53	0.00	23.53	CHEM	TOP10	4.00	1.00	D		L	0.00
96	94.12	88.24	5.88	CHEM	TOP10	4.00	1.00	B		L	0.00
97	23.53	11.76	11.76	CHEM	TOP10	4.00	1.00	C		L	0.00
98	35.29	23.53	11.76	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	82.35	41.18	41.18	CHEM	TOP10	4.00	1.00	A	C	W	-1.00
100	41.18	29.41	11.76	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
101	82.35	47.06	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
102	94.12	29.41	64.71	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
103	100.00	88.24	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	88.24	88.24	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.12	41.18	52.94	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
106	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRUTI SHANKAR GHUGE (ID No. 053039)

Your Score: 275.00/720.00 (38.19%)

Max Score: 656.00

Rank: 15

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 41.92

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	100.00	64.71	35.29	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
111	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
112	100.00	52.94	47.06	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	88.24	47.06	41.18	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	76.47	52.94	23.53	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	88.24	58.82	29.41	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	64.71	52.94	11.76	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
118	88.24	23.53	64.71	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	52.94	52.94	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
122	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
123	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
124	76.47	47.06	29.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	94.12	58.82	35.29	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
126	70.59	58.82	11.76	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	82.35	41.18	41.18	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	88.24	70.59	17.65	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
129	94.12	88.24	5.88	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	70.59	41.18	29.41	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	100.00	70.59	29.41	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
132	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
133	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	94.12	35.29	58.82	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
135	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	88.24	58.82	29.41	BOT	TOP10	4.00	1.00	D	B	W	-1.00
137	70.59	52.94	17.65	BOT	TOP10	4.00	1.00	C	B	W	-1.00
138	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
139	35.29	29.41	5.88	BOT	TOP10	4.00	1.00	D	C	W	-1.00
140	52.94	5.88	47.06	BOT	TOP10	4.00	1.00	D	C	W	-1.00
141	35.29	23.53	11.76	BOT	TOP10	4.00	1.00	C	A	W	-1.00
142	94.12	88.24	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	94.12	64.71	29.41	BOT	TOP10	4.00	1.00	C	A	W	-1.00
145	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	58.82	58.82	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
147	47.06	41.18	5.88	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.53	11.76	11.76	BOT	TOP10	4.00	1.00	B		L	0.00
149	76.47	52.94	23.53	BOT	TOP10	4.00	1.00	C		L	0.00
150	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	A		L	0.00
151	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
152	100.00	88.24	11.76	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	94.12	58.82	35.29	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
159	100.00	23.53	76.47	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRUTI SHANKAR GHUGE (ID No. 053039)

Your Score: 275.00/720.00 (38.19%)

Max Score: 656.00

Rank: 15

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 41.92

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	88.24	88.24	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	94.12	88.24	5.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	76.47	64.71	11.76	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	70.59	64.71	5.88	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
164	70.59	70.59	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.24	29.41	58.82	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
166	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	76.47	52.94	23.53	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
169	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
170	88.24	82.35	5.88	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
172	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	76.47	11.76	64.71	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
175	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
176	88.24	70.59	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
178	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
179	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
180	82.35	82.35	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	41.18	29.41	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
184	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	82.35	70.59	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	11.76	11.76	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
187	82.35	76.47	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	94.12	94.12	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	52.94	52.94	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	52.94	41.18	11.76	ZOO	TOP10	4.00	1.00	A		L	0.00
191	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	70.59	58.82	11.76	ZOO	TOP10	4.00	1.00	A	A	R	4.00
193	64.71	58.82	5.88	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	100.00	100.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	35.29	23.53	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
196	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	D	D	R	4.00
197	17.65	11.76	5.88	ZOO	TOP10	4.00	1.00	B		L	0.00
198	76.47	70.59	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	58.82	47.06	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
200	76.47	58.82	17.65	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 154 (**Correct:** 85 **Incorrect:** 69) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 275.00

Total Positive Marks: 344.00 **Total Negative Marks:** 69.00

PHY	CHEM	BOT	ZOO	Total
41.00	51.00	67.00	116.00	275.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMIKSHA MAHENDRA GHUGARE (ID No. 053037)

Your Score: 246.00/720.00 (34.17%)

Max Score: 656.00

Rank: 16

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 37.50

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.12	47.06	47.06	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
2	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
4	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
5	94.12	52.94	41.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	70.59	41.18	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
7	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
8	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
9	52.94	29.41	23.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	88.24	64.71	23.53	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
11	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
12	41.18	23.53	17.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	29.41	17.65	11.76	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	82.35	70.59	11.76	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
15	35.29	35.29	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
17	88.24	70.59	17.65	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.59	35.29	35.29	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
19	64.71	5.88	58.82	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	76.47	41.18	35.29	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	29.41	0.00	29.41	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
22	82.35	64.71	17.65	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	52.94	0.00	52.94	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
24	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	64.71	35.29	29.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
26	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	76.47	64.71	11.76	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
28	52.94	47.06	5.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	41.18	29.41	11.76	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	76.47	52.94	23.53	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
31	70.59	64.71	5.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	88.24	52.94	35.29	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
33	70.59	47.06	23.53	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
34	52.94	23.53	29.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	70.59	52.94	17.65	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	70.59	52.94	17.65	PHY	TOP10	4.00	1.00	C		L	0.00
37	76.47	52.94	23.53	PHY	TOP10	4.00	1.00	A	D	W	-1.00
38	29.41	5.88	23.53	PHY	TOP10	4.00	1.00	A		L	0.00
39	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	A		L	0.00
40	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
41	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	A		L	0.00
42	88.24	58.82	29.41	PHY	TOP10	4.00	1.00	C	A	W	-1.00
43	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	B	B	R	4.00
44	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	D		L	0.00
45	17.65	11.76	5.88	PHY	TOP10	4.00	1.00	B		L	0.00
46	70.59	58.82	11.76	PHY	TOP10	4.00	1.00	A	B	W	-1.00
47	41.18	5.88	35.29	PHY	TOP10	4.00	1.00	B	C	W	-1.00
48	58.82	47.06	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
49	52.94	17.65	35.29	PHY	TOP10	4.00	1.00	B	B	R	4.00
50	64.71	52.94	11.76	PHY	TOP10	4.00	1.00	B		L	0.00
51	76.47	5.88	70.59	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
52	94.12	41.18	52.94	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
53	76.47	58.82	17.65	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMIKSHA MAHENDRA GHUGARE (ID No. 053037)

Your Score: 246.00/720.00 (34.17%)

Max Score: 656.00

Rank: 16

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 37.50

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.24	52.94	35.29	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	64.71	41.18	23.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
56	52.94	23.53	29.41	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
57	70.59	11.76	58.82	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
58	29.41	11.76	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	41.18	0.00	41.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
60	47.06	29.41	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	94.12	94.12	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	70.59	64.71	5.88	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
63	88.24	82.35	5.88	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
64	94.12	35.29	58.82	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
65	94.12	64.71	29.41	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
66	82.35	58.82	23.53	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
67	35.29	17.65	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	100.00	88.24	11.76	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
71	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
73	52.94	11.76	41.18	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
74	82.35	41.18	41.18	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
75	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	82.35	64.71	17.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
77	88.24	35.29	52.94	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	82.35	47.06	35.29	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
79	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	88.24	70.59	17.65	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
81	52.94	35.29	17.65	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	94.12	70.59	23.53	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
83	82.35	29.41	52.94	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
84	58.82	52.94	5.88	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	47.06	29.41	17.65	CHEM	TOP10	4.00	1.00	C		L	0.00
87	82.35	64.71	17.65	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	76.47	58.82	17.65	CHEM	TOP10	4.00	1.00	D		L	0.00
89	88.24	58.82	29.41	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
90	94.12	94.12	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	88.24	88.24	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
92	88.24	70.59	17.65	CHEM	TOP10	4.00	1.00	C		L	0.00
93	52.94	17.65	35.29	CHEM	TOP10	4.00	1.00	B		L	0.00
94	29.41	17.65	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
95	23.53	0.00	23.53	CHEM	TOP10	4.00	1.00	D		L	0.00
96	94.12	88.24	5.88	CHEM	TOP10	4.00	1.00	B	B	R	4.00
97	23.53	11.76	11.76	CHEM	TOP10	4.00	1.00	C		L	0.00
98	35.29	23.53	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
99	82.35	41.18	41.18	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
100	41.18	29.41	11.76	CHEM	TOP10	4.00	1.00	D		L	0.00
101	82.35	47.06	35.29	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
102	94.12	29.41	64.71	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
103	100.00	88.24	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	88.24	88.24	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.12	41.18	52.94	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
106	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMIKSHA MAHENDRA GHUGARE (ID No. 053037)

Your Score: 246.00/720.00 (34.17%)

Max Score: 656.00

Rank: 16

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 37.50

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
108	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
109	100.00	64.71	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
111	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
112	100.00	52.94	47.06	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	88.24	47.06	41.18	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	76.47	52.94	23.53	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
115	88.24	58.82	29.41	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
116	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
117	64.71	52.94	11.76	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
118	88.24	23.53	64.71	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	52.94	52.94	0.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
121	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
124	76.47	47.06	29.41	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
125	94.12	58.82	35.29	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
126	70.59	58.82	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	82.35	41.18	41.18	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	88.24	70.59	17.65	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
129	94.12	88.24	5.88	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	70.59	41.18	29.41	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
131	100.00	70.59	29.41	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
132	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
133	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	94.12	35.29	58.82	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
135	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	88.24	58.82	29.41	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	70.59	52.94	17.65	BOT	TOP10	4.00	1.00	C		L	0.00
138	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B		L	0.00
139	35.29	29.41	5.88	BOT	TOP10	4.00	1.00	D	D	R	4.00
140	52.94	5.88	47.06	BOT	TOP10	4.00	1.00	D		L	0.00
141	35.29	23.53	11.76	BOT	TOP10	4.00	1.00	C		L	0.00
142	94.12	88.24	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	D	D	R	4.00
144	94.12	64.71	29.41	BOT	TOP10	4.00	1.00	C		L	0.00
145	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B		L	0.00
146	58.82	58.82	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
147	47.06	41.18	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
148	23.53	11.76	11.76	BOT	TOP10	4.00	1.00	B		L	0.00
149	76.47	52.94	23.53	BOT	TOP10	4.00	1.00	C	A	W	-1.00
150	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	A	D	W	-1.00
151	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
152	100.00	88.24	11.76	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
155	94.12	58.82	35.29	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
156	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
157	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
158	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
159	100.00	23.53	76.47	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMIKSHA MAHENDRA GHUGARE (ID No. 053037)

Your Score: 246.00/720.00 (34.17%)

Max Score: 656.00

Rank: 16

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 37.50

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	88.24	88.24	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	94.12	88.24	5.88	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	76.47	64.71	11.76	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
163	70.59	64.71	5.88	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
164	70.59	70.59	0.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
165	88.24	29.41	58.82	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
166	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
167	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
168	76.47	52.94	23.53	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
169	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
170	88.24	82.35	5.88	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
171	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	76.47	11.76	64.71	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
175	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	88.24	70.59	17.65	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
177	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
180	82.35	82.35	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
181	41.18	29.41	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
182	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
183	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
184	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
185	82.35	70.59	11.76	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
186	11.76	11.76	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
187	82.35	76.47	5.88	ZOO	TOP10	4.00	1.00	D		L	0.00
188	94.12	94.12	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	52.94	52.94	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
190	52.94	41.18	11.76	ZOO	TOP10	4.00	1.00	A		L	0.00
191	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	70.59	58.82	11.76	ZOO	TOP10	4.00	1.00	A		L	0.00
193	64.71	58.82	5.88	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	100.00	100.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	35.29	23.53	11.76	ZOO	TOP10	4.00	1.00	B	B	R	4.00
196	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	D		L	0.00
197	17.65	11.76	5.88	ZOO	TOP10	4.00	1.00	B		L	0.00
198	76.47	70.59	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	58.82	47.06	11.76	ZOO	TOP10	4.00	1.00	B	B	R	4.00
200	76.47	58.82	17.65	ZOO	TOP10	4.00	1.00	C	C	R	4.00

Total Question: 200 **Attempted:** 88 (**Correct:** 66 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 246.00

Total Positive Marks: 268.00 **Total Negative Marks:** 22.00

PHY	CHEM	BOT	ZOO	Total
20.00	37.00	72.00	117.00	246.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM MOHANDAS LOKHANDE (ID No. 053035)

Your Score: 184.00/720.00 (25.56%)

Max Score: 656.00

Rank: 17

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 28.05

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.12	47.06	47.06	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
2	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
4	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
5	94.12	52.94	41.18	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
6	70.59	41.18	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
7	70.59	29.41	41.18	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
8	94.12	64.71	29.41	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
9	52.94	29.41	23.53	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
10	88.24	64.71	23.53	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
11	100.00	100.00	0.00	PHY	BONUS4	4.00	0.00		A	C	4.00
12	41.18	23.53	17.65	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
13	29.41	17.65	11.76	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	82.35	70.59	11.76	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
15	35.29	35.29	0.00	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
16	76.47	58.82	17.65	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
17	88.24	70.59	17.65	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
18	70.59	35.29	35.29	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
19	64.71	5.88	58.82	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
20	76.47	41.18	35.29	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
21	29.41	0.00	29.41	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
22	82.35	64.71	17.65	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
23	52.94	0.00	52.94	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
24	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	64.71	35.29	29.41	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
26	41.18	11.76	29.41	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	76.47	64.71	11.76	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
28	52.94	47.06	5.88	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
29	41.18	29.41	11.76	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
30	76.47	52.94	23.53	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
31	70.59	64.71	5.88	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	88.24	52.94	35.29	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
33	70.59	47.06	23.53	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
34	52.94	23.53	29.41	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
35	70.59	52.94	17.65	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
36	70.59	52.94	17.65	PHY	TOP10	4.00	1.00	C	C	R	4.00
37	76.47	52.94	23.53	PHY	TOP10	4.00	1.00	A	A	R	4.00
38	29.41	5.88	23.53	PHY	TOP10	4.00	1.00	A	C	W	-1.00
39	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
41	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
42	88.24	58.82	29.41	PHY	TOP10	4.00	1.00	C	A	W	-1.00
43	76.47	64.71	11.76	PHY	TOP10	4.00	1.00	B	C	W	-1.00
44	76.47	23.53	52.94	PHY	TOP10	4.00	1.00	D	A	W	-1.00
45	17.65	11.76	5.88	PHY	TOP10	4.00	1.00	B		L	0.00
46	70.59	58.82	11.76	PHY	TOP10	4.00	1.00	A	A	R	4.00
47	41.18	5.88	35.29	PHY	TOP10	4.00	1.00	B		L	0.00
48	58.82	47.06	11.76	PHY	TOP10	4.00	1.00	A		L	0.00
49	52.94	17.65	35.29	PHY	TOP10	4.00	1.00	B	D	W	-1.00
50	64.71	52.94	11.76	PHY	TOP10	4.00	1.00	B		L	0.00
51	76.47	5.88	70.59	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
52	94.12	41.18	52.94	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
53	76.47	58.82	17.65	CHEM	NEET REGULAR	4.00	1.00	D	B	W	-1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM MOHANDAS LOKHANDE (ID No. 053035)

Your Score: 184.00/720.00 (25.56%)

Max Score: 656.00

Rank: 17

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 28.05

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	88.24	52.94	35.29	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
55	64.71	41.18	23.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
56	52.94	23.53	29.41	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
57	70.59	11.76	58.82	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
58	29.41	11.76	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	41.18	0.00	41.18	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
60	47.06	29.41	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
61	94.12	94.12	0.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	70.59	64.71	5.88	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
63	88.24	82.35	5.88	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
64	94.12	35.29	58.82	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
65	94.12	64.71	29.41	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
66	82.35	58.82	23.53	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
67	35.29	17.65	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
68	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	100.00	88.24	11.76	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
70	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
71	94.12	76.47	17.65	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
72	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
73	52.94	11.76	41.18	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
74	82.35	41.18	41.18	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
75	64.71	47.06	17.65	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
76	82.35	64.71	17.65	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
77	88.24	35.29	52.94	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
78	82.35	47.06	35.29	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
79	82.35	52.94	29.41	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	88.24	70.59	17.65	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
81	52.94	35.29	17.65	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
82	94.12	70.59	23.53	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
83	82.35	29.41	52.94	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
84	58.82	52.94	5.88	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	100.00	100.00	0.00	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
86	47.06	29.41	17.65	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	82.35	64.71	17.65	CHEM	TOP10	4.00	1.00	D		L	0.00
88	76.47	58.82	17.65	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
89	88.24	58.82	29.41	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
90	94.12	94.12	0.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
91	88.24	88.24	0.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
92	88.24	70.59	17.65	CHEM	TOP10	4.00	1.00	C	C	R	4.00
93	52.94	17.65	35.29	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
94	29.41	17.65	11.76	CHEM	TOP10	4.00	1.00	B		L	0.00
95	23.53	0.00	23.53	CHEM	TOP10	4.00	1.00	D		L	0.00
96	94.12	88.24	5.88	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
97	23.53	11.76	11.76	CHEM	TOP10	4.00	1.00	C		L	0.00
98	35.29	23.53	11.76	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	82.35	41.18	41.18	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
100	41.18	29.41	11.76	CHEM	TOP10	4.00	1.00	D	B	L	0.00
101	82.35	47.06	35.29	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
102	94.12	29.41	64.71	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
103	100.00	88.24	11.76	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
104	88.24	88.24	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
105	94.12	41.18	52.94	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
106	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM MOHANDAS LOKHANDE (ID No. 053035)

Your Score: 184.00/720.00 (25.56%)

Max Score: 656.00

Rank: 17

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 28.05

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
108	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
109	100.00	64.71	35.29	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	94.12	76.47	17.65	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
111	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
112	100.00	52.94	47.06	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	88.24	47.06	41.18	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	76.47	52.94	23.53	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
115	88.24	58.82	29.41	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
116	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
117	64.71	52.94	11.76	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
118	88.24	23.53	64.71	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
119	52.94	52.94	0.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	88.24	52.94	35.29	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
121	100.00	76.47	23.53	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
122	88.24	76.47	11.76	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
123	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
124	76.47	47.06	29.41	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
125	94.12	58.82	35.29	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
126	70.59	58.82	11.76	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	82.35	41.18	41.18	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	88.24	70.59	17.65	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
129	94.12	88.24	5.88	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	70.59	41.18	29.41	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	100.00	70.59	29.41	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
132	94.12	47.06	47.06	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
133	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
134	94.12	35.29	58.82	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
135	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
136	88.24	58.82	29.41	BOT	TOP10	4.00	1.00	D		L	0.00
137	70.59	52.94	17.65	BOT	TOP10	4.00	1.00	C	C	R	4.00
138	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	A	W	-1.00
139	35.29	29.41	5.88	BOT	TOP10	4.00	1.00	D		L	0.00
140	52.94	5.88	47.06	BOT	TOP10	4.00	1.00	D	A	W	-1.00
141	35.29	23.53	11.76	BOT	TOP10	4.00	1.00	C	C	R	4.00
142	94.12	88.24	5.88	BOT	TOP10	4.00	1.00	C	C	R	4.00
143	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	D		L	0.00
144	94.12	64.71	29.41	BOT	TOP10	4.00	1.00	C	A	W	-1.00
145	70.59	64.71	5.88	BOT	TOP10	4.00	1.00	B	B	R	4.00
146	58.82	58.82	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
147	47.06	41.18	5.88	BOT	TOP10	4.00	1.00	C		L	0.00
148	23.53	11.76	11.76	BOT	TOP10	4.00	1.00	B	B	R	4.00
149	76.47	52.94	23.53	BOT	TOP10	4.00	1.00	C		L	0.00
150	58.82	35.29	23.53	BOT	TOP10	4.00	1.00	A	C	W	-1.00
151	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
152	100.00	88.24	11.76	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
153	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
155	94.12	58.82	35.29	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
157	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
158	100.00	76.47	23.53	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
159	100.00	23.53	76.47	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM MOHANDAS LOKHANDE (ID No. 053035)

Your Score: 184.00/720.00 (25.56%)

Max Score: 656.00

Rank: 17

Min Score: 184.00

TEST: MAJOR TEST 2 (NB-16 NEET) (ID: 747 DT: 01-Nov-2023)

Percentile: 28.05

Avg Score: 376.94

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	88.24	88.24	0.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	94.12	88.24	5.88	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
162	76.47	64.71	11.76	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
163	70.59	64.71	5.88	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
164	70.59	70.59	0.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
165	88.24	29.41	58.82	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
166	94.12	76.47	17.65	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
167	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
168	76.47	52.94	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
169	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
170	88.24	82.35	5.88	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
171	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
172	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
173	94.12	94.12	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
174	76.47	11.76	64.71	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
175	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	88.24	70.59	17.65	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
177	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
179	88.24	64.71	23.53	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
180	82.35	82.35	0.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
181	41.18	29.41	11.76	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
182	94.12	64.71	29.41	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
183	94.12	82.35	11.76	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
184	94.12	70.59	23.53	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
185	82.35	70.59	11.76	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
186	11.76	11.76	0.00	ZOO	TOP10	4.00	1.00	D		L	0.00
187	82.35	76.47	5.88	ZOO	TOP10	4.00	1.00	D	D	R	4.00
188	94.12	94.12	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
189	52.94	52.94	0.00	ZOO	TOP10	4.00	1.00	D	D	R	4.00
190	52.94	41.18	11.76	ZOO	TOP10	4.00	1.00	A		L	0.00
191	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	A	A	R	4.00
192	70.59	58.82	11.76	ZOO	TOP10	4.00	1.00	A		L	0.00
193	64.71	58.82	5.88	ZOO	TOP10	4.00	1.00	C	C	R	4.00
194	100.00	100.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	35.29	23.53	11.76	ZOO	TOP10	4.00	1.00	B		L	0.00
196	88.24	58.82	29.41	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
197	17.65	11.76	5.88	ZOO	TOP10	4.00	1.00	B		L	0.00
198	76.47	70.59	5.88	ZOO	TOP10	4.00	1.00	D		L	0.00
199	58.82	47.06	11.76	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
200	76.47	58.82	17.65	ZOO	TOP10	4.00	1.00	C	B	W	-1.00

Total Question: 200 **Attempted:** 135 (**Correct:** 63 **Incorrect:** 72) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 184.00

Total Positive Marks: 256.00 **Total Negative Marks:** 72.00

PHY	CHEM	BOT	ZOO	Total
50.00	22.00	54.00	58.00	184.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%