

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 82.00/100.00 (82.00%)

Max Score: 82.00

Rank: 1

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 100.00

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	AB	W	0.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 82.00/100.00 (82.00%)

Max Score: 82.00

Rank: 1

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 100.00

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 81 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 82.00

Total Positive Marks: 82.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
19.00	18.00	22.00	23.00	82.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY A. HANWANTE (ID No. 10470)

Your Score: 82.00/100.00 (82.00%)

Max Score: 82.00

Rank: 1

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 100.00

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY A. HANWANTE (ID No. 10470)

Your Score: 82.00/100.00 (82.00%)

Max Score: 82.00

Rank: 1

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 100.00

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 81 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 82.00

Total Positive Marks: 82.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
20.00	21.00	23.00	18.00	82.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUKTI S. RATHOD (ID No. 10481)

Your Score: 82.00/100.00 (82.00%)

Max Score: 82.00

Rank: 1

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 100.00

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUKTI S. RATHOD (ID No. 10481)

Your Score: 82.00/100.00 (82.00%)

Max Score: 82.00

Rank: 1

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 100.00

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 81 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 82.00

Total Positive Marks: 82.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	23.00	24.00	17.00	82.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VED VIJAY THAKARE (ID No. 10185)

Your Score: 77.00/100.00 (77.00%)

Max Score: 82.00

Rank: 2

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 93.90

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VED VIJAY THAKARE (ID No. 10185)

Your Score: 77.00/100.00 (77.00%)

Max Score: 82.00

Rank: 2

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 93.90

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 76 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 77.00

Total Positive Marks: 77.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	20.00	23.00	21.00	77.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 72.00/100.00 (72.00%)

Max Score: 82.00

Rank: 3

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 87.80

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 72.00/100.00 (72.00%)

Max Score: 82.00

Rank: 3

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 87.80

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 71 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 72.00

Total Positive Marks: 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	18.00	23.00	16.00	72.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 72.00/100.00 (72.00%)

Max Score: 82.00

Rank: 3

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 87.80

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 72.00/100.00 (72.00%)

Max Score: 82.00

Rank: 3

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 87.80

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 71 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 72.00

Total Positive Marks: 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	21.00	19.00	20.00	72.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 70.00/100.00 (70.00%)

Max Score: 82.00

Rank: 4

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 85.37

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 70.00/100.00 (70.00%)

Max Score: 82.00

Rank: 4

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 85.37

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 69 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 70.00

Total Positive Marks: 70.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	18.00	22.00	16.00	70.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIRUDHA ARUN GAWAI (ID No. 10407)

Your Score: 70.00/100.00 (70.00%)

Max Score: 82.00

Rank: 4

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 85.37

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIRUDHA ARUN GAWAI (ID No. 10407)

Your Score: 70.00/100.00 (70.00%)

Max Score: 82.00

Rank: 4

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 85.37

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 69 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 70.00

Total Positive Marks: 70.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	16.00	23.00	14.00	70.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 69.00/100.00 (69.00%)

Max Score: 82.00

Rank: 5

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 84.15

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 69.00/100.00 (69.00%)

Max Score: 82.00

Rank: 5

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 84.15

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 68 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 69.00

Total Positive Marks: 69.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	23.00	20.00	14.00	69.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 69.00/100.00 (69.00%)

Max Score: 82.00

Rank: 5

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 84.15

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	AB	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 69.00/100.00 (69.00%)

Max Score: 82.00

Rank: 5

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 84.15

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 68 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 69.00

Total Positive Marks: 69.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	16.00	24.00	13.00	69.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAHSIKANT Y. DESHMUKH (ID No. 10171)

Your Score: 68.00/100.00 (68.00%)

Max Score: 82.00

Rank: 6

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 82.93

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAHSIKANT Y. DESHMUKH (ID No. 10171)

Your Score: 68.00/100.00 (68.00%)

Max Score: 82.00

Rank: 6

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 82.93

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 67 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 68.00

Total Positive Marks: 68.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	16.00	15.00	20.00	68.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 68.00/100.00 (68.00%)

Max Score: 82.00

Rank: 6

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 82.93

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 68.00/100.00 (68.00%)

Max Score: 82.00

Rank: 6

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 82.93

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 67 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 68.00

Total Positive Marks: 68.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	15.00	22.00	14.00	68.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH M. NAGPURE (ID No. 10430)

Your Score: 68.00/100.00 (68.00%)

Max Score: 82.00

Rank: 6

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 82.93

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH M. NAGPURE (ID No. 10430)

Your Score: 68.00/100.00 (68.00%)

Max Score: 82.00

Rank: 6

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 82.93

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 85 (**Correct:** 67 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 68.00

Total Positive Marks: 68.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	20.00	20.00	10.00	68.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKIT AMIT MAHAJAN (ID No. 10110)

Your Score: 67.00/100.00 (67.00%)

Max Score: 82.00

Rank: 7

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 81.71

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKIT AMIT MAHAJAN (ID No. 10110)

Your Score: 67.00/100.00 (67.00%)

Max Score: 82.00

Rank: 7

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 81.71

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 66 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	19.00	20.00	16.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 67.00/100.00 (67.00%)

Max Score: 82.00

Rank: 7

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 81.71

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 67.00/100.00 (67.00%)

Max Score: 82.00

Rank: 7

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 81.71

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 66 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	18.00	17.00	16.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 67.00/100.00 (67.00%)

Max Score: 82.00

Rank: 7

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 81.71

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 67.00/100.00 (67.00%)

Max Score: 82.00

Rank: 7

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 81.71

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 66 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	21.00	19.00	13.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV V. SONAWANE (ID No. 10437)

Your Score: 67.00/100.00 (67.00%)

Max Score: 82.00

Rank: 7

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 81.71

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV V. SONAWANE (ID No. 10437)

Your Score: 67.00/100.00 (67.00%)

Max Score: 82.00

Rank: 7

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 81.71

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 66 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	16.00	21.00	14.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR (ID No. 10461)

Your Score: 67.00/100.00 (67.00%)

Max Score: 82.00

Rank: 7

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 81.71

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	AC	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	AB	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR (ID No. 10461)

Your Score: 67.00/100.00 (67.00%)

Max Score: 82.00

Rank: 7

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 81.71

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	AD	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	BC	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 66 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	18.00	19.00	16.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS J. RAYANE (ID No. 10472)

Your Score: 67.00/100.00 (67.00%)

Max Score: 82.00

Rank: 7

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 81.71

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS J. RAYANE (ID No. 10472)

Your Score: 67.00/100.00 (67.00%)

Max Score: 82.00

Rank: 7

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 81.71

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 66 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	19.00	22.00	13.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 67.00/100.00 (67.00%)

Max Score: 82.00

Rank: 7

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 81.71

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 67.00/100.00 (67.00%)

Max Score: 82.00

Rank: 7

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 81.71

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 66 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	22.00	21.00	13.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUSHRI R. METKAR (ID No. 10113)

Your Score: 65.00/100.00 (65.00%)

Max Score: 82.00

Rank: 8

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 79.27

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUSHRI R. METKAR (ID No. 10113)

Your Score: 65.00/100.00 (65.00%)

Max Score: 82.00

Rank: 8

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 79.27

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 64 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	18.00	20.00	13.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIPIN VIJAY SHIRAL (ID No. 10187)

Your Score: 65.00/100.00 (65.00%)

Max Score: 82.00

Rank: 8

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 79.27

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIPIN VIJAY SHIRAL (ID No. 10187)

Your Score: 65.00/100.00 (65.00%)

Max Score: 82.00

Rank: 8

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 79.27

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 64 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	14.00	22.00	16.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 65.00/100.00 (65.00%)

Max Score: 82.00

Rank: 8

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 79.27

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 65.00/100.00 (65.00%)

Max Score: 82.00

Rank: 8

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 79.27

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 64 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	14.00	19.00	15.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE (ID No. 10449)

Your Score: 65.00/100.00 (65.00%)

Max Score: 82.00

Rank: 8

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 79.27

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE (ID No. 10449)

Your Score: 65.00/100.00 (65.00%)

Max Score: 82.00

Rank: 8

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 79.27

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 64 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	18.00	21.00	16.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 78.05

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	BC	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 78.05

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 63 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	17.00	18.00	17.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 78.05

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 78.05

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 63 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	21.00	24.00	10.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 78.05

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 78.05

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 63 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	18.00	21.00	14.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 78.05

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 78.05

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 95 (**Correct:** 63 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	16.00	19.00	18.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 63.00/100.00 (63.00%)

Max Score: 82.00

Rank: 10

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 76.83

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 63.00/100.00 (63.00%)

Max Score: 82.00

Rank: 10

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 76.83

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 62 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	16.00	15.00	18.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT (ID No. 10402)

Your Score: 63.00/100.00 (63.00%)

Max Score: 82.00

Rank: 10

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 76.83

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT (ID No. 10402)

Your Score: 63.00/100.00 (63.00%)

Max Score: 82.00

Rank: 10

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 76.83

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 62 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	15.00	20.00	10.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJASHREE MILIND RELE (ID No. 10445)

Your Score: 63.00/100.00 (63.00%)

Max Score: 82.00

Rank: 10

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 76.83

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJASHREE MILIND RELE (ID No. 10445)

Your Score: 63.00/100.00 (63.00%)

Max Score: 82.00

Rank: 10

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 76.83

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 62 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	19.00	20.00	12.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE (ID No. 10454)

Your Score: 63.00/100.00 (63.00%)

Max Score: 82.00

Rank: 10

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 76.83

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE (ID No. 10454)

Your Score: 63.00/100.00 (63.00%)

Max Score: 82.00

Rank: 10

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 76.83

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 62 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	22.00	24.00	9.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL (ID No. 10128)

Your Score: 62.00/100.00 (62.00%)

Max Score: 82.00

Rank: 11

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 75.61

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL (ID No. 10128)

Your Score: 62.00/100.00 (62.00%)

Max Score: 82.00

Rank: 11

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 75.61

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	AB	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	15.00	15.00	17.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 62.00/100.00 (62.00%)

Max Score: 82.00

Rank: 11

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 75.61

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 62.00/100.00 (62.00%)

Max Score: 82.00

Rank: 11

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 75.61

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	18.00	18.00	15.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI R. JADHAO (ID No. 10420)

Your Score: 62.00/100.00 (62.00%)

Max Score: 82.00

Rank: 11

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 75.61

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI R. JADHAO (ID No. 10420)

Your Score: 62.00/100.00 (62.00%)

Max Score: 82.00

Rank: 11

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 75.61

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	14.00	19.00	13.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 62.00/100.00 (62.00%)

Max Score: 82.00

Rank: 11

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 75.61

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 62.00/100.00 (62.00%)

Max Score: 82.00

Rank: 11

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 75.61

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 94 (**Correct:** 61 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	18.00	17.00	15.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHAIRYA DHIRAJ SHARMA (ID No. 10124)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHAIRYA DHIRAJ SHARMA (ID No. 10124)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	BD	W	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 60 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	18.00	15.00	17.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANITA UMESH TAYADE (ID No. 10149)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANITA UMESH TAYADE (ID No. 10149)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	11.00	19.00	16.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	16.00	22.00	13.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH L. RELKAR (ID No. 10165)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH L. RELKAR (ID No. 10165)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	14.00	17.00	14.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH SUNIL TAROLE (ID No. 10191)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH SUNIL TAROLE (ID No. 10191)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	20.00	20.00	10.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 94 (**Correct:** 60 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	18.00	19.00	9.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA AJAY SAWARKAR (ID No. 10443)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA AJAY SAWARKAR (ID No. 10443)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 60 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	14.00	20.00	14.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVANI R. NANNAWARE (ID No. 10462)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVANI R. NANNAWARE (ID No. 10462)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	17.00	23.00	12.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHI VIJAY SAWALE (ID No. 10468)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	B	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHI VIJAY SAWALE (ID No. 10468)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 74.39

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 60 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	16.00	19.00	15.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 60.00/100.00 (60.00%)

Max Score: 82.00

Rank: 13

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 73.17

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 60.00/100.00 (60.00%)

Max Score: 82.00

Rank: 13

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 73.17

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 59 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	18.00	22.00	11.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 60.00/100.00 (60.00%)

Max Score: 82.00

Rank: 13

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 73.17

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 60.00/100.00 (60.00%)

Max Score: 82.00

Rank: 13

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 73.17

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 59 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	17.00	21.00	13.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 60.00/100.00 (60.00%)

Max Score: 82.00

Rank: 13

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 73.17

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 60.00/100.00 (60.00%)

Max Score: 82.00

Rank: 13

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 73.17

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 96 (**Correct:** 59 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	14.00	20.00	10.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEENAKSHI G. MUKUNDE (ID No. 10425)

Your Score: 60.00/100.00 (60.00%)

Max Score: 82.00

Rank: 13

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 73.17

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEENAKSHI G. MUKUNDE (ID No. 10425)

Your Score: 60.00/100.00 (60.00%)

Max Score: 82.00

Rank: 13

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 73.17

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 59 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	18.00	19.00	12.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 71.95

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 71.95

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 58 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	12.00	10.00	22.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 71.95

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	BC	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	C	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 71.95

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 58 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	15.00	17.00	17.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RITESH S. GAIKWAD (ID No. 10154)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 71.95

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RITESH S. GAIKWAD (ID No. 10154)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 71.95

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 58 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	14.00	19.00	15.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH D. SAWARKAR (ID No. 10164)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 71.95

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH D. SAWARKAR (ID No. 10164)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 71.95

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 58 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	15.00	17.00	16.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADARSH SUHAS DABHADE (ID No. 10401)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 71.95

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADARSH SUHAS DABHADE (ID No. 10401)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 71.95

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 58 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	16.00	19.00	10.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH N. MANKE (ID No. 10431)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 71.95

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH N. MANKE (ID No. 10431)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 71.95

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 73 (**Correct:** 58 **Incorrect:** 15) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
21.00	20.00	0.00	18.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 71.95

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 71.95

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	BD	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 92 (**Correct:** 58 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	13.00	20.00	11.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA S. DALANKAR (ID No. 10111)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 70.73

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	B	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA S. DALANKAR (ID No. 10111)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 70.73

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 57 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	16.00	17.00	14.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARINJAY MRUDUL TAYDE (ID No. 10115)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 70.73

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARINJAY MRUDUL TAYDE (ID No. 10115)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 70.73

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 57 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	12.00	20.00	14.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKASHAM S. BEDARKAR (ID No. 10162)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 70.73

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKASHAM S. BEDARKAR (ID No. 10162)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 70.73

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	BD	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 57 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	15.00	16.00	14.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DINESH SOLANKE (ID No. 10189)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 70.73

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	AD	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DINESH SOLANKE (ID No. 10189)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 70.73

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 57 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	16.00	16.00	15.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOKASHADA A. GAWANDE (ID No. 10427)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 70.73

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOKASHADA A. GAWANDE (ID No. 10427)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 70.73

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 57 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	14.00	19.00	15.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV P. THAKARE (ID No. 10436)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 70.73

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV P. THAKARE (ID No. 10436)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 70.73

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 57 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	18.00	18.00	9.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL VIJAY ZATALE (ID No. 10439)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 70.73

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL VIJAY ZATALE (ID No. 10439)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 70.73

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 57 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	14.00	21.00	15.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 70.73

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 70.73

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 57 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	15.00	23.00	7.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK V. SARNAIK (ID No. 10457)

Your Score: 57.00/100.00 (57.00%)

Max Score: 82.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 69.51

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK V. SARNAIK (ID No. 10457)

Your Score: 57.00/100.00 (57.00%)

Max Score: 82.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 69.51

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 56 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	15.00	19.00	9.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 68.29

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 68.29

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 55 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	10.00	14.00	18.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 68.29

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 68.29

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 80 (**Correct:** 55 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	14.00	20.00	11.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 68.29

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	B	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 68.29

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 55 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	17.00	17.00	11.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRACHI P. KHANDARE (ID No. 10435)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 68.29

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRACHI P. KHANDARE (ID No. 10435)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 68.29

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	16.00	16.00	13.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 68.29

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	B	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 68.29

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	12.00	20.00	10.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE (ID No. 10441)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 68.29

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE (ID No. 10441)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 68.29

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 94 (**Correct:** 55 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	16.00	15.00	11.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHIKA DINKAR WAZIRE (ID No. 10444)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 68.29

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHIKA DINKAR WAZIRE (ID No. 10444)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 68.29

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 55 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	16.00	16.00	13.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SALONI KESHAO MAHALLE (ID No. 10450)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 68.29

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SALONI KESHAO MAHALLE (ID No. 10450)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 68.29

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	19.00	16.00	12.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI ALHAD BHAVSAR (ID No. 10126)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 18

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 67.07

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI ALHAD BHAVSAR (ID No. 10126)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 18

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 67.07

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	12.00	16.00	13.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL S. KUKULWAR (ID No. 10161)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 18

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 67.07

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	AB	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL S. KUKULWAR (ID No. 10161)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 18

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 67.07

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	13.00	14.00	15.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHOURYA S. BHATULKAR (ID No. 10175)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 18

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 67.07

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	AD	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHOURYA S. BHATULKAR (ID No. 10175)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 18

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 67.07

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	AC	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 54 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	10.00	19.00	14.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 18

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 67.07

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 18

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 67.07

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	14.00	20.00	12.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE (ID No. 10463)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 18

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 67.07

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE (ID No. 10463)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 18

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 67.07

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 54 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	18.00	16.00	8.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA SUNIL SATHE (ID No. 10152)

Your Score: 54.00/100.00 (54.00%)

Max Score: 82.00

Rank: 19

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 65.85

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA SUNIL SATHE (ID No. 10152)

Your Score: 54.00/100.00 (54.00%)

Max Score: 82.00

Rank: 19

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 65.85

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 53 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	15.00	19.00	8.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEDHAVI AJAY JOSHI (ID No. 10424)

Your Score: 54.00/100.00 (54.00%)

Max Score: 82.00

Rank: 19

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 65.85

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEDHAVI AJAY JOSHI (ID No. 10424)

Your Score: 54.00/100.00 (54.00%)

Max Score: 82.00

Rank: 19

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 65.85

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 53 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	12.00	20.00	11.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 54.00/100.00 (54.00%)

Max Score: 82.00

Rank: 19

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 65.85

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 54.00/100.00 (54.00%)

Max Score: 82.00

Rank: 19

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 65.85

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 **(Correct:** 53 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	14.00	19.00	12.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 20

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 64.63

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	B	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 20

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 64.63

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	AD	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 52 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	15.00	19.00	13.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KUNAL SANJAY RAI (ID No. 10136)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 20

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 64.63

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	B	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KUNAL SANJAY RAI (ID No. 10136)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 20

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 64.63

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 Attempted: 99 (Correct: 52 Incorrect: 47) Score Rate: 0.00 Strike Rate: 0.00

Total: 53.00

Total Positive Marks: 53.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
7.00	12.00	22.00	12.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANJIRI SUSHIL GIRHE (ID No. 10138)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 20

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 64.63

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANJIRI SUSHIL GIRHE (ID No. 10138)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 20

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 64.63

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 52 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	13.00	17.00	12.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SANJAY BARABDE (ID No. 10421)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 20

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 64.63

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	AC	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SANJAY BARABDE (ID No. 10421)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 20

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 64.63

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 52 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	15.00	17.00	11.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRUTI P. JADHAV (ID No. 10466)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 20

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 64.63

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRUTI P. JADHAV (ID No. 10466)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 20

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 64.63

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 52 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	16.00	17.00	10.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHYAATI B. ROUT (ID No. 10134)

Your Score: 52.00/100.00 (52.00%)

Max Score: 82.00

Rank: 21

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 63.41

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHYAATI B. ROUT (ID No. 10134)

Your Score: 52.00/100.00 (52.00%)

Max Score: 82.00

Rank: 21

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 63.41

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 51 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	14.00	19.00	7.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 52.00/100.00 (52.00%)

Max Score: 82.00

Rank: 21

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 63.41

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 52.00/100.00 (52.00%)

Max Score: 82.00

Rank: 21

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 63.41

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	AB	W	0.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	14.00	21.00	7.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH UMESH MORE (ID No. 10434)

Your Score: 52.00/100.00 (52.00%)

Max Score: 82.00

Rank: 21

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 63.41

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH UMESH MORE (ID No. 10434)

Your Score: 52.00/100.00 (52.00%)

Max Score: 82.00

Rank: 21

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 63.41

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	AC	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	11.00	19.00	7.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 52.00/100.00 (52.00%)

Max Score: 82.00

Rank: 21

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 63.41

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 52.00/100.00 (52.00%)

Max Score: 82.00

Rank: 21

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 63.41

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	AC	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	12.00	19.00	8.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 62.20

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 62.20

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 50 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	13.00	20.00	9.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 62.20

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 62.20

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 50 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	16.00	18.00	10.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA (ID No. 10178)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 62.20

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	B	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA (ID No. 10178)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 62.20

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 50 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	16.00	15.00	11.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMRUT SURESH ASARE (ID No. 10405)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 62.20

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMRUT SURESH ASARE (ID No. 10405)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 62.20

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 50 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	14.00	18.00	10.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH VINOD RAUT (ID No. 10415)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 62.20

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH VINOD RAUT (ID No. 10415)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 62.20

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 50 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	12.00	17.00	8.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDDHI SUDHAKAR DHAGE (ID No. 10447)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 62.20

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	C	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDDHI SUDHAKAR DHAGE (ID No. 10447)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 62.20

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 50 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	16.00	17.00	10.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIJAYANTI M. ASHTAPUTRE (ID No. 10474)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 62.20

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIJAYANTI M. ASHTAPUTRE (ID No. 10474)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 62.20

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 75 (**Correct:** 50 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	11.00	20.00	10.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 50.00/100.00 (50.00%)

Max Score: 82.00

Rank: 23

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 60.98

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	C	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 50.00/100.00 (50.00%)

Max Score: 82.00

Rank: 23

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 60.98

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 49 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	16.00	13.00	11.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE (ID No. 10440)

Your Score: 50.00/100.00 (50.00%)

Max Score: 82.00

Rank: 23

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 60.98

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE (ID No. 10440)

Your Score: 50.00/100.00 (50.00%)

Max Score: 82.00

Rank: 23

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 60.98

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 49 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	14.00	15.00	11.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHA RAJNISH GHOPE (ID No. 10142)

Your Score: 49.00/100.00 (49.00%)

Max Score: 82.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 59.76

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHA RAJNISH GHOPE (ID No. 10142)

Your Score: 49.00/100.00 (49.00%)

Max Score: 82.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 59.76

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 Attempted: 99 (Correct: 48 Incorrect: 51) Score Rate: 0.00 Strike Rate: 0.00

Total: 49.00

Total Positive Marks: 49.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
10.00	15.00	15.00	9.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRIYA KISHOR WALKE (ID No. 10151)

Your Score: 49.00/100.00 (49.00%)

Max Score: 82.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 59.76

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRIYA KISHOR WALKE (ID No. 10151)

Your Score: 49.00/100.00 (49.00%)

Max Score: 82.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 59.76

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	CD	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 48 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	10.00	14.00	14.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI SACHIN SHINDE (ID No. 10423)

Your Score: 49.00/100.00 (49.00%)

Max Score: 82.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 59.76

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI SACHIN SHINDE (ID No. 10423)

Your Score: 49.00/100.00 (49.00%)

Max Score: 82.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 59.76

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 48 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	11.00	17.00	11.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK S. SONONE (ID No. 10456)

Your Score: 49.00/100.00 (49.00%)

Max Score: 82.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 59.76

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK S. SONONE (ID No. 10456)

Your Score: 49.00/100.00 (49.00%)

Max Score: 82.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 59.76

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 97 (**Correct:** 48 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	12.00	11.00	14.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 48.00/100.00 (48.00%)

Max Score: 82.00

Rank: 25

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 58.54

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 48.00/100.00 (48.00%)

Max Score: 82.00

Rank: 25

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 58.54

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 47 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	11.00	14.00	12.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR (ID No. 10102)

Your Score: 47.00/100.00 (47.00%)

Max Score: 82.00

Rank: 26

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 57.32

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR (ID No. 10102)

Your Score: 47.00/100.00 (47.00%)

Max Score: 82.00

Rank: 26

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 57.32

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 46 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	17.00	11.00	12.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 47.00/100.00 (47.00%)

Max Score: 82.00

Rank: 26

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 57.32

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 47.00/100.00 (47.00%)

Max Score: 82.00

Rank: 26

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 57.32

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 46 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	16.00	14.00	10.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 47.00/100.00 (47.00%)

Max Score: 82.00

Rank: 26

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 57.32

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 47.00/100.00 (47.00%)

Max Score: 82.00

Rank: 26

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 57.32

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 46 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	10.00	17.00	11.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR (ID No. 10116)

Your Score: 46.00/100.00 (46.00%)

Max Score: 82.00

Rank: 27

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 56.10

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	AC	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	AD	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR (ID No. 10116)

Your Score: 46.00/100.00 (46.00%)

Max Score: 82.00

Rank: 27

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 56.10

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 45 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	8.00	20.00	10.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE (ID No. 10133)

Your Score: 46.00/100.00 (46.00%)

Max Score: 82.00

Rank: 27

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 56.10

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE (ID No. 10133)

Your Score: 46.00/100.00 (46.00%)

Max Score: 82.00

Rank: 27

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 56.10

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 45 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	12.00	17.00	7.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: POONAM N. JAISWAL (ID No. 10148)

Your Score: 45.00/100.00 (45.00%)

Max Score: 82.00

Rank: 28

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 54.88

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: POONAM N. JAISWAL (ID No. 10148)

Your Score: 45.00/100.00 (45.00%)

Max Score: 82.00

Rank: 28

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 54.88

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 79 (**Correct:** 44 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	18.00	15.00	6.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA R. RAJANDEKAR (ID No. 10158)

Your Score: 45.00/100.00 (45.00%)

Max Score: 82.00

Rank: 28

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 54.88

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	C	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA R. RAJANDEKAR (ID No. 10158)

Your Score: 45.00/100.00 (45.00%)

Max Score: 82.00

Rank: 28

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 54.88

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 44 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	11.00	13.00	10.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: APEKSHA AJAY PETKAR (ID No. 10114)

Your Score: 44.00/100.00 (44.00%)

Max Score: 82.00

Rank: 29

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 53.66

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: APEKSHA AJAY PETKAR (ID No. 10114)

Your Score: 44.00/100.00 (44.00%)

Max Score: 82.00

Rank: 29

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 53.66

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 96 (**Correct:** 43 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	11.00	16.00	9.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 44.00/100.00 (44.00%)

Max Score: 82.00

Rank: 29

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 53.66

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 44.00/100.00 (44.00%)

Max Score: 82.00

Rank: 29

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 53.66

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 Attempted: 99 (Correct: 43 Incorrect: 56) Score Rate: 0.00 Strike Rate: 0.00

Total: 44.00

Total Positive Marks: 44.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
9.00	11.00	14.00	10.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TUSHAR S. INGLE (ID No. 10183)

Your Score: 43.00/100.00 (43.00%)

Max Score: 82.00

Rank: 30

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 52.44

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	C	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TUSHAR S. INGLE (ID No. 10183)

Your Score: 43.00/100.00 (43.00%)

Max Score: 82.00

Rank: 30

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 52.44

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 Attempted: 99 (Correct: 42 Incorrect: 57) Score Rate: 0.00 Strike Rate: 0.00

Total: 43.00

Total Positive Marks: 43.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
7.00	5.00	19.00	12.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAVI M. DALAL (ID No. 10473)

Your Score: 43.00/100.00 (43.00%)

Max Score: 82.00

Rank: 30

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 52.44

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	C	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAVI M. DALAL (ID No. 10473)

Your Score: 43.00/100.00 (43.00%)

Max Score: 82.00

Rank: 30

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 52.44

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 86 (**Correct:** 42 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	13.00	17.00	4.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYANK MOHAN LAKRAS (ID No. 10139)

Your Score: 42.00/100.00 (42.00%)

Max Score: 82.00

Rank: 31

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 51.22

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYANK MOHAN LAKRAS (ID No. 10139)

Your Score: 42.00/100.00 (42.00%)

Max Score: 82.00

Rank: 31

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 51.22

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 Attempted: 99 (Correct: 41 Incorrect: 58) Score Rate: 0.00 Strike Rate: 0.00

Total: 42.00

Total Positive Marks: 42.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
6.00	11.00	15.00	10.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH VILAS BHAND (ID No. 10147)

Your Score: 42.00/100.00 (42.00%)

Max Score: 82.00

Rank: 31

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 51.22

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH VILAS BHAND (ID No. 10147)

Your Score: 42.00/100.00 (42.00%)

Max Score: 82.00

Rank: 31

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 51.22

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 41 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	10.00	11.00	13.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP (ID No. 10432)

Your Score: 42.00/100.00 (42.00%)

Max Score: 82.00

Rank: 31

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 51.22

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	BC	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	B	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	BD	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP (ID No. 10432)

Your Score: 42.00/100.00 (42.00%)

Max Score: 82.00

Rank: 31

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 51.22

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	AB	W	0.00

Total Question: 100 Attempted: 99 (Correct: 41 Incorrect: 58) Score Rate: 0.00 Strike Rate: 0.00

Total: 42.00

Total Positive Marks: 42.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
11.00	9.00	11.00	11.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDIKA RANJIT KHEDKAR (ID No. 10477)

Your Score: 42.00/100.00 (42.00%)

Max Score: 82.00

Rank: 31

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 51.22

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDIKA RANJIT KHEDKAR (ID No. 10477)

Your Score: 42.00/100.00 (42.00%)

Max Score: 82.00

Rank: 31

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 51.22

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 Attempted: 99 (Correct: 41 Incorrect: 58) Score Rate: 0.00 Strike Rate: 0.00

Total: 42.00

Total Positive Marks: 42.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
11.00	11.00	13.00	7.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRADDHA SANJAY NAKAT (ID No. 10464)

Your Score: 40.00/100.00 (40.00%)

Max Score: 82.00

Rank: 32

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 48.78

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRADDHA SANJAY NAKAT (ID No. 10464)

Your Score: 40.00/100.00 (40.00%)

Max Score: 82.00

Rank: 32

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 48.78

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 39 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	13.00	10.00	7.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 39.00/100.00 (39.00%)

Max Score: 82.00

Rank: 33

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 47.56

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	AC	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	C	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 39.00/100.00 (39.00%)

Max Score: 82.00

Rank: 33

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 47.56

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 Attempted: 99 (Correct: 38 Incorrect: 61) Score Rate: 0.00 Strike Rate: 0.00

Total: 39.00

Total Positive Marks: 39.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
9.00	11.00	15.00	4.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHETAN GOPAL KHEDKAR (ID No. 10122)

Your Score: 39.00/100.00 (39.00%)

Max Score: 82.00

Rank: 33

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 47.56

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHETAN GOPAL KHEDKAR (ID No. 10122)

Your Score: 39.00/100.00 (39.00%)

Max Score: 82.00

Rank: 33

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 47.56

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 Attempted: 99 (Correct: 38 Incorrect: 61) Score Rate: 0.00 Strike Rate: 0.00

Total: 39.00

Total Positive Marks: 39.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
9.00	9.00	13.00	8.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL R. INGALE (ID No. 10160)

Your Score: 38.00/100.00 (38.00%)

Max Score: 82.00

Rank: 34

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 46.34

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	C	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL R. INGALE (ID No. 10160)

Your Score: 38.00/100.00 (38.00%)

Max Score: 82.00

Rank: 34

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 46.34

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 Attempted: 99 (Correct: 37 Incorrect: 62) Score Rate: 0.00 Strike Rate: 0.00

Total: 38.00

Total Positive Marks: 38.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
8.00	10.00	14.00	6.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIJAYANDRA R. RATHOD (ID No. 10186)

Your Score: 37.00/100.00 (37.00%)

Max Score: 82.00

Rank: 35

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 45.12

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	B	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIJAYANDRA R. RATHOD (ID No. 10186)

Your Score: 37.00/100.00 (37.00%)

Max Score: 82.00

Rank: 35

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 45.12

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 Attempted: 95 (Correct: 36 Incorrect: 59) Score Rate: 0.00 Strike Rate: 0.00

Total: 37.00

Total Positive Marks: 37.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
6.00	7.00	16.00	8.00	37.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI K. TIWARI (ID No. 10168)

Your Score: 36.00/100.00 (36.00%)

Max Score: 82.00

Rank: 36

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 43.90

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	D	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI K. TIWARI (ID No. 10168)

Your Score: 36.00/100.00 (36.00%)

Max Score: 82.00

Rank: 36

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 43.90

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 35 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	4.00	12.00	9.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYALI SHRAVAN INGLE (ID No. 10170)

Your Score: 36.00/100.00 (36.00%)

Max Score: 82.00

Rank: 36

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 43.90

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	A	R	1.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYALI SHRAVAN INGLE (ID No. 10170)

Your Score: 36.00/100.00 (36.00%)

Max Score: 82.00

Rank: 36

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 43.90

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	BC	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 Attempted: 99 (Correct: 35 Incorrect: 64) Score Rate: 0.00 Strike Rate: 0.00

Total: 36.00

Total Positive Marks: 36.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
9.00	7.00	11.00	9.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE (ID No. 10176)

Your Score: 35.00/100.00 (35.00%)

Max Score: 82.00

Rank: 37

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 42.68

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	C	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE (ID No. 10176)

Your Score: 35.00/100.00 (35.00%)

Max Score: 82.00

Rank: 37

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 42.68

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 34 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	6.00	11.00	8.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI P. WAGHMARE (ID No. 10453)

Your Score: 30.00/100.00 (30.00%)

Max Score: 82.00

Rank: 38

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 36.59

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.66	47.66	50.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	98.44	53.91	44.53	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.44	25.78	72.66	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	42.97	57.03	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	97.66	39.84	57.81	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.66	52.34	45.31	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.09	32.03	64.06	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	100.00	61.72	38.28	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
9	97.66	36.72	60.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	99.22	34.38	64.84	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	100.00	70.31	29.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	99.22	59.38	39.84	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	99.22	43.75	55.47	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	98.44	26.56	71.88	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	99.22	25.78	73.44	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	100.00	14.06	85.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	100.00	60.16	39.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	85.16	14.84	PHY	TWO ANS 1	1.00	0.00	AD	B	W	0.00
19	100.00	82.03	17.97	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.09	23.44	72.66	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	95.31	41.41	53.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	100.00	26.56	73.44	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
23	96.88	42.19	54.69	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
24	96.88	39.06	57.81	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	65.63	34.38	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	100.00	63.28	36.72	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.44	49.22	49.22	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	100.00	58.59	41.41	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	99.22	85.94	13.28	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
31	100.00	71.88	28.13	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	98.44	42.97	55.47	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.22	72.66	26.56	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
34	100.00	61.72	38.28	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	99.22	91.41	7.81	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
36	99.22	70.31	28.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
38	98.44	51.56	46.88	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
39	100.00	57.03	42.97	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
40	100.00	89.06	10.94	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	99.22	25.78	73.44	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	99.22	39.06	60.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	17.19	82.81	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	99.22	35.16	64.06	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	97.66	44.53	53.13	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
46	100.00	64.84	35.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
47	100.00	81.25	18.75	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	96.09	26.56	69.53	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	99.22	69.53	29.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	99.22	81.25	17.97	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	98.44	73.44	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	99.22	88.28	10.94	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI P. WAGHMARE (ID No. 10453)

Your Score: 30.00/100.00 (30.00%)

Max Score: 82.00

Rank: 38

Min Score: 30.00

TEST: MAJOR TEST-02 (STD.10TH) (ID: 730 DT: 21-Aug-2023)

Percentile: 36.59

Avg Score: 56.34

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	98.44	78.91	19.53	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	99.22	67.97	31.25	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
57	99.22	90.63	8.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
58	99.22	38.28	60.94	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	97.66	74.22	23.44	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
60	99.22	70.31	28.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	99.22	84.38	14.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	99.22	71.09	28.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
63	99.22	82.81	16.41	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	99.22	85.94	13.28	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	96.88	57.03	39.84	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	97.66	42.19	55.47	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	99.22	79.69	19.53	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	99.22	85.16	14.06	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	99.22	40.63	58.59	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	99.22	67.19	32.03	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	99.22	60.94	38.28	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	99.22	92.19	7.03	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	98.44	60.94	37.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	98.44	55.47	42.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	99.22	65.63	33.59	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	99.22	75.00	24.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	73.44	26.56	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.66	79.69	17.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
79	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	95.31	49.22	46.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	100.00	43.75	56.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	99.22	52.34	46.88	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	100.00	63.28	36.72	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	96.88	38.28	58.59	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	98.44	71.09	27.34	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	95.31	35.94	59.38	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	99.22	82.03	17.19	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	96.09	40.63	55.47	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	94.53	25.78	68.75	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
90	95.31	51.56	43.75	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
91	95.31	12.50	82.81	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	99.22	32.81	66.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	99.22	49.22	50.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	95.31	67.19	28.13	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	96.88	47.66	49.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	94.53	28.91	65.63	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
97	98.44	57.03	41.41	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
98	97.66	21.88	75.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	96.88	33.59	63.28	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 29 **Incorrect:** 69) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 30.00

Total Positive Marks: 30.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	7.00	11.00	4.00	30.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%