

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRISHNA PRAMOD SHUKLA (ID No. 92023)

Your Score: 84.00/100.00 (84.00%)

Max Score: 84.00

Rank: 1

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 100.00

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRISHNA PRAMOD SHUKLA (ID No. 92023)

Your Score: 84.00/100.00 (84.00%)

Max Score: 84.00

Rank: 1

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 100.00

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 84 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 84.00

Total Positive Marks: 84.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	22.00	25.00	20.00	84.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 78.00/100.00 (78.00%)

Max Score: 84.00

Rank: 2

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 92.86

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 78.00/100.00 (78.00%)

Max Score: 84.00

Rank: 2

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 92.86

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 78 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 78.00

Total Positive Marks: 78.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	20.00	23.00	17.00	78.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL R. INGLE (ID No. 92032)

Your Score: 78.00/100.00 (78.00%)

Max Score: 84.00

Rank: 2

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 92.86

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL R. INGLE (ID No. 92032)

Your Score: 78.00/100.00 (78.00%)

Max Score: 84.00

Rank: 2

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 92.86

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 78 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 78.00

Total Positive Marks: 78.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	20.00	24.00	21.00	78.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 78.00/100.00 (78.00%)

Max Score: 84.00

Rank: 2

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 92.86

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 78.00/100.00 (78.00%)

Max Score: 84.00

Rank: 2

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 92.86

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 78 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 78.00

Total Positive Marks: 78.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	20.00	23.00	18.00	78.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADVAIT HEMANT BANAIT (ID No. 92005)

Your Score: 76.00/100.00 (76.00%)

Max Score: 84.00

Rank: 3

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 90.48

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADVAIT HEMANT BANAIT (ID No. 92005)

Your Score: 76.00/100.00 (76.00%)

Max Score: 84.00

Rank: 3

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 90.48

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 76 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 76.00

Total Positive Marks: 76.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	15.00	22.00	21.00	76.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 74.00/100.00 (74.00%)

Max Score: 84.00

Rank: 4

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 88.10

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 74.00/100.00 (74.00%)

Max Score: 84.00

Rank: 4

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 88.10

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 74 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 74.00

Total Positive Marks: 74.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	17.00	21.00	20.00	74.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV NILESH WAKALE (ID No. 91008)

Your Score: 72.00/100.00 (72.00%)

Max Score: 84.00

Rank: 5

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 85.71

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV NILESH WAKALE (ID No. 91008)

Your Score: 72.00/100.00 (72.00%)

Max Score: 84.00

Rank: 5

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 85.71

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 72 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 72.00

Total Positive Marks: 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	18.00	21.00	20.00	72.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 68.00/100.00 (68.00%)

Max Score: 84.00

Rank: 6

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 80.95

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 68.00/100.00 (68.00%)

Max Score: 84.00

Rank: 6

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 80.95

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 68 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 68.00

Total Positive Marks: 68.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	16.00	22.00	16.00	68.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 67.00/100.00 (67.00%)

Max Score: 84.00

Rank: 7

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 79.76

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 67.00/100.00 (67.00%)

Max Score: 84.00

Rank: 7

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 79.76

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 67 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	16.00	22.00	16.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASHIKA NILESH HUTKE (ID No. 91016)

Your Score: 66.00/100.00 (66.00%)

Max Score: 84.00

Rank: 8

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 78.57

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASHIKA NILESH HUTKE (ID No. 91016)

Your Score: 66.00/100.00 (66.00%)

Max Score: 84.00

Rank: 8

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 78.57

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 66 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	15.00	25.00	15.00	66.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 65.00/100.00 (65.00%)

Max Score: 84.00

Rank: 9

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 77.38

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 65.00/100.00 (65.00%)

Max Score: 84.00

Rank: 9

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 77.38

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 65 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	18.00	23.00	13.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 65.00/100.00 (65.00%)

Max Score: 84.00

Rank: 9

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 77.38

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 65.00/100.00 (65.00%)

Max Score: 84.00

Rank: 9

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 77.38

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 92 (**Correct:** 65 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	18.00	22.00	10.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 64.00/100.00 (64.00%)

Max Score: 84.00

Rank: 10

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 76.19

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 64.00/100.00 (64.00%)

Max Score: 84.00

Rank: 10

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 76.19

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 95 (**Correct:** 64 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	13.00	19.00	18.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 63.00/100.00 (63.00%)

Max Score: 84.00

Rank: 11

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 75.00

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 63.00/100.00 (63.00%)

Max Score: 84.00

Rank: 11

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 75.00

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 63 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	16.00	19.00	13.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 62.00/100.00 (62.00%)

Max Score: 84.00

Rank: 12

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 73.81

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 62.00/100.00 (62.00%)

Max Score: 84.00

Rank: 12

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 73.81

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 62 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	16.00	22.00	11.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 61.00/100.00 (61.00%)

Max Score: 84.00

Rank: 13

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 72.62

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 61.00/100.00 (61.00%)

Max Score: 84.00

Rank: 13

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 72.62

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 61 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	16.00	17.00	15.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI PRAMOD SURWADE (ID No. 92034)

Your Score: 61.00/100.00 (61.00%)

Max Score: 84.00

Rank: 13

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 72.62

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI PRAMOD SURWADE (ID No. 92034)

Your Score: 61.00/100.00 (61.00%)

Max Score: 84.00

Rank: 13

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 72.62

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 61 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	14.00	20.00	17.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 60.00/100.00 (60.00%)

Max Score: 84.00

Rank: 14

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 71.43

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 60.00/100.00 (60.00%)

Max Score: 84.00

Rank: 14

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 71.43

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 60 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	15.00	17.00	17.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 60.00/100.00 (60.00%)

Max Score: 84.00

Rank: 14

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 71.43

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 60.00/100.00 (60.00%)

Max Score: 84.00

Rank: 14

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 71.43

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 60 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	16.00	20.00	13.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NINAD RAJESH NITNAWARE (ID No. 92029)

Your Score: 60.00/100.00 (60.00%)

Max Score: 84.00

Rank: 14

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 71.43

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NINAD RAJESH NITNAWARE (ID No. 92029)

Your Score: 60.00/100.00 (60.00%)

Max Score: 84.00

Rank: 14

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 71.43

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 60 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	13.00	17.00	18.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 59.00/100.00 (59.00%)

Max Score: 84.00

Rank: 15

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 70.24

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 59.00/100.00 (59.00%)

Max Score: 84.00

Rank: 15

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 70.24

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 59 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	12.00	22.00	14.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH MUKUNDA JAGTAP (ID No. 92017)

Your Score: 58.00/100.00 (58.00%)

Max Score: 84.00

Rank: 16

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 69.05

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH MUKUNDA JAGTAP (ID No. 92017)

Your Score: 58.00/100.00 (58.00%)

Max Score: 84.00

Rank: 16

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 69.05

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 58 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	9.00	18.00	14.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAVINDRA SURVE (ID No. 92022)

Your Score: 58.00/100.00 (58.00%)

Max Score: 84.00

Rank: 16

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 69.05

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAVINDRA SURVE (ID No. 92022)

Your Score: 58.00/100.00 (58.00%)

Max Score: 84.00

Rank: 16

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 69.05

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	AB	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 58 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	9.00	20.00	15.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHASHISH P. DESHMUKH (ID No. 91013)

Your Score: 55.00/100.00 (55.00%)

Max Score: 84.00

Rank: 17

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 65.48

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHASHISH P. DESHMUKH (ID No. 91013)

Your Score: 55.00/100.00 (55.00%)

Max Score: 84.00

Rank: 17

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 65.48

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	9.00	19.00	13.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 55.00/100.00 (55.00%)

Max Score: 84.00

Rank: 17

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 65.48

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 55.00/100.00 (55.00%)

Max Score: 84.00

Rank: 17

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 65.48

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	12.00	14.00	15.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 54.00/100.00 (54.00%)

Max Score: 84.00

Rank: 18

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 64.29

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 54.00/100.00 (54.00%)

Max Score: 84.00

Rank: 18

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 64.29

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	11.00	22.00	13.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYA GAJANAN INGLE (ID No. 92013)

Your Score: 54.00/100.00 (54.00%)

Max Score: 84.00

Rank: 18

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 64.29

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYA GAJANAN INGLE (ID No. 92013)

Your Score: 54.00/100.00 (54.00%)

Max Score: 84.00

Rank: 18

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 64.29

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	11.00	21.00	13.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNA ANANTA MOHOD (ID No. 92024)

Your Score: 54.00/100.00 (54.00%)

Max Score: 84.00

Rank: 18

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 64.29

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNA ANANTA MOHOD (ID No. 92024)

Your Score: 54.00/100.00 (54.00%)

Max Score: 84.00

Rank: 18

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 64.29

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	13.00	13.00	13.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNALI S. ARBAT (ID No. 92025)

Your Score: 54.00/100.00 (54.00%)

Max Score: 84.00

Rank: 18

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 64.29

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNALI S. ARBAT (ID No. 92025)

Your Score: 54.00/100.00 (54.00%)

Max Score: 84.00

Rank: 18

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 64.29

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	17.00	18.00	12.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DHANANJAY GADHE (ID No. 92040)

Your Score: 54.00/100.00 (54.00%)

Max Score: 84.00

Rank: 18

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 64.29

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DHANANJAY GADHE (ID No. 92040)

Your Score: 54.00/100.00 (54.00%)

Max Score: 84.00

Rank: 18

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 64.29

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	CD	W	0.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 Attempted: 100 (Correct: 54 Incorrect: 46) Score Rate: 0.00 Strike Rate: 0.00

Total: 54.00

Total Positive Marks: 54.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
7.00	13.00	20.00	14.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYURI P. BHOJANE (ID No. 92027)

Your Score: 52.00/100.00 (52.00%)

Max Score: 84.00

Rank: 19

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 61.90

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYURI P. BHOJANE (ID No. 92027)

Your Score: 52.00/100.00 (52.00%)

Max Score: 84.00

Rank: 19

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 61.90

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 52 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	8.00	20.00	13.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 51.00/100.00 (51.00%)

Max Score: 84.00

Rank: 20

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 60.71

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 51.00/100.00 (51.00%)

Max Score: 84.00

Rank: 20

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 60.71

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	6.00	20.00	15.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 51.00/100.00 (51.00%)

Max Score: 84.00

Rank: 20

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 60.71

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 51.00/100.00 (51.00%)

Max Score: 84.00

Rank: 20

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 60.71

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	10.00	21.00	9.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92043)

Your Score: 51.00/100.00 (51.00%)

Max Score: 84.00

Rank: 20

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 60.71

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92043)

Your Score: 51.00/100.00 (51.00%)

Max Score: 84.00

Rank: 20

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 60.71

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	11.00	16.00	16.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 50.00/100.00 (50.00%)

Max Score: 84.00

Rank: 21

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 59.52

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 50.00/100.00 (50.00%)

Max Score: 84.00

Rank: 21

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 59.52

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 50 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	14.00	17.00	12.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHRA SHARAD GHUGE (ID No. 92038)

Your Score: 49.00/100.00 (49.00%)

Max Score: 84.00

Rank: 22

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 58.33

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	BD	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	AD	W	0.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	BD	W	0.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	BCD	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	AB	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHRA SHARAD GHUGE (ID No. 92038)

Your Score: 49.00/100.00 (49.00%)

Max Score: 84.00

Rank: 22

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 58.33

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	BC	W	0.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	AB	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	BD	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	AC	W	0.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	12.00	14.00	13.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJKUMARI R. HANUMANTE (ID No. 91010)

Your Score: 48.00/100.00 (48.00%)

Max Score: 84.00

Rank: 23

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 57.14

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJKUMARI R. HANUMANTE (ID No. 91010)

Your Score: 48.00/100.00 (48.00%)

Max Score: 84.00

Rank: 23

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 57.14

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	9.00	19.00	12.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 47.00/100.00 (47.00%)

Max Score: 84.00

Rank: 24

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 55.95

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 47.00/100.00 (47.00%)

Max Score: 84.00

Rank: 24

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 55.95

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 47 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	12.00	18.00	12.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAV G. RATNAPARKHI (ID No. 92039)

Your Score: 46.00/100.00 (46.00%)

Max Score: 84.00

Rank: 25

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 54.76

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAV G. RATNAPARKHI (ID No. 92039)

Your Score: 46.00/100.00 (46.00%)

Max Score: 84.00

Rank: 25

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 54.76

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 46 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	11.00	14.00	14.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 45.00/100.00 (45.00%)

Max Score: 84.00

Rank: 26

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 53.57

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 45.00/100.00 (45.00%)

Max Score: 84.00

Rank: 26

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 53.57

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 45 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	9.00	16.00	10.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASVI AJAY RAUT (ID No. 92026)

Your Score: 44.00/100.00 (44.00%)

Max Score: 84.00

Rank: 27

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 52.38

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	AC	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASVI AJAY RAUT (ID No. 92026)

Your Score: 44.00/100.00 (44.00%)

Max Score: 84.00

Rank: 27

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 52.38

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 44 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	11.00	18.00	8.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ANIL GAYAKWAD (ID No. 92030)

Your Score: 44.00/100.00 (44.00%)

Max Score: 84.00

Rank: 27

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 52.38

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ANIL GAYAKWAD (ID No. 92030)

Your Score: 44.00/100.00 (44.00%)

Max Score: 84.00

Rank: 27

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 52.38

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 44 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	9.00	11.00	13.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI PRAKASH SANGLE (ID No. 92042)

Your Score: 32.00/100.00 (32.00%)

Max Score: 84.00

Rank: 28

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 38.10

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI PRAKASH SANGLE (ID No. 92042)

Your Score: 32.00/100.00 (32.00%)

Max Score: 84.00

Rank: 28

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 38.10

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	AD	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 79 (**Correct:** 32 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 32.00

Total Positive Marks: 32.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	7.00	13.00	8.00	32.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUSHKA NILESH GADE (ID No. 92009)

Your Score: 31.00/100.00 (31.00%)

Max Score: 84.00

Rank: 29

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 36.90

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	54.55	43.18	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	100.00	65.91	34.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	47.73	52.27	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	100.00	63.64	36.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	97.73	77.27	20.45	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	34.09	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.73	86.36	11.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	18.18	81.82	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	97.73	70.45	27.27	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.73	36.36	61.36	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
13	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.73	75.00	22.73	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	97.73	11.36	86.36	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	100.00	77.27	22.73	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	52.27	47.73	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
19	97.73	43.18	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	97.73	15.91	81.82	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
21	100.00	31.82	68.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	100.00	36.36	63.64	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	100.00	43.18	56.82	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	97.73	38.64	59.09	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	40.91	59.09	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	100.00	68.18	31.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	100.00	56.82	43.18	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	59.09	40.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	100.00	27.27	72.73	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	100.00	63.64	36.36	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
32	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	97.73	63.64	34.09	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
34	100.00	72.73	27.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	100.00	93.18	6.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	100.00	34.09	65.91	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
37	100.00	84.09	15.91	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	97.73	59.09	38.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	100.00	52.27	47.73	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	100.00	54.55	45.45	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	95.45	45.45	50.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
44	100.00	43.18	56.82	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	100.00	47.73	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	97.73	40.91	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	100.00	11.36	88.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	81.82	18.18	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	45.45	54.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	97.73	29.55	68.18	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUSHKA NILESH GADE (ID No. 92009)

Your Score: 31.00/100.00 (31.00%)

Max Score: 84.00

Rank: 29

Min Score: 31.00

TEST: MAJOR TEST-03 (STD.9) (ID: 736 DT: 18-Sep-2023)

Percentile: 36.90

Avg Score: 58.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	63.64	36.36	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
58	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	97.73	47.73	50.00	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	100.00	61.36	38.64	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	100.00	88.64	11.36	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
64	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
66	100.00	68.18	31.82	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	100.00	72.73	27.27	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	97.73	68.18	29.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
69	100.00	84.09	15.91	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	45.45	54.55	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	100.00	43.18	56.82	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	97.73	72.73	25.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	95.45	4.55	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	95.45	25.00	70.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
77	100.00	27.27	72.73	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.73	50.00	47.73	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
79	100.00	45.45	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	97.73	25.00	72.73	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	75.00	25.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	100.00	63.64	36.36	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
84	100.00	47.73	52.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	84.09	15.91	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	97.73	65.91	31.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	38.64	61.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	95.45	50.00	45.45	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	100.00	52.27	47.73	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	100.00	68.18	31.82	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.73	86.36	11.36	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	93.18	15.91	77.27	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	97.73	68.18	29.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	95.45	75.00	20.45	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	97.73	88.64	9.09	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
96	97.73	43.18	54.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	97.73	93.18	4.55	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	97.73	63.64	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
99	100.00	72.73	27.27	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	100.00	54.55	45.45	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 31 **Incorrect:** 69) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 31.00

Total Positive Marks: 31.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	5.00	8.00	8.00	31.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%