

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 82.00/100.00 (82.00%)

Max Score: 82.00

Rank: 1

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 100.00

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 82.00/100.00 (82.00%)

Max Score: 82.00

Rank: 1

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 100.00

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	AC	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 82 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 82.00

Total Positive Marks: 82.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	20.00	23.00	21.00	82.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 80.00/100.00 (80.00%)

Max Score: 82.00

Rank: 2

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 97.56

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 80.00/100.00 (80.00%)

Max Score: 82.00

Rank: 2

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 97.56

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	B	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 80 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 80.00

Total Positive Marks: 80.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	21.00	20.00	24.00	80.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VED VIJAY THAKARE (ID No. 10185)

Your Score: 79.00/100.00 (79.00%)

Max Score: 82.00

Rank: 3

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 96.34

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VED VIJAY THAKARE (ID No. 10185)

Your Score: 79.00/100.00 (79.00%)

Max Score: 82.00

Rank: 3

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 96.34

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	B	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 79 **Incorrect:** 21) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 79.00

Total Positive Marks: 79.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	21.00	22.00	22.00	79.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUKTI S. RATHOD (ID No. 10481)

Your Score: 77.00/100.00 (77.00%)

Max Score: 82.00

Rank: 4

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 93.90

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUKTI S. RATHOD (ID No. 10481)

Your Score: 77.00/100.00 (77.00%)

Max Score: 82.00

Rank: 4

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 93.90

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 77 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 77.00

Total Positive Marks: 77.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	21.00	23.00	21.00	77.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 75.00/100.00 (75.00%)

Max Score: 82.00

Rank: 5

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 91.46

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 75.00/100.00 (75.00%)

Max Score: 82.00

Rank: 5

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 91.46

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	B	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 75 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 75.00

Total Positive Marks: 75.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	17.00	24.00	18.00	75.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 75.00/100.00 (75.00%)

Max Score: 82.00

Rank: 5

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 91.46

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 75.00/100.00 (75.00%)

Max Score: 82.00

Rank: 5

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 91.46

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 75 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 75.00

Total Positive Marks: 75.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	18.00	21.00	20.00	75.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE (ID No. 10454)

Your Score: 74.00/100.00 (74.00%)

Max Score: 82.00

Rank: 6

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 90.24

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE (ID No. 10454)

Your Score: 74.00/100.00 (74.00%)

Max Score: 82.00

Rank: 6

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 90.24

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 74 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 74.00

Total Positive Marks: 74.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	20.00	23.00	15.00	74.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL (ID No. 10128)

Your Score: 73.00/100.00 (73.00%)

Max Score: 82.00

Rank: 7

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 89.02

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL (ID No. 10128)

Your Score: 73.00/100.00 (73.00%)

Max Score: 82.00

Rank: 7

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 89.02

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 73 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 73.00

Total Positive Marks: 73.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	14.00	18.00	23.00	73.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 72.00/100.00 (72.00%)

Max Score: 82.00

Rank: 8

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 87.80

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 72.00/100.00 (72.00%)

Max Score: 82.00

Rank: 8

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 87.80

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 72 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 72.00

Total Positive Marks: 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	18.00	22.00	16.00	72.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJSSINGH K. CHUNGADE (ID No. 10188)

Your Score: 72.00/100.00 (72.00%)

Max Score: 82.00

Rank: 8

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 87.80

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJ SINGH K. CHUNGADE (ID No. 10188)

Your Score: 72.00/100.00 (72.00%)

Max Score: 82.00

Rank: 8

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 87.80

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 72 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 72.00

Total Positive Marks: 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	19.00	20.00	18.00	72.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 71.00/100.00 (71.00%)

Max Score: 82.00

Rank: 9

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 86.59

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 71.00/100.00 (71.00%)

Max Score: 82.00

Rank: 9

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 86.59

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 71 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 71.00

Total Positive Marks: 71.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	20.00	19.00	14.00	71.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 70.00/100.00 (70.00%)

Max Score: 82.00

Rank: 10

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 85.37

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 70.00/100.00 (70.00%)

Max Score: 82.00

Rank: 10

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 85.37

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 70 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 70.00

Total Positive Marks: 70.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	20.00	22.00	17.00	70.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 70.00/100.00 (70.00%)

Max Score: 82.00

Rank: 10

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 85.37

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 70.00/100.00 (70.00%)

Max Score: 82.00

Rank: 10

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 85.37

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 70 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 70.00

Total Positive Marks: 70.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	18.00	20.00	16.00	70.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKASHAM S. BEDARKAR (ID No. 10162)

Your Score: 70.00/100.00 (70.00%)

Max Score: 82.00

Rank: 10

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 85.37

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKASHAM S. BEDARKAR (ID No. 10162)

Your Score: 70.00/100.00 (70.00%)

Max Score: 82.00

Rank: 10

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 85.37

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 70 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 70.00

Total Positive Marks: 70.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	20.00	19.00	19.00	70.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 70.00/100.00 (70.00%)

Max Score: 82.00

Rank: 10

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 85.37

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 70.00/100.00 (70.00%)

Max Score: 82.00

Rank: 10

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 85.37

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	C	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 70 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 70.00

Total Positive Marks: 70.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	18.00	21.00	17.00	70.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 69.00/100.00 (69.00%)

Max Score: 82.00

Rank: 11

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 84.15

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 69.00/100.00 (69.00%)

Max Score: 82.00

Rank: 11

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 84.15

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	B	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 69 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 69.00

Total Positive Marks: 69.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
19.00	15.00	21.00	14.00	69.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 69.00/100.00 (69.00%)

Max Score: 82.00

Rank: 11

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 84.15

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 69.00/100.00 (69.00%)

Max Score: 82.00

Rank: 11

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 84.15

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 69 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 69.00

Total Positive Marks: 69.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	18.00	17.00	19.00	69.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH D. SAWARKAR (ID No. 10164)

Your Score: 69.00/100.00 (69.00%)

Max Score: 82.00

Rank: 11

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 84.15

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH D. SAWARKAR (ID No. 10164)

Your Score: 69.00/100.00 (69.00%)

Max Score: 82.00

Rank: 11

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 84.15

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	B	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 69 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 69.00

Total Positive Marks: 69.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	19.00	15.00	19.00	69.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA AJAY SAWARKAR (ID No. 10443)

Your Score: 68.00/100.00 (68.00%)

Max Score: 82.00

Rank: 12

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 82.93

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA AJAY SAWARKAR (ID No. 10443)

Your Score: 68.00/100.00 (68.00%)

Max Score: 82.00

Rank: 12

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 82.93

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 68 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 68.00

Total Positive Marks: 68.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	15.00	20.00	17.00	68.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 68.00/100.00 (68.00%)

Max Score: 82.00

Rank: 12

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 82.93

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 68.00/100.00 (68.00%)

Max Score: 82.00

Rank: 12

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 82.93

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 68 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 68.00

Total Positive Marks: 68.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	19.00	20.00	16.00	68.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 66.00/100.00 (66.00%)

Max Score: 82.00

Rank: 13

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 80.49

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	AD	W	0.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 66.00/100.00 (66.00%)

Max Score: 82.00

Rank: 13

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 80.49

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	AB	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 66 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	17.00	21.00	12.00	66.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR (ID No. 10461)

Your Score: 66.00/100.00 (66.00%)

Max Score: 82.00

Rank: 13

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 80.49

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR (ID No. 10461)

Your Score: 66.00/100.00 (66.00%)

Max Score: 82.00

Rank: 13

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 80.49

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 66 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	12.00	21.00	19.00	66.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 65.00/100.00 (65.00%)

Max Score: 82.00

Rank: 14

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 79.27

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 65.00/100.00 (65.00%)

Max Score: 82.00

Rank: 14

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 79.27

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	C	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 65 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	18.00	19.00	18.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAHSIKANT Y. DESHMUKH (ID No. 10171)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 15

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 78.05

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAHSIKANT Y. DESHMUKH (ID No. 10171)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 15

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 78.05

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 64 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	14.00	20.00	17.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT (ID No. 10402)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 15

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 78.05

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT (ID No. 10402)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 15

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 78.05

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	C	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 64 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	18.00	20.00	17.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 15

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 78.05

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 15

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 78.05

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	A	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 64 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	13.00	23.00	15.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 15

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 78.05

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 15

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 78.05

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 64 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	13.00	19.00	16.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 15

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 78.05

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 64.00/100.00 (64.00%)

Max Score: 82.00

Rank: 15

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 78.05

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	B	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 64 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	14.00	19.00	18.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH L. RELKAR (ID No. 10165)

Your Score: 63.00/100.00 (63.00%)

Max Score: 82.00

Rank: 16

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 76.83

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	CD	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH L. RELKAR (ID No. 10165)

Your Score: 63.00/100.00 (63.00%)

Max Score: 82.00

Rank: 16

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 76.83

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	A	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 63 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	18.00	18.00	16.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 63.00/100.00 (63.00%)

Max Score: 82.00

Rank: 16

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 76.83

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 63.00/100.00 (63.00%)

Max Score: 82.00

Rank: 16

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 76.83

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	C	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 63 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	20.00	22.00	9.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 63.00/100.00 (63.00%)

Max Score: 82.00

Rank: 16

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 76.83

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 63.00/100.00 (63.00%)

Max Score: 82.00

Rank: 16

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 76.83

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	B	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 63 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	17.00	22.00	14.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 62.00/100.00 (62.00%)

Max Score: 82.00

Rank: 17

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 75.61

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 62.00/100.00 (62.00%)

Max Score: 82.00

Rank: 17

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 75.61

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 62 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	16.00	18.00	15.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 62.00/100.00 (62.00%)

Max Score: 82.00

Rank: 17

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 75.61

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 62.00/100.00 (62.00%)

Max Score: 82.00

Rank: 17

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 75.61

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 62 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	16.00	19.00	16.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 62.00/100.00 (62.00%)

Max Score: 82.00

Rank: 17

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 75.61

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 62.00/100.00 (62.00%)

Max Score: 82.00

Rank: 17

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 75.61

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 62 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	18.00	20.00	13.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARINJAY MRUDUL TAYDE (ID No. 10115)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 18

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 74.39

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARINJAY MRUDUL TAYDE (ID No. 10115)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 18

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 74.39

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	C	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 61 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	11.00	21.00	11.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 18

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 74.39

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 18

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 74.39

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	C	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 61 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	13.00	21.00	14.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 18

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 74.39

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 18

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 74.39

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 61 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	13.00	18.00	14.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIJAYANTI M. ASHTAPUTRE (ID No. 10474)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 18

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 74.39

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIJAYANTI M. ASHTAPUTRE (ID No. 10474)

Your Score: 61.00/100.00 (61.00%)

Max Score: 82.00

Rank: 18

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 74.39

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 85 (**Correct:** 61 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	11.00	21.00	17.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR (ID No. 10404)

Your Score: 60.00/100.00 (60.00%)

Max Score: 82.00

Rank: 19

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 73.17

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR (ID No. 10404)

Your Score: 60.00/100.00 (60.00%)

Max Score: 82.00

Rank: 19

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 73.17

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	C	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 60 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	9.00	24.00	13.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 60.00/100.00 (60.00%)

Max Score: 82.00

Rank: 19

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 73.17

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 60.00/100.00 (60.00%)

Max Score: 82.00

Rank: 19

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 73.17

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	C	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	18.00	18.00	16.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 20

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 71.95

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 20

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 71.95

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 59 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	15.00	21.00	11.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 20

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 71.95

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 20

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 71.95

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	B	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 59 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	15.00	17.00	20.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHOURYA S. BHATULKAR (ID No. 10175)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 20

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 71.95

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	CD	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHOURYA S. BHATULKAR (ID No. 10175)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 20

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 71.95

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	A	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 84 (**Correct:** 59 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	11.00	18.00	21.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA (ID No. 10178)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 20

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 71.95

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA (ID No. 10178)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 20

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 71.95

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	A	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 59 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	14.00	14.00	15.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDDHI SUDHAKAR DHAGE (ID No. 10447)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 20

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 71.95

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDDHI SUDHAKAR DHAGE (ID No. 10447)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 20

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 71.95

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 59 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	15.00	20.00	14.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 20

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 71.95

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	BD	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 59.00/100.00 (59.00%)

Max Score: 82.00

Rank: 20

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 71.95

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	A	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 59 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	16.00	16.00	14.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVANI R. NANNAWARE (ID No. 10462)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 21

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 70.73

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVANI R. NANNAWARE (ID No. 10462)

Your Score: 58.00/100.00 (58.00%)

Max Score: 82.00

Rank: 21

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 70.73

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 58 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	12.00	20.00	12.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR (ID No. 10102)

Your Score: 57.00/100.00 (57.00%)

Max Score: 82.00

Rank: 22

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 69.51

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR (ID No. 10102)

Your Score: 57.00/100.00 (57.00%)

Max Score: 82.00

Rank: 22

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 69.51

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 Attempted: 100 (Correct: 57 Incorrect: 43) Score Rate: 0.00 Strike Rate: 0.00

Total: 57.00

Total Positive Marks: 57.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
14.00	12.00	16.00	15.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 57.00/100.00 (57.00%)

Max Score: 82.00

Rank: 22

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 69.51

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 57.00/100.00 (57.00%)

Max Score: 82.00

Rank: 22

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 69.51

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 57 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	18.00	11.00	16.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI ALHAD BHAVSAR (ID No. 10126)

Your Score: 57.00/100.00 (57.00%)

Max Score: 82.00

Rank: 22

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 69.51

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI ALHAD BHAVSAR (ID No. 10126)

Your Score: 57.00/100.00 (57.00%)

Max Score: 82.00

Rank: 22

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 69.51

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	C	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 57 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	10.00	16.00	17.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEENAKSHI G. MUKUNDE (ID No. 10425)

Your Score: 57.00/100.00 (57.00%)

Max Score: 82.00

Rank: 22

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 69.51

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEENAKSHI G. MUKUNDE (ID No. 10425)

Your Score: 57.00/100.00 (57.00%)

Max Score: 82.00

Rank: 22

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 69.51

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 57 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	11.00	20.00	13.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 57.00/100.00 (57.00%)

Max Score: 82.00

Rank: 22

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 69.51

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 57.00/100.00 (57.00%)

Max Score: 82.00

Rank: 22

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 69.51

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	B	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 57 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	12.00	23.00	9.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA AMBARISH SHUKLA (ID No. 10101)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 23

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 68.29

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA AMBARISH SHUKLA (ID No. 10101)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 23

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 68.29

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	AB	W	0.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	CD	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 56 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	15.00	15.00	12.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANJIRI SUSHIL GIRHE (ID No. 10138)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 23

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 68.29

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANJIRI SUSHIL GIRHE (ID No. 10138)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 23

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 68.29

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	A	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 56 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	11.00	16.00	15.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SANJAY BARABDE (ID No. 10421)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 23

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 68.29

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SANJAY BARABDE (ID No. 10421)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 23

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 68.29

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 56 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	15.00	20.00	12.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH UMESH MORE (ID No. 10434)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 23

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 68.29

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH UMESH MORE (ID No. 10434)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 23

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 68.29

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 56 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	13.00	14.00	16.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRACHI P. KHANDARE (ID No. 10435)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 23

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 68.29

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	BC	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRACHI P. KHANDARE (ID No. 10435)

Your Score: 56.00/100.00 (56.00%)

Max Score: 82.00

Rank: 23

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 68.29

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 56 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	10.00	17.00	14.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA S. DALANKAR (ID No. 10111)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 24

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 67.07

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA S. DALANKAR (ID No. 10111)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 24

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 67.07

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	14.00	20.00	8.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHYAATI B. ROUT (ID No. 10134)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 24

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 67.07

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHYAATI B. ROUT (ID No. 10134)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 24

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 67.07

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	B	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	12.00	19.00	15.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH SUNIL TAROLE (ID No. 10191)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 24

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 67.07

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH SUNIL TAROLE (ID No. 10191)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 24

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 67.07

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	B	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	14.00	16.00	16.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 24

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 67.07

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 55.00/100.00 (55.00%)

Max Score: 82.00

Rank: 24

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 67.07

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	14.00	14.00	16.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 54.00/100.00 (54.00%)

Max Score: 82.00

Rank: 25

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 65.85

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 54.00/100.00 (54.00%)

Max Score: 82.00

Rank: 25

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 65.85

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	12.00	16.00	16.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA R. RAJANDEKAR (ID No. 10158)

Your Score: 54.00/100.00 (54.00%)

Max Score: 82.00

Rank: 25

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 65.85

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA R. RAJANDEKAR (ID No. 10158)

Your Score: 54.00/100.00 (54.00%)

Max Score: 82.00

Rank: 25

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 65.85

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	14.00	15.00	14.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 54.00/100.00 (54.00%)

Max Score: 82.00

Rank: 25

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 65.85

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 54.00/100.00 (54.00%)

Max Score: 82.00

Rank: 25

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 65.85

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	13.00	12.00	14.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE (ID No. 10440)

Your Score: 54.00/100.00 (54.00%)

Max Score: 82.00

Rank: 25

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 65.85

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	CD	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE (ID No. 10440)

Your Score: 54.00/100.00 (54.00%)

Max Score: 82.00

Rank: 25

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 65.85

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	11.00	16.00	14.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJASHREE MILIND RELE (ID No. 10445)

Your Score: 54.00/100.00 (54.00%)

Max Score: 82.00

Rank: 25

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 65.85

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJASHREE MILIND RELE (ID No. 10445)

Your Score: 54.00/100.00 (54.00%)

Max Score: 82.00

Rank: 25

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 65.85

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	9.00	18.00	12.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE (ID No. 10133)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 26

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 64.63

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE (ID No. 10133)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 26

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 64.63

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	A	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 53 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	10.00	19.00	12.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYANK MOHAN LAKRAS (ID No. 10139)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 26

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 64.63

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYANK MOHAN LAKRAS (ID No. 10139)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 26

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 64.63

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	C	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 53 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	10.00	17.00	17.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHA RAJNISH GHOPE (ID No. 10142)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 26

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 64.63

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHA RAJNISH GHOPE (ID No. 10142)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 26

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 64.63

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 53 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	14.00	15.00	16.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 26

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 64.63

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 53.00/100.00 (53.00%)

Max Score: 82.00

Rank: 26

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 64.63

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 53 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	11.00	15.00	12.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 52.00/100.00 (52.00%)

Max Score: 82.00

Rank: 27

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 63.41

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 52.00/100.00 (52.00%)

Max Score: 82.00

Rank: 27

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 63.41

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	A	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 52 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	12.00	18.00	12.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDANT BABAN THOTE (ID No. 10475)

Your Score: 52.00/100.00 (52.00%)

Max Score: 82.00

Rank: 27

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 63.41

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDANT BABAN THOTE (ID No. 10475)

Your Score: 52.00/100.00 (52.00%)

Max Score: 82.00

Rank: 27

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 63.41

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	B	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 52 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	11.00	14.00	13.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKANSHA RUPESH PALI (ID No. 10104)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 28

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 62.20

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKANSHA RUPESH PALI (ID No. 10104)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 28

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 62.20

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	12.00	18.00	12.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANURAG N. GHAVAT (ID No. 10112)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 28

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 62.20

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANURAG N. GHAVAT (ID No. 10112)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 28

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 62.20

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	A	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
19.00	10.00	11.00	11.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHIKA DINKAR WAZIRE (ID No. 10444)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 28

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 62.20

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	ABC	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHIKA DINKAR WAZIRE (ID No. 10444)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 28

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 62.20

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 Attempted: 100 (Correct: 51 Incorrect: 49) Score Rate: 0.00 Strike Rate: 0.00

Total: 51.00

Total Positive Marks: 51.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
11.00	10.00	16.00	14.00	51.00

ATT%/ R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE (ID No. 10449)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 28

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 62.20

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE (ID No. 10449)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 28

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 62.20

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	A	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	12.00	16.00	10.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHI VIJAY SAWALE (ID No. 10468)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 28

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 62.20

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	AD	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHI VIJAY SAWALE (ID No. 10468)

Your Score: 51.00/100.00 (51.00%)

Max Score: 82.00

Rank: 28

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 62.20

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 92 (**Correct:** 51 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	13.00	18.00	8.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMEY NARENDRA SURE (ID No. 10106)

Your Score: 50.00/100.00 (50.00%)

Max Score: 82.00

Rank: 29

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 60.98

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMEY NARENDRA SURE (ID No. 10106)

Your Score: 50.00/100.00 (50.00%)

Max Score: 82.00

Rank: 29

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 60.98

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 50 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	12.00	16.00	9.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 50.00/100.00 (50.00%)

Max Score: 82.00

Rank: 29

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 60.98

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	BD	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 50.00/100.00 (50.00%)

Max Score: 82.00

Rank: 29

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 60.98

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 Attempted: 100 (Correct: 50 Incorrect: 50) Score Rate: 0.00 Strike Rate: 0.00

Total: 50.00

Total Positive Marks: 50.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
9.00	17.00	14.00	10.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 50.00/100.00 (50.00%)

Max Score: 82.00

Rank: 29

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 60.98

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 50.00/100.00 (50.00%)

Max Score: 82.00

Rank: 29

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 60.98

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 50 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	11.00	17.00	9.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI SACHIN SHINDE (ID No. 10423)

Your Score: 50.00/100.00 (50.00%)

Max Score: 82.00

Rank: 29

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 60.98

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI SACHIN SHINDE (ID No. 10423)

Your Score: 50.00/100.00 (50.00%)

Max Score: 82.00

Rank: 29

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 60.98

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 95 (**Correct:** 50 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	11.00	14.00	12.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 50.00/100.00 (50.00%)

Max Score: 82.00

Rank: 29

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 60.98

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 50.00/100.00 (50.00%)

Max Score: 82.00

Rank: 29

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 60.98

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	A	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 96 (**Correct:** 50 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	9.00	19.00	8.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE (ID No. 10176)

Your Score: 49.00/100.00 (49.00%)

Max Score: 82.00

Rank: 30

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 59.76

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE (ID No. 10176)

Your Score: 49.00/100.00 (49.00%)

Max Score: 82.00

Rank: 30

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 59.76

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	10.00	14.00	11.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARUPA S. GOLE (ID No. 10469)

Your Score: 49.00/100.00 (49.00%)

Max Score: 82.00

Rank: 30

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 59.76

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARUPA S. GOLE (ID No. 10469)

Your Score: 49.00/100.00 (49.00%)

Max Score: 82.00

Rank: 30

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 59.76

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	B	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	17.00	17.00	5.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: POONAM N. JAISWAL (ID No. 10148)

Your Score: 48.00/100.00 (48.00%)

Max Score: 82.00

Rank: 31

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 58.54

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: POONAM N. JAISWAL (ID No. 10148)

Your Score: 48.00/100.00 (48.00%)

Max Score: 82.00

Rank: 31

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 58.54

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD		L	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00

Total Question: 100 **Attempted:** 82 (**Correct:** 48 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	15.00	18.00	4.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI K. TIWARI (ID No. 10168)

Your Score: 48.00/100.00 (48.00%)

Max Score: 82.00

Rank: 31

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 58.54

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI K. TIWARI (ID No. 10168)

Your Score: 48.00/100.00 (48.00%)

Max Score: 82.00

Rank: 31

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 58.54

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	C	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	10.00	13.00	15.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMRUT SURESH ASARE (ID No. 10405)

Your Score: 48.00/100.00 (48.00%)

Max Score: 82.00

Rank: 31

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 58.54

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMRUT SURESH ASARE (ID No. 10405)

Your Score: 48.00/100.00 (48.00%)

Max Score: 82.00

Rank: 31

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 58.54

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	11.00	12.00	11.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOKASHADA A. GAWANDE (ID No. 10427)

Your Score: 48.00/100.00 (48.00%)

Max Score: 82.00

Rank: 31

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 58.54

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOKASHADA A. GAWANDE (ID No. 10427)

Your Score: 48.00/100.00 (48.00%)

Max Score: 82.00

Rank: 31

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 58.54

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	12.00	19.00	10.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 46.00/100.00 (46.00%)

Max Score: 82.00

Rank: 32

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 56.10

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 46.00/100.00 (46.00%)

Max Score: 82.00

Rank: 32

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 56.10

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	C	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 46 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	11.00	15.00	9.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAVI M. DALAL (ID No. 10473)

Your Score: 46.00/100.00 (46.00%)

Max Score: 82.00

Rank: 32

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 56.10

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAVI M. DALAL (ID No. 10473)

Your Score: 46.00/100.00 (46.00%)

Max Score: 82.00

Rank: 32

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 56.10

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	BD	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 46 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	6.00	13.00	14.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 43.00/100.00 (43.00%)

Max Score: 82.00

Rank: 33

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 52.44

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 43.00/100.00 (43.00%)

Max Score: 82.00

Rank: 33

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 52.44

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	BD	W	0.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	C	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 43 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	15.00	12.00	7.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHETAN GOPAL KHEDKAR (ID No. 10122)

Your Score: 42.00/100.00 (42.00%)

Max Score: 82.00

Rank: 34

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 51.22

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHETAN GOPAL KHEDKAR (ID No. 10122)

Your Score: 42.00/100.00 (42.00%)

Max Score: 82.00

Rank: 34

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 51.22

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	B	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 42 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	10.00	13.00	7.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 41.00/100.00 (41.00%)

Max Score: 82.00

Rank: 35

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 50.00

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 41.00/100.00 (41.00%)

Max Score: 82.00

Rank: 35

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 50.00

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 41 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	8.00	14.00	11.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 40.00/100.00 (40.00%)

Max Score: 82.00

Rank: 36

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 48.78

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 40.00/100.00 (40.00%)

Max Score: 82.00

Rank: 36

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 48.78

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	B	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 40 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	9.00	15.00	7.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK S. SONONE (ID No. 10456)

Your Score: 40.00/100.00 (40.00%)

Max Score: 82.00

Rank: 36

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 48.78

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK S. SONONE (ID No. 10456)

Your Score: 40.00/100.00 (40.00%)

Max Score: 82.00

Rank: 36

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 48.78

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 95 (**Correct:** 40 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	9.00	10.00	10.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE (ID No. 10463)

Your Score: 38.00/100.00 (38.00%)

Max Score: 82.00

Rank: 37

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 46.34

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE (ID No. 10463)

Your Score: 38.00/100.00 (38.00%)

Max Score: 82.00

Rank: 37

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 46.34

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	C	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 38 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	10.00	13.00	6.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRUTI P. JADHAV (ID No. 10466)

Your Score: 38.00/100.00 (38.00%)

Max Score: 82.00

Rank: 37

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 46.34

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRUTI P. JADHAV (ID No. 10466)

Your Score: 38.00/100.00 (38.00%)

Max Score: 82.00

Rank: 37

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 46.34

Avg Score: 57.67

QN _o	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	A	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 38 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	6.00	17.00	5.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL R. INGALE (ID No. 10160)

Your Score: 37.00/100.00 (37.00%)

Max Score: 82.00

Rank: 38

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 45.12

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL R. INGALE (ID No. 10160)

Your Score: 37.00/100.00 (37.00%)

Max Score: 82.00

Rank: 38

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 45.12

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	A	W	0.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 Attempted: 99 (Correct: 37 Incorrect: 62) Score Rate: 0.00 Strike Rate: 0.00

Total: 37.00

Total Positive Marks: 37.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
12.00	5.00	13.00	7.00	37.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRADDHA SANJAY NAKAT (ID No. 10464)

Your Score: 35.00/100.00 (35.00%)

Max Score: 82.00

Rank: 39

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 42.68

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRADDHA SANJAY NAKAT (ID No. 10464)

Your Score: 35.00/100.00 (35.00%)

Max Score: 82.00

Rank: 39

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 42.68

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	BD	W	0.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	CD	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 35 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	7.00	8.00	11.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE (ID No. 10441)

Your Score: 34.00/100.00 (34.00%)

Max Score: 82.00

Rank: 40

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 41.46

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	56.00	44.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
2	100.00	66.00	34.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	100.00	78.00	22.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.00	73.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
5	99.00	28.00	71.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
6	100.00	43.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
7	100.00	58.00	42.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.00	70.00	29.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	100.00	75.00	25.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	100.00	88.00	12.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
12	98.00	43.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	80.00	20.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	100.00	70.00	30.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
15	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	95.00	28.00	67.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	96.00	21.00	75.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	63.00	37.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	34.00	66.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.00	21.00	77.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	97.00	40.00	57.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	98.00	22.00	76.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
25	100.00	20.00	80.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	99.00	68.00	31.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	69.00	31.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
28	100.00	75.00	25.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	99.00	83.00	16.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	98.00	73.00	25.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
31	99.00	51.00	48.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	96.00	52.00	44.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	98.00	35.00	63.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	94.00	6.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	44.00	56.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
37	99.00	38.00	61.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	99.00	45.00	54.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	99.00	52.00	47.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
40	98.00	28.00	70.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	57.00	43.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	63.00	37.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	87.00	13.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
44	100.00	76.00	24.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	99.00	49.00	50.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	99.00	40.00	59.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	99.00	32.00	67.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
48	98.00	45.00	53.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
49	100.00	31.00	69.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	99.00	7.00	92.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	48.00	52.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	100.00	77.00	23.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	91.00	9.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE (ID No. 10441)

Your Score: 34.00/100.00 (34.00%)

Max Score: 82.00

Rank: 40

Min Score: 34.00

TEST: MAJOR TEST 4 (STD. 10) (ID: 745 DT: 23-Oct-2023)

Percentile: 41.46

Avg Score: 57.67

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	49.00	51.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
55	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	72.00	28.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	98.00	32.00	66.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	94.00	6.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	71.00	29.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
62	100.00	96.00	4.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	61.00	39.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	100.00	76.00	24.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	100.00	68.00	32.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	81.00	19.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	64.00	36.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
71	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	73.00	27.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	99.00	50.00	49.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.00	43.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	69.00	31.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.00	44.00	52.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
77	100.00	90.00	10.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.00	71.00	28.00	MATHS	TWO ANS 1	1.00	0.00	CD	D	R	1.00
80	98.00	73.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	99.00	74.00	25.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	98.00	37.00	61.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	97.00	46.00	51.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	97.00	75.00	22.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
85	96.00	51.00	45.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
86	99.00	73.00	26.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
87	98.00	61.00	37.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	98.00	54.00	44.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	99.00	62.00	37.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	99.00	23.00	76.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	99.00	33.00	66.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	98.00	41.00	57.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	89.00	11.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	98.00	28.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
96	100.00	60.00	40.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	99.00	30.00	69.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.00	43.00	54.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	98.00	63.00	35.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
100	99.00	36.00	63.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 34 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 34.00

Total Positive Marks: 34.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	6.00	7.00	7.00	34.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%