

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRISHNA PRAMOD SHUKLA (ID No. 92023)

Your Score: 72.00/100.00 (72.00%)

Max Score: 72.00

Rank: 1

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 100.00

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRISHNA PRAMOD SHUKLA (ID No. 92023)

Your Score: 72.00/100.00 (72.00%)

Max Score: 72.00

Rank: 1

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 100.00

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 72 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 72.00

Total Positive Marks: 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
19.00	18.00	19.00	16.00	72.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 69.00/100.00 (69.00%)

Max Score: 72.00

Rank: 2

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 95.83

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 69.00/100.00 (69.00%)

Max Score: 72.00

Rank: 2

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 95.83

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 69 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 69.00

Total Positive Marks: 69.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	19.00	18.00	18.00	69.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 67.00/100.00 (67.00%)

Max Score: 72.00

Rank: 3

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 93.06

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 67.00/100.00 (67.00%)

Max Score: 72.00

Rank: 3

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 93.06

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 67 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	14.00	20.00	20.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 67.00/100.00 (67.00%)

Max Score: 72.00

Rank: 3

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 93.06

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 67.00/100.00 (67.00%)

Max Score: 72.00

Rank: 3

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 93.06

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 67 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	15.00	21.00	15.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL R. INGLE (ID No. 92032)

Your Score: 64.00/100.00 (64.00%)

Max Score: 72.00

Rank: 4

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 88.89

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL R. INGLE (ID No. 92032)

Your Score: 64.00/100.00 (64.00%)

Max Score: 72.00

Rank: 4

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 88.89

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 64 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	15.00	22.00	18.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV NILESH WAKALE (ID No. 91008)

Your Score: 62.00/100.00 (62.00%)

Max Score: 72.00

Rank: 5

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 86.11

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV NILESH WAKALE (ID No. 91008)

Your Score: 62.00/100.00 (62.00%)

Max Score: 72.00

Rank: 5

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 86.11

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 62 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	13.00	16.00	19.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 62.00/100.00 (62.00%)

Max Score: 72.00

Rank: 5

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 86.11

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 62.00/100.00 (62.00%)

Max Score: 72.00

Rank: 5

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 86.11

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 62 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	14.00	19.00	15.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNALI S. ARBAT (ID No. 92025)

Your Score: 61.00/100.00 (61.00%)

Max Score: 72.00

Rank: 6

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 84.72

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNALI S. ARBAT (ID No. 92025)

Your Score: 61.00/100.00 (61.00%)

Max Score: 72.00

Rank: 6

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 84.72

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 61 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	15.00	19.00	16.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 59.00/100.00 (59.00%)

Max Score: 72.00

Rank: 7

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 81.94

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 59.00/100.00 (59.00%)

Max Score: 72.00

Rank: 7

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 81.94

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 59 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	15.00	17.00	14.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 58.00/100.00 (58.00%)

Max Score: 72.00

Rank: 8

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 80.56

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 58.00/100.00 (58.00%)

Max Score: 72.00

Rank: 8

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 80.56

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 58 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	14.00	18.00	17.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAVI SUNIL LADDHA (ID No. 92008)

Your Score: 57.00/100.00 (57.00%)

Max Score: 72.00

Rank: 9

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 79.17

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAVI SUNIL LADDHA (ID No. 92008)

Your Score: 57.00/100.00 (57.00%)

Max Score: 72.00

Rank: 9

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 79.17

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 57 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	15.00	14.00	15.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASHIKA NILESH HUTKE (ID No. 91016)

Your Score: 54.00/100.00 (54.00%)

Max Score: 72.00

Rank: 10

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 75.00

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASHIKA NILESH HUTKE (ID No. 91016)

Your Score: 54.00/100.00 (54.00%)

Max Score: 72.00

Rank: 10

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 75.00

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	11.00	23.00	11.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 54.00/100.00 (54.00%)

Max Score: 72.00

Rank: 10

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 75.00

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 54.00/100.00 (54.00%)

Max Score: 72.00

Rank: 10

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 75.00

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	14.00	20.00	15.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNA ANANTA MOHOD (ID No. 92024)

Your Score: 53.00/100.00 (53.00%)

Max Score: 72.00

Rank: 11

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 73.61

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNA ANANTA MOHOD (ID No. 92024)

Your Score: 53.00/100.00 (53.00%)

Max Score: 72.00

Rank: 11

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 73.61

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 53 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	17.00	16.00	8.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI PRAMOD SURWADE (ID No. 92034)

Your Score: 52.00/100.00 (52.00%)

Max Score: 72.00

Rank: 12

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 72.22

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI PRAMOD SURWADE (ID No. 92034)

Your Score: 52.00/100.00 (52.00%)

Max Score: 72.00

Rank: 12

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 72.22

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 52 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	11.00	24.00	10.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASVI AJAY RAUT (ID No. 92026)

Your Score: 51.00/100.00 (51.00%)

Max Score: 72.00

Rank: 13

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 70.83

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASVI AJAY RAUT (ID No. 92026)

Your Score: 51.00/100.00 (51.00%)

Max Score: 72.00

Rank: 13

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 70.83

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	15.00	15.00	12.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 49.00/100.00 (49.00%)

Max Score: 72.00

Rank: 14

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 68.06

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 49.00/100.00 (49.00%)

Max Score: 72.00

Rank: 14

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 68.06

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	13.00	18.00	10.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYA GAJANAN INGLE (ID No. 92013)

Your Score: 49.00/100.00 (49.00%)

Max Score: 72.00

Rank: 14

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 68.06

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYA GAJANAN INGLE (ID No. 92013)

Your Score: 49.00/100.00 (49.00%)

Max Score: 72.00

Rank: 14

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 68.06

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	10.00	17.00	12.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 48.00/100.00 (48.00%)

Max Score: 72.00

Rank: 15

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 66.67

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 48.00/100.00 (48.00%)

Max Score: 72.00

Rank: 15

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 66.67

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	8.00	16.00	14.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 48.00/100.00 (48.00%)

Max Score: 72.00

Rank: 15

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 66.67

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 48.00/100.00 (48.00%)

Max Score: 72.00

Rank: 15

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 66.67

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	11.00	19.00	10.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 48.00/100.00 (48.00%)

Max Score: 72.00

Rank: 15

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 66.67

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 48.00/100.00 (48.00%)

Max Score: 72.00

Rank: 15

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 66.67

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	11.00	16.00	15.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 47.00/100.00 (47.00%)

Max Score: 72.00

Rank: 16

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 65.28

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 47.00/100.00 (47.00%)

Max Score: 72.00

Rank: 16

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 65.28

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 47 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	11.00	18.00	10.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 45.00/100.00 (45.00%)

Max Score: 72.00

Rank: 17

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 62.50

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 45.00/100.00 (45.00%)

Max Score: 72.00

Rank: 17

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 62.50

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 45 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	11.00	14.00	14.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYURI P. BHOJANE (ID No. 92027)

Your Score: 45.00/100.00 (45.00%)

Max Score: 72.00

Rank: 17

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 62.50

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYURI P. BHOJANE (ID No. 92027)

Your Score: 45.00/100.00 (45.00%)

Max Score: 72.00

Rank: 17

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 62.50

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 45 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	10.00	14.00	11.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 44.00/100.00 (44.00%)

Max Score: 72.00

Rank: 18

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 61.11

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 44.00/100.00 (44.00%)

Max Score: 72.00

Rank: 18

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 61.11

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 44 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	11.00	14.00	10.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 44.00/100.00 (44.00%)

Max Score: 72.00

Rank: 18

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 61.11

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 44.00/100.00 (44.00%)

Max Score: 72.00

Rank: 18

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 61.11

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 44 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	9.00	17.00	12.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DHANANJAY GADHE (ID No. 92040)

Your Score: 44.00/100.00 (44.00%)

Max Score: 72.00

Rank: 18

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 61.11

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DHANANJAY GADHE (ID No. 92040)

Your Score: 44.00/100.00 (44.00%)

Max Score: 72.00

Rank: 18

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 61.11

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 44 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	11.00	16.00	10.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA ANIL KHANDEKAR (ID No. 91002)

Your Score: 43.00/100.00 (43.00%)

Max Score: 72.00

Rank: 19

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 59.72

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	AC	W	0.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA ANIL KHANDEKAR (ID No. 91002)

Your Score: 43.00/100.00 (43.00%)

Max Score: 72.00

Rank: 19

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 59.72

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 43 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	7.00	14.00	13.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADVAIT HEMANT BANAIT (ID No. 92005)

Your Score: 43.00/100.00 (43.00%)

Max Score: 72.00

Rank: 19

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 59.72

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADVAIT HEMANT BANAIT (ID No. 92005)

Your Score: 43.00/100.00 (43.00%)

Max Score: 72.00

Rank: 19

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 59.72

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 43 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	11.00	12.00	10.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 43.00/100.00 (43.00%)

Max Score: 72.00

Rank: 19

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 59.72

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 43.00/100.00 (43.00%)

Max Score: 72.00

Rank: 19

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 59.72

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	12.00	10.00	13.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 40.00/100.00 (40.00%)

Max Score: 72.00

Rank: 20

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 55.56

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 40.00/100.00 (40.00%)

Max Score: 72.00

Rank: 20

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 55.56

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 40 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	8.00	17.00	8.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 40.00/100.00 (40.00%)

Max Score: 72.00

Rank: 20

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 55.56

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 40.00/100.00 (40.00%)

Max Score: 72.00

Rank: 20

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 55.56

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 40 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	8.00	16.00	8.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJKUMARI R. HANUMANTE (ID No. 91010)

Your Score: 39.00/100.00 (39.00%)

Max Score: 72.00

Rank: 21

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 54.17

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJKUMARI R. HANUMANTE (ID No. 91010)

Your Score: 39.00/100.00 (39.00%)

Max Score: 72.00

Rank: 21

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 54.17

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	BD	W	0.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 39 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	9.00	12.00	11.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAV G. RATNAPARKHI (ID No. 92039)

Your Score: 39.00/100.00 (39.00%)

Max Score: 72.00

Rank: 21

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 54.17

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAV G. RATNAPARKHI (ID No. 92039)

Your Score: 39.00/100.00 (39.00%)

Max Score: 72.00

Rank: 21

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 54.17

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 39 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	7.00	13.00	8.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 37.00/100.00 (37.00%)

Max Score: 72.00

Rank: 22

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 51.39

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 37.00/100.00 (37.00%)

Max Score: 72.00

Rank: 22

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 51.39

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 37 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 37.00

Total Positive Marks: 37.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
3.00	8.00	15.00	11.00	37.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 35.00/100.00 (35.00%)

Max Score: 72.00

Rank: 23

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 48.61

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 35.00/100.00 (35.00%)

Max Score: 72.00

Rank: 23

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 48.61

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 35 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	5.00	17.00	8.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92042)

Your Score: 31.00/100.00 (31.00%)

Max Score: 72.00

Rank: 24

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 43.06

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92042)

Your Score: 31.00/100.00 (31.00%)

Max Score: 72.00

Rank: 24

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 43.06

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 31 **Incorrect:** 69) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 31.00

Total Positive Marks: 31.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	4.00	12.00	9.00	31.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAVINDRA SURVE (ID No. 92022)

Your Score: 29.00/100.00 (29.00%)

Max Score: 72.00

Rank: 25

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 40.28

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAVINDRA SURVE (ID No. 92022)

Your Score: 29.00/100.00 (29.00%)

Max Score: 72.00

Rank: 25

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 40.28

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 29 **Incorrect:** 71) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 29.00

Total Positive Marks: 29.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	6.00	9.00	8.00	29.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHANTANU VISHNU LODAM (ID No. 91012)

Your Score: 28.00/100.00 (28.00%)

Max Score: 72.00

Rank: 26

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 38.89

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHANTANU VISHNU LODAM (ID No. 91012)

Your Score: 28.00/100.00 (28.00%)

Max Score: 72.00

Rank: 26

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 38.89

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	BD	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 28 **Incorrect:** 72) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 28.00

Total Positive Marks: 28.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
3.00	6.00	15.00	4.00	28.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 27.00/100.00 (27.00%)

Max Score: 72.00

Rank: 27

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 37.50

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	100.00	55.00	45.00	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
3	100.00	35.00	65.00	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	42.50	57.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	30.00	70.00	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	100.00	15.00	85.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	100.00	57.50	42.50	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
10	100.00	27.50	72.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
11	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	100.00	52.50	47.50	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	100.00	10.00	90.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
14	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	100.00	65.00	35.00	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
17	100.00	17.50	82.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
18	97.50	47.50	50.00	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	100.00	32.50	67.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
20	100.00	12.50	87.50	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	100.00	40.00	60.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	100.00	25.00	75.00	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	100.00	45.00	55.00	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	100.00	50.00	50.00	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	22.50	77.50	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
26	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
28	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
29	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
30	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	100.00	40.00	60.00	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
32	100.00	32.50	67.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	30.00	70.00	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	100.00	60.00	40.00	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	100.00	67.50	32.50	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
39	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	100.00	45.00	55.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
41	100.00	52.50	47.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	87.50	12.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	100.00	62.50	37.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
44	100.00	65.00	35.00	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	100.00	17.50	82.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	5.00	95.00	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	55.00	45.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	100.00	15.00	85.00	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	100.00	35.00	65.00	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	100.00	90.00	10.00	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	100.00	80.00	20.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 27.00/100.00 (27.00%)

Max Score: 72.00

Rank: 27

Min Score: 27.00

TEST: MAJOR TEST 4 (STD. 9) (ID: 744 DT: 23-Oct-2023)

Percentile: 37.50

Avg Score: 48.68

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	100.00	55.00	45.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
57	100.00	100.00	0.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	50.00	50.00	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	60.00	40.00	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
61	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	82.50	17.50	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	100.00	35.00	65.00	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	100.00	70.00	30.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
65	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	25.00	75.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	87.50	12.50	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	100.00	67.50	32.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	100.00	52.50	47.50	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
71	100.00	95.00	5.00	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	100.00	40.00	60.00	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
73	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
74	100.00	65.00	35.00	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	100.00	22.50	77.50	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
76	97.50	22.50	75.00	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
77	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
78	97.50	42.50	55.00	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
79	97.50	82.50	15.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
80	100.00	70.00	30.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	100.00	62.50	37.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
82	100.00	55.00	45.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	100.00	22.50	77.50	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
84	100.00	20.00	80.00	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	100.00	15.00	85.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
86	100.00	30.00	70.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
87	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
88	100.00	17.50	82.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
90	97.50	25.00	72.50	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
92	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	97.50	50.00	47.50	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
94	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
95	100.00	65.00	35.00	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	100.00	72.50	27.50	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	100.00	37.50	62.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
98	100.00	67.50	32.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	100.00	57.50	42.50	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 27 **Incorrect:** 73) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 27.00

Total Positive Marks: 27.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	5.00	9.00	5.00	27.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%