

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY A. HANWANTE (ID No. 10470)

Your Score: 77.00/100.00 (77.00%)

Max Score: 77.00

Rank: 1

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 100.00

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY A. HANWANTE (ID No. 10470)

Your Score: 77.00/100.00 (77.00%)

Max Score: 77.00

Rank: 1

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 100.00

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 75 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 77.00

Total Positive Marks: 77.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	19.00	24.00	21.00	77.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 69.00/100.00 (69.00%)

Max Score: 77.00

Rank: 2

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 89.61

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 69.00/100.00 (69.00%)

Max Score: 77.00

Rank: 2

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 89.61

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 67 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 69.00

Total Positive Marks: 69.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	16.00	21.00	21.00	69.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 67.00/100.00 (67.00%)

Max Score: 77.00

Rank: 3

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 87.01

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 67.00/100.00 (67.00%)

Max Score: 77.00

Rank: 3

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 87.01

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 65 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	17.00	21.00	20.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 67.00/100.00 (67.00%)

Max Score: 77.00

Rank: 3

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 87.01

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 67.00/100.00 (67.00%)

Max Score: 77.00

Rank: 3

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 87.01

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 65 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	18.00	21.00	20.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 66.00/100.00 (66.00%)

Max Score: 77.00

Rank: 4

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 85.71

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 66.00/100.00 (66.00%)

Max Score: 77.00

Rank: 4

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 85.71

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00			C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 64 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	11.00	22.00	22.00	66.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 65.00/100.00 (65.00%)

Max Score: 77.00

Rank: 5

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 84.42

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 65.00/100.00 (65.00%)

Max Score: 77.00

Rank: 5

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 84.42

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 63 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	18.00	22.00	17.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 65.00/100.00 (65.00%)

Max Score: 77.00

Rank: 5

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 84.42

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 65.00/100.00 (65.00%)

Max Score: 77.00

Rank: 5

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 84.42

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 63 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	16.00	22.00	20.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 65.00/100.00 (65.00%)

Max Score: 77.00

Rank: 5

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 84.42

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 65.00/100.00 (65.00%)

Max Score: 77.00

Rank: 5

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 84.42

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 63 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	17.00	21.00	18.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE (ID No. 10454)

Your Score: 65.00/100.00 (65.00%)

Max Score: 77.00

Rank: 5

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 84.42

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE (ID No. 10454)

Your Score: 65.00/100.00 (65.00%)

Max Score: 77.00

Rank: 5

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 84.42

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 63 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	16.00	24.00	15.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 64.00/100.00 (64.00%)

Max Score: 77.00

Rank: 6

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 83.12

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 64.00/100.00 (64.00%)

Max Score: 77.00

Rank: 6

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 83.12

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 62 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	14.00	22.00	20.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 64.00/100.00 (64.00%)

Max Score: 77.00

Rank: 6

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 83.12

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 64.00/100.00 (64.00%)

Max Score: 77.00

Rank: 6

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 83.12

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 62 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	16.00	22.00	19.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 63.00/100.00 (63.00%)

Max Score: 77.00

Rank: 7

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 81.82

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 63.00/100.00 (63.00%)

Max Score: 77.00

Rank: 7

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 81.82

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 61 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	13.00	17.00	23.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 8

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 80.52

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 8

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 80.52

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 60 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	12.00	20.00	22.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KUNAL SANJAY RAI (ID No. 10136)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 8

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 80.52

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KUNAL SANJAY RAI (ID No. 10136)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 8

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 80.52

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	BC	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 60 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	13.00	20.00	21.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL VIJAY ZATALE (ID No. 10439)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 8

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 80.52

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL VIJAY ZATALE (ID No. 10439)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 8

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 80.52

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 60 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	14.00	22.00	17.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 8

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 80.52

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 8

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 80.52

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 60 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	13.00	22.00	16.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL S. KUKULWAR (ID No. 10161)

Your Score: 61.00/100.00 (61.00%)

Max Score: 77.00

Rank: 9

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 79.22

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL S. KUKULWAR (ID No. 10161)

Your Score: 61.00/100.00 (61.00%)

Max Score: 77.00

Rank: 9

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 79.22

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 59 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	13.00	22.00	20.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 61.00/100.00 (61.00%)

Max Score: 77.00

Rank: 9

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 79.22

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 61.00/100.00 (61.00%)

Max Score: 77.00

Rank: 9

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 79.22

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00			C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	AB	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 59 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	16.00	22.00	17.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 61.00/100.00 (61.00%)

Max Score: 77.00

Rank: 9

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 79.22

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	AB	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 61.00/100.00 (61.00%)

Max Score: 77.00

Rank: 9

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 79.22

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 59 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	12.00	19.00	20.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 60.00/100.00 (60.00%)

Max Score: 77.00

Rank: 10

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 77.92

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 60.00/100.00 (60.00%)

Max Score: 77.00

Rank: 10

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 77.92

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 58 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	15.00	13.00	21.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 60.00/100.00 (60.00%)

Max Score: 77.00

Rank: 10

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 77.92

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 60.00/100.00 (60.00%)

Max Score: 77.00

Rank: 10

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 77.92

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 58 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	14.00	20.00	18.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 60.00/100.00 (60.00%)

Max Score: 77.00

Rank: 10

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 77.92

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 60.00/100.00 (60.00%)

Max Score: 77.00

Rank: 10

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 77.92

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 58 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	15.00	20.00	19.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 60.00/100.00 (60.00%)

Max Score: 77.00

Rank: 10

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 77.92

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	AD	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 60.00/100.00 (60.00%)

Max Score: 77.00

Rank: 10

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 77.92

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 58 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	15.00	19.00	17.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARINJAY MRUDUL TAYDE (ID No. 10115)

Your Score: 59.00/100.00 (59.00%)

Max Score: 77.00

Rank: 11

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 76.62

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARINJAY MRUDUL TAYDE (ID No. 10115)

Your Score: 59.00/100.00 (59.00%)

Max Score: 77.00

Rank: 11

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 76.62

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 57 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	11.00	17.00	19.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 59.00/100.00 (59.00%)

Max Score: 77.00

Rank: 11

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 76.62

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 59.00/100.00 (59.00%)

Max Score: 77.00

Rank: 11

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 76.62

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 57 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	9.00	22.00	20.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 59.00/100.00 (59.00%)

Max Score: 77.00

Rank: 11

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 76.62

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 59.00/100.00 (59.00%)

Max Score: 77.00

Rank: 11

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 76.62

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 57 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	16.00	18.00	15.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJ SINGH K. CHUNGADE (ID No. 10188)

Your Score: 59.00/100.00 (59.00%)

Max Score: 77.00

Rank: 11

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 76.62

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJSSINGH K. CHUNGADE (ID No. 10188)

Your Score: 59.00/100.00 (59.00%)

Max Score: 77.00

Rank: 11

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 76.62

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 57 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	14.00	21.00	15.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL (ID No. 10128)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 74.03

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	BD	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL (ID No. 10128)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 74.03

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 55 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	10.00	12.00	23.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA (ID No. 10178)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 74.03

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA (ID No. 10178)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 74.03

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 55 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	9.00	17.00	17.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR (ID No. 10404)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 74.03

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR (ID No. 10404)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 74.03

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 55 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	12.00	19.00	18.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 74.03

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 74.03

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 55 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	11.00	20.00	17.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVANI R. NANNAWARE (ID No. 10462)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 74.03

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVANI R. NANNAWARE (ID No. 10462)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 74.03

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 55 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	11.00	24.00	17.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIJAYANTI M. ASHTAPUTRE (ID No. 10474)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 74.03

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIJAYANTI M. ASHTAPUTRE (ID No. 10474)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 12

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 74.03

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00			C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 81 (**Correct:** 55 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	13.00	19.00	17.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 56.00/100.00 (56.00%)

Max Score: 77.00

Rank: 13

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 72.73

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 56.00/100.00 (56.00%)

Max Score: 77.00

Rank: 13

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 72.73

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 54 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	13.00	21.00	17.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHOURYA S. BHATULKAR (ID No. 10175)

Your Score: 56.00/100.00 (56.00%)

Max Score: 77.00

Rank: 13

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 72.73

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHOURYA S. BHATULKAR (ID No. 10175)

Your Score: 56.00/100.00 (56.00%)

Max Score: 77.00

Rank: 13

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 72.73

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 54 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	10.00	23.00	16.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR (ID No. 10116)

Your Score: 55.00/100.00 (55.00%)

Max Score: 77.00

Rank: 14

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 71.43

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	BC	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR (ID No. 10116)

Your Score: 55.00/100.00 (55.00%)

Max Score: 77.00

Rank: 14

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 71.43

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	BD	W	0.00

Total Question: 100 **Attempted:** 96 (**Correct:** 53 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	16.00	18.00	13.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 55.00/100.00 (55.00%)

Max Score: 77.00

Rank: 14

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 71.43

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 55.00/100.00 (55.00%)

Max Score: 77.00

Rank: 14

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 71.43

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 53 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	11.00	18.00	14.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR (ID No. 10461)

Your Score: 55.00/100.00 (55.00%)

Max Score: 77.00

Rank: 14

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 71.43

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR (ID No. 10461)

Your Score: 55.00/100.00 (55.00%)

Max Score: 77.00

Rank: 14

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 71.43

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 53 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	11.00	16.00	17.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH D. SAWARKAR (ID No. 10164)

Your Score: 54.00/100.00 (54.00%)

Max Score: 77.00

Rank: 15

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 70.13

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH D. SAWARKAR (ID No. 10164)

Your Score: 54.00/100.00 (54.00%)

Max Score: 77.00

Rank: 15

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 70.13

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 52 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	12.00	18.00	18.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 54.00/100.00 (54.00%)

Max Score: 77.00

Rank: 15

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 70.13

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 54.00/100.00 (54.00%)

Max Score: 77.00

Rank: 15

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 70.13

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 52 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	12.00	19.00	14.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKASHAM S. BEDARKAR (ID No. 10162)

Your Score: 53.00/100.00 (53.00%)

Max Score: 77.00

Rank: 16

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 68.83

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKASHAM S. BEDARKAR (ID No. 10162)

Your Score: 53.00/100.00 (53.00%)

Max Score: 77.00

Rank: 16

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 68.83

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 51 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	12.00	15.00	20.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARWARI S. SAWALE (ID No. 10459)

Your Score: 53.00/100.00 (53.00%)

Max Score: 77.00

Rank: 16

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 68.83

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARWARI S. SAWALE (ID No. 10459)

Your Score: 53.00/100.00 (53.00%)

Max Score: 77.00

Rank: 16

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 68.83

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 51 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	13.00	22.00	13.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHI VIJAY SAWALE (ID No. 10468)

Your Score: 53.00/100.00 (53.00%)

Max Score: 77.00

Rank: 16

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 68.83

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHI VIJAY SAWALE (ID No. 10468)

Your Score: 53.00/100.00 (53.00%)

Max Score: 77.00

Rank: 16

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 68.83

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	CD	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00			C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 82 (**Correct:** 51 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	16.00	16.00	16.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 52.00/100.00 (52.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 67.53

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 52.00/100.00 (52.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 67.53

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 50 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	9.00	19.00	17.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 52.00/100.00 (52.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 67.53

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 52.00/100.00 (52.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 67.53

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 50 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	12.00	18.00	16.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV P. THAKARE (ID No. 10436)

Your Score: 52.00/100.00 (52.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 67.53

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV P. THAKARE (ID No. 10436)

Your Score: 52.00/100.00 (52.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 67.53

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 50 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	14.00	16.00	13.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUKTI S. RATHOD (ID No. 10481)

Your Score: 52.00/100.00 (52.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 67.53

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUKTI S. RATHOD (ID No. 10481)

Your Score: 52.00/100.00 (52.00%)

Max Score: 77.00

Rank: 17

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 67.53

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 50 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	12.00	21.00	15.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 51.00/100.00 (51.00%)

Max Score: 77.00

Rank: 18

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 66.23

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 51.00/100.00 (51.00%)

Max Score: 77.00

Rank: 18

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 66.23

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 49 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	13.00	20.00	9.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 64.94

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 64.94

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 48 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	7.00	20.00	13.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEDHAVI AJAY JOSHI (ID No. 10424)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 64.94

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEDHAVI AJAY JOSHI (ID No. 10424)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 64.94

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 48 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	12.00	19.00	12.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 64.94

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 64.94

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 48 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	12.00	19.00	13.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARUPA S. GOLE (ID No. 10469)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 64.94

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARUPA S. GOLE (ID No. 10469)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 19

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 64.94

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 48 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	13.00	19.00	9.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANURAG N. GHAVAT (ID No. 10112)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 20

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 63.64

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANURAG N. GHAVAT (ID No. 10112)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 20

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 63.64

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 47 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	12.00	15.00	14.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH L. RELKAR (ID No. 10165)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 20

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 63.64

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH L. RELKAR (ID No. 10165)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 20

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 63.64

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 47 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	9.00	11.00	22.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHATAKSHI AJAY MULEY (ID No. 10460)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 20

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 63.64

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	BD	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHATAKSHI AJAY MULEY (ID No. 10460)

Your Score: 49.00/100.00 (49.00%)

Max Score: 77.00

Rank: 20

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 63.64

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 47 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	10.00	20.00	14.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHARAT NITIN AGRAWAL (ID No. 10121)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 62.34

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHARAT NITIN AGRAWAL (ID No. 10121)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 62.34

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 46 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	12.00	14.00	15.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE (ID No. 10133)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 62.34

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE (ID No. 10133)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 62.34

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 46 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	12.00	20.00	10.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 62.34

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 62.34

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 46 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	12.00	13.00	14.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 62.34

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 62.34

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 46 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	14.00	17.00	12.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA AJAY SAWARKAR (ID No. 10443)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 62.34

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA AJAY SAWARKAR (ID No. 10443)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 62.34

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 46 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	9.00	19.00	14.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE (ID No. 10463)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 62.34

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE (ID No. 10463)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 62.34

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 46 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	8.00	20.00	14.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 62.34

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 21

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 62.34

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 46 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	12.00	15.00	13.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH SUNIL TAROLE (ID No. 10191)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 22

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 61.04

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH SUNIL TAROLE (ID No. 10191)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 22

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 61.04

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 45 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	12.00	14.00	15.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT (ID No. 10402)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 22

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 61.04

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT (ID No. 10402)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 22

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 61.04

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 45 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	10.00	19.00	12.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 22

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 61.04

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 22

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 61.04

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 45 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	11.00	19.00	12.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP (ID No. 10432)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 22

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 61.04

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	AC	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP (ID No. 10432)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 22

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 61.04

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 45 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	11.00	19.00	11.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMRUT SURESH ASARE (ID No. 10405)

Your Score: 45.00/100.00 (45.00%)

Max Score: 77.00

Rank: 23

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 58.44

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	AC	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMRUT SURESH ASARE (ID No. 10405)

Your Score: 45.00/100.00 (45.00%)

Max Score: 77.00

Rank: 23

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 58.44

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 43 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	7.00	15.00	15.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH VINOD RAUT (ID No. 10415)

Your Score: 45.00/100.00 (45.00%)

Max Score: 77.00

Rank: 23

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 58.44

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH VINOD RAUT (ID No. 10415)

Your Score: 45.00/100.00 (45.00%)

Max Score: 77.00

Rank: 23

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 58.44

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 43 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	12.00	13.00	10.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 44.00/100.00 (44.00%)

Max Score: 77.00

Rank: 24

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 57.14

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 44.00/100.00 (44.00%)

Max Score: 77.00

Rank: 24

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 57.14

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	BC	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 42 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	8.00	19.00	12.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK V. SARNAIK (ID No. 10457)

Your Score: 43.00/100.00 (43.00%)

Max Score: 77.00

Rank: 25

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 55.84

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK V. SARNAIK (ID No. 10457)

Your Score: 43.00/100.00 (43.00%)

Max Score: 77.00

Rank: 25

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 55.84

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 41 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	6.00	15.00	13.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 43.00/100.00 (43.00%)

Max Score: 77.00

Rank: 25

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 55.84

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 43.00/100.00 (43.00%)

Max Score: 77.00

Rank: 25

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 55.84

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	BD	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 41 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	6.00	16.00	15.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 42.00/100.00 (42.00%)

Max Score: 77.00

Rank: 26

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 54.55

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 42.00/100.00 (42.00%)

Max Score: 77.00

Rank: 26

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 54.55

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 40 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	7.00	15.00	13.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 41.00/100.00 (41.00%)

Max Score: 77.00

Rank: 27

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 53.25

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 41.00/100.00 (41.00%)

Max Score: 77.00

Rank: 27

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 53.25

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 39 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	11.00	12.00	9.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 41.00/100.00 (41.00%)

Max Score: 77.00

Rank: 27

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 53.25

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 41.00/100.00 (41.00%)

Max Score: 77.00

Rank: 27

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 53.25

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 39 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	10.00	13.00	13.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 41.00/100.00 (41.00%)

Max Score: 77.00

Rank: 27

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 53.25

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	AD	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 41.00/100.00 (41.00%)

Max Score: 77.00

Rank: 27

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 53.25

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 39 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	9.00	15.00	10.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 41.00/100.00 (41.00%)

Max Score: 77.00

Rank: 27

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 53.25

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 41.00/100.00 (41.00%)

Max Score: 77.00

Rank: 27

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 53.25

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 39 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	9.00	15.00	13.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH UMESH MORE (ID No. 10434)

Your Score: 41.00/100.00 (41.00%)

Max Score: 77.00

Rank: 27

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 53.25

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH UMESH MORE (ID No. 10434)

Your Score: 41.00/100.00 (41.00%)

Max Score: 77.00

Rank: 27

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 53.25

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00			C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 86 (**Correct:** 39 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	9.00	15.00	11.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE (ID No. 10176)

Your Score: 40.00/100.00 (40.00%)

Max Score: 77.00

Rank: 28

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 51.95

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE (ID No. 10176)

Your Score: 40.00/100.00 (40.00%)

Max Score: 77.00

Rank: 28

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 51.95

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 97 (**Correct:** 38 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
2.00	10.00	15.00	13.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 39.00/100.00 (39.00%)

Max Score: 77.00

Rank: 29

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 50.65

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 39.00/100.00 (39.00%)

Max Score: 77.00

Rank: 29

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 50.65

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 37 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	9.00	13.00	13.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: APEKSHA AJAY PETKAR (ID No. 10114)

Your Score: 38.00/100.00 (38.00%)

Max Score: 77.00

Rank: 30

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 49.35

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: APEKSHA AJAY PETKAR (ID No. 10114)

Your Score: 38.00/100.00 (38.00%)

Max Score: 77.00

Rank: 30

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 49.35

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 36 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	9.00	16.00	9.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKITA P. GUDADHE (ID No. 10408)

Your Score: 38.00/100.00 (38.00%)

Max Score: 77.00

Rank: 30

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 49.35

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKITA P. GUDADHE (ID No. 10408)

Your Score: 38.00/100.00 (38.00%)

Max Score: 77.00

Rank: 30

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 49.35

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00			C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 36 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	6.00	16.00	11.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE (ID No. 10441)

Your Score: 38.00/100.00 (38.00%)

Max Score: 77.00

Rank: 30

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 49.35

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE (ID No. 10441)

Your Score: 38.00/100.00 (38.00%)

Max Score: 77.00

Rank: 30

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 49.35

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	AD	W	0.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 92 (**Correct:** 36 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	7.00	8.00	15.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL R. INGALE (ID No. 10160)

Your Score: 37.00/100.00 (37.00%)

Max Score: 77.00

Rank: 31

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 48.05

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL R. INGALE (ID No. 10160)

Your Score: 37.00/100.00 (37.00%)

Max Score: 77.00

Rank: 31

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 48.05

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 35 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 37.00

Total Positive Marks: 37.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	7.00	15.00	9.00	37.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOKASHADA A. GAWANDE (ID No. 10427)

Your Score: 36.00/100.00 (36.00%)

Max Score: 77.00

Rank: 32

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 46.75

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOKASHADA A. GAWANDE (ID No. 10427)

Your Score: 36.00/100.00 (36.00%)

Max Score: 77.00

Rank: 32

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 46.75

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 34 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	8.00	9.00	10.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAVI M. DALAL (ID No. 10473)

Your Score: 36.00/100.00 (36.00%)

Max Score: 77.00

Rank: 32

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 46.75

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAVI M. DALAL (ID No. 10473)

Your Score: 36.00/100.00 (36.00%)

Max Score: 77.00

Rank: 32

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 46.75

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00			C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00			C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00

Total Question: 100 **Attempted:** 63 (**Correct:** 34 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	9.00	14.00	9.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHA RAJNISH GHOPE (ID No. 10142)

Your Score: 34.00/100.00 (34.00%)

Max Score: 77.00

Rank: 33

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 44.16

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHA RAJNISH GHOPE (ID No. 10142)

Your Score: 34.00/100.00 (34.00%)

Max Score: 77.00

Rank: 33

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 44.16

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 32 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 34.00

Total Positive Marks: 34.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	7.00	11.00	10.00	34.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE (ID No. 10440)

Your Score: 33.00/100.00 (33.00%)

Max Score: 77.00

Rank: 34

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 42.86

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE (ID No. 10440)

Your Score: 33.00/100.00 (33.00%)

Max Score: 77.00

Rank: 34

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 42.86

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 31 **Incorrect:** 67) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 33.00

Total Positive Marks: 33.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	7.00	7.00	10.00	33.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TUSHAR S. INGLE (ID No. 10183)

Your Score: 24.00/100.00 (24.00%)

Max Score: 77.00

Rank: 35

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 31.17

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.73	25.00	72.73	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	98.86	15.91	82.95	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
3	98.86	22.73	76.14	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
4	98.86	59.09	39.77	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	57.95	42.05	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
6	100.00	9.09	90.91	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
7	100.00	48.86	51.14	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.73	19.32	78.41	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
9	96.59	31.82	64.77	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	97.73	30.68	67.05	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	96.59	36.36	60.23	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
12	97.73	52.27	45.45	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
13	96.59	30.68	65.91	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	98.86	38.64	60.23	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
15	96.59	37.50	59.09	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
16	98.86	19.32	79.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	96.59	25.00	71.59	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
18	100.00	21.59	78.41	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	97.73	7.95	89.77	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
20	96.59	29.55	67.05	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	100.00	60.23	39.77	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
22	98.86	26.14	72.73	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	95.45	26.14	69.32	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
24	100.00	19.32	80.68	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	6.82	93.18	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
27	95.45	31.82	63.64	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
29	98.86	39.77	59.09	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	98.86	29.55	69.32	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	98.86	30.68	68.18	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
33	98.86	14.77	84.09	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.86	28.41	70.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
35	97.73	34.09	63.64	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
36	97.73	67.05	30.68	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.73	30.68	67.05	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	98.86	60.23	38.64	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	36.36	63.64	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
41	98.86	42.05	56.82	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
42	100.00	82.95	17.05	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	98.86	71.59	27.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
44	93.18	42.05	51.14	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
45	98.86	65.91	32.95	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
46	100.00	70.45	29.55	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	97.73	77.27	20.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	100.00	26.14	73.86	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	37.50	62.50	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	98.86	46.59	52.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
51	100.00	71.59	28.41	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
52	98.86	72.73	26.14	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
53	100.00	77.27	22.73	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TUSHAR S. INGLE (ID No. 10183)

Your Score: 24.00/100.00 (24.00%)

Max Score: 77.00

Rank: 35

Min Score: 24.00

TEST: MAJOR TEST 5 (STD 10) (ID: 753 DT: 27-Nov-2023)

Percentile: 31.17

Avg Score: 52.05

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	73.86	26.14	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	100.00	52.27	47.73	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	100.00	67.05	32.95	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	76.14	23.86	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
59	100.00	55.68	44.32	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
60	100.00	80.68	19.32	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	100.00	53.41	46.59	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
62	100.00	81.82	18.18	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	98.86	89.77	9.09	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
64	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
65	100.00	47.73	52.27	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	100.00	86.36	13.64	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	100.00	20.45	79.55	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
68	100.00	90.91	9.09	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	100.00	93.18	6.82	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	100.00	75.00	25.00	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
71	100.00	78.41	21.59	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	97.73	69.32	28.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	98.86	80.68	18.18	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	100.00	57.95	42.05	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	100.00	60.23	39.77	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	98.86	72.73	26.14	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	98.86	34.09	64.77	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	98.86	76.14	22.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.73	64.77	32.95	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
80	95.45	38.64	56.82	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
81	96.59	32.95	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
82	96.59	26.14	70.45	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
83	96.59	21.59	75.00	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	98.86	47.73	51.14	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	98.86	64.77	34.09	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	98.86	67.05	31.82	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	50.00	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
88	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
89	96.59	61.36	35.23	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	98.86	65.91	32.95	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
92	94.32	18.18	76.14	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	100.00	85.23	14.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	100.00	87.50	12.50	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
95	100.00	71.59	28.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	97.73	30.68	67.05	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
97	98.86	42.05	56.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	100.00	89.77	10.23	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	98.86	86.36	12.50	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	98.86	85.23	13.64	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 22 **Incorrect:** 76) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 24.00

Total Positive Marks: 24.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	7.00	6.00	6.00	24.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%