

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 70.00/100.00 (70.00%)

Max Score: 70.00

Rank: 1

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 100.00

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 70.00/100.00 (70.00%)

Max Score: 70.00

Rank: 1

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 100.00

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 69 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 70.00

Total Positive Marks: 70.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|-------|-------|-------|-------|-------|
| 14.00 | 16.00 | 22.00 | 18.00 | 70.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL R. INGLE (ID No. 92032)

Your Score: 69.00/100.00 (69.00%)

Max Score: 70.00

Rank: 2

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 98.57

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL R. INGLE (ID No. 92032)

Your Score: 69.00/100.00 (69.00%)

Max Score: 70.00

Rank: 2

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 98.57

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 68 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 69.00

Total Positive Marks: 69.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|-------|-------|-------|-------|-------|
| 14.00 | 14.00 | 23.00 | 18.00 | 69.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 67.00/100.00 (67.00%)

Max Score: 70.00

Rank: 3

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 95.71

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 67.00/100.00 (67.00%)

Max Score: 70.00

Rank: 3

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 95.71

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 66 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|-------|-------|-------|-------|-------|
| 14.00 | 15.00 | 21.00 | 17.00 | 67.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 66.00/100.00 (66.00%)

Max Score: 70.00

Rank: 4

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 94.29

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | BC | W | 0.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 66.00/100.00 (66.00%)

Max Score: 70.00

Rank: 4

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 94.29

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 65 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|-------|-------|-------|-------|-------|
| 13.00 | 14.00 | 20.00 | 19.00 | 66.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 65.00/100.00 (65.00%)

Max Score: 70.00

Rank: 5

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 92.86

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 65.00/100.00 (65.00%)

Max Score: 70.00

Rank: 5

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 92.86

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 64 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|-------|-------|-------|-------|-------|
| 15.00 | 12.00 | 19.00 | 19.00 | 65.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ANIL GAYAKWAD (ID No. 92030)

Your Score: 62.00/100.00 (62.00%)

Max Score: 70.00

Rank: 6

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 88.57

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ANIL GAYAKWAD (ID No. 92030)

Your Score: 62.00/100.00 (62.00%)

Max Score: 70.00

Rank: 6

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 88.57

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | D | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 95 (**Correct:** 61 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|-------|-------|-------|-------|-------|
| 10.00 | 14.00 | 21.00 | 17.00 | 62.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI PRAMOD SURWADE (ID No. 92034)

Your Score: 62.00/100.00 (62.00%)

Max Score: 70.00

Rank: 6

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 88.57

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI PRAMOD SURWADE (ID No. 92034)

Your Score: 62.00/100.00 (62.00%)

Max Score: 70.00

Rank: 6

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 88.57

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|-------|-------|-------|-------|-------|
| 14.00 | 10.00 | 22.00 | 16.00 | 62.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV NILESH WAKALE (ID No. 91008)

Your Score: 61.00/100.00 (61.00%)

Max Score: 70.00

Rank: 7

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 87.14

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV NILESH WAKALE (ID No. 91008)

Your Score: 61.00/100.00 (61.00%)

Max Score: 70.00

Rank: 7

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 87.14

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

Total Question: 100 **Attempted:** 88 (**Correct:** 60 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|-------|-------|-------|-------|-------|
| 16.00 | 12.00 | 15.00 | 18.00 | 61.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 61.00/100.00 (61.00%)

Max Score: 70.00

Rank: 7

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 87.14

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 61.00/100.00 (61.00%)

Max Score: 70.00

Rank: 7

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 87.14

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 94 (**Correct:** 60 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|-------|-------|-------|-------|-------|
| 13.00 | 11.00 | 20.00 | 17.00 | 61.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 59.00/100.00 (59.00%)

Max Score: 70.00

Rank: 8

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 84.29

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 59.00/100.00 (59.00%)

Max Score: 70.00

Rank: 8

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 84.29

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 58 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|-------|-------|-------|-------|-------|
| 14.00 | 10.00 | 18.00 | 17.00 | 59.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 57.00/100.00 (57.00%)

Max Score: 70.00

Rank: 9

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 81.43

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 57.00/100.00 (57.00%)

Max Score: 70.00

Rank: 9

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 81.43

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 56 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|-------|------|-------|-------|-------|
| 12.00 | 9.00 | 21.00 | 15.00 | 57.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 55.00/100.00 (55.00%)

Max Score: 70.00

Rank: 10

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 78.57

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 55.00/100.00 (55.00%)

Max Score: 70.00

Rank: 10

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 78.57

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | AC | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|-------|-------|-------|-------|-------|
| 12.00 | 10.00 | 19.00 | 14.00 | 55.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 54.00/100.00 (54.00%)

Max Score: 70.00

Rank: 11

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 77.14

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 54.00/100.00 (54.00%)

Max Score: 70.00

Rank: 11

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 77.14

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 53 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|-------|-------|-------|-------|-------|
| 12.00 | 12.00 | 19.00 | 11.00 | 54.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADAIT HEMANT BANAIT (ID No. 92005)

Your Score: 52.00/100.00 (52.00%)

Max Score: 70.00

Rank: 12

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 74.29

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADVAIT HEMANT BANAIT (ID No. 92005)

Your Score: 52.00/100.00 (52.00%)

Max Score: 70.00

Rank: 12

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 74.29

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|-------|------|-------|-------|-------|
| 13.00 | 8.00 | 16.00 | 15.00 | 52.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH MUKUNDA JAGTAP (ID No. 92017)

Your Score: 51.00/100.00 (51.00%)

Max Score: 70.00

Rank: 13

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 72.86

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH MUKUNDA JAGTAP (ID No. 92017)

Your Score: 51.00/100.00 (51.00%)

Max Score: 70.00

Rank: 13

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 72.86

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

Total Question: 100 **Attempted:** 98 (**Correct:** 50 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|-------|------|-------|-------|-------|
| 13.00 | 6.00 | 21.00 | 11.00 | 51.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASVI AJAY RAUT (ID No. 92026)

Your Score: 49.00/100.00 (49.00%)

Max Score: 70.00

Rank: 14

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 70.00

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASVI AJAY RAUT (ID No. 92026)

Your Score: 49.00/100.00 (49.00%)

Max Score: 70.00

Rank: 14

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 70.00

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |

Total Question: 100 **Attempted:** 84 (**Correct:** 48 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|------|------|-------|-------|-------|
| 9.00 | 9.00 | 15.00 | 16.00 | 49.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 48.00/100.00 (48.00%)

Max Score: 70.00

Rank: 15

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 68.57

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 48.00/100.00 (48.00%)

Max Score: 70.00

Rank: 15

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 68.57

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 47 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|-------|------|-------|-------|-------|
| 13.00 | 1.00 | 23.00 | 11.00 | 48.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 45.00/100.00 (45.00%)

Max Score: 70.00

Rank: 16

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 64.29

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 45.00/100.00 (45.00%)

Max Score: 70.00

Rank: 16

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 64.29

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | | L | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 73 (**Correct:** 44 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|------|------|-------|-------|-------|
| 9.00 | 6.00 | 15.00 | 15.00 | 45.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 45.00/100.00 (45.00%)

Max Score: 70.00

Rank: 16

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 64.29

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 45.00/100.00 (45.00%)

Max Score: 70.00

Rank: 16

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 64.29

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 44 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|------|------|-------|-------|-------|
| 7.00 | 8.00 | 15.00 | 15.00 | 45.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAV G. RATNAPARKHI (ID No. 92039)

Your Score: 44.00/100.00 (44.00%)

Max Score: 70.00

Rank: 17

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 62.86

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAV G. RATNAPARKHI (ID No. 92039)

Your Score: 44.00/100.00 (44.00%)

Max Score: 70.00

Rank: 17

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 62.86

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|------|-------|-------|-------|-------|
| 8.00 | 14.00 | 14.00 | 8.00 | 44.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DHANANJAY GADHE (ID No. 92040)

Your Score: 44.00/100.00 (44.00%)

Max Score: 70.00

Rank: 17

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 62.86

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DHANANJAY GADHE (ID No. 92040)

Your Score: 44.00/100.00 (44.00%)

Max Score: 70.00

Rank: 17

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 62.86

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|------|-------|-------|-------|-------|
| 6.00 | 10.00 | 15.00 | 13.00 | 44.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 43.00/100.00 (43.00%)

Max Score: 70.00

Rank: 18

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 61.43

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 43.00/100.00 (43.00%)

Max Score: 70.00

Rank: 18

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 61.43

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 42 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|-------|------|-------|-------|-------|
| 12.00 | 7.00 | 14.00 | 10.00 | 43.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYA GAJANAN INGLE (ID No. 92013)

Your Score: 43.00/100.00 (43.00%)

Max Score: 70.00

Rank: 18

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 61.43

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYA GAJANAN INGLE (ID No. 92013)

Your Score: 43.00/100.00 (43.00%)

Max Score: 70.00

Rank: 18

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 61.43

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 42 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|------|------|-------|-------|-------|
| 7.00 | 7.00 | 16.00 | 13.00 | 43.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 43.00/100.00 (43.00%)

Max Score: 70.00

Rank: 18

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 61.43

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 43.00/100.00 (43.00%)

Max Score: 70.00

Rank: 18

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 61.43

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 42 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|------|------|-------|-------|-------|
| 9.00 | 8.00 | 15.00 | 11.00 | 43.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 39.00/100.00 (39.00%)

Max Score: 70.00

Rank: 19

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 55.71

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 39.00/100.00 (39.00%)

Max Score: 70.00

Rank: 19

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 55.71

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 38 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|------|-------|-------|-------|-------|
| 6.00 | 10.00 | 15.00 | 8.00 | 39.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI PRAKASH SANGLE (ID No. 92041)

Your Score: 38.00/100.00 (38.00%)

Max Score: 70.00

Rank: 20

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 54.29

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | | L | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | AD | W | 0.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI PRAKASH SANGLE (ID No. 92041)

Your Score: 38.00/100.00 (38.00%)

Max Score: 70.00

Rank: 20

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 54.29

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | | L | 0.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | | L | 0.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 94 (**Correct:** 37 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|------|------|-------|-------|-------|
| 5.00 | 5.00 | 12.00 | 16.00 | 38.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92042)

Your Score: 36.00/100.00 (36.00%)

Max Score: 70.00

Rank: 21

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 51.43

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92042)

Your Score: 36.00/100.00 (36.00%)

Max Score: 70.00

Rank: 21

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 51.43

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | C | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 35 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|------|------|-------|-------|-------|
| 8.00 | 8.00 | 11.00 | 9.00 | 36.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 33.00/100.00 (33.00%)

Max Score: 70.00

Rank: 22

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 47.14

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 33.00/100.00 (33.00%)

Max Score: 70.00

Rank: 22

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 47.14

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | A | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 **Attempted:** 99 (**Correct:** 32 **Incorrect:** 67) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 33.00

Total Positive Marks: 33.00 **Total Negative Marks:**

| PHY | CHEM | BIO | MATHS | Total |
|------|------|-------|-------|-------|
| 7.00 | 2.00 | 15.00 | 9.00 | 33.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 31.00/100.00 (31.00%)

Max Score: 70.00

Rank: 23

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 44.29

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 1 | 100.00 | 13.79 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 2 | 100.00 | 17.24 | 82.76 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 3 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 4 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 5 | 96.55 | 24.14 | 72.41 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 6 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 7 | 100.00 | 65.52 | 34.48 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 8 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 9 | 96.55 | 55.17 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 10 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 11 | 100.00 | 24.14 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 12 | 89.66 | 58.62 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 13 | 96.55 | 68.97 | 27.59 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 14 | 96.55 | 17.24 | 79.31 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 15 | 96.55 | 51.72 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 16 | 96.55 | 10.34 | 86.21 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 17 | 93.10 | 62.07 | 31.03 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 18 | 93.10 | 51.72 | 41.38 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 19 | 100.00 | 75.86 | 24.14 | PHY | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 20 | 100.00 | 79.31 | 20.69 | PHY | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 21 | 100.00 | 34.48 | 65.52 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 22 | 96.55 | 34.48 | 62.07 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 23 | 100.00 | 44.83 | 55.17 | PHY | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 24 | 100.00 | 55.17 | 44.83 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 25 | 96.55 | 20.69 | 75.86 | PHY | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 26 | 100.00 | 24.14 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 27 | 96.55 | 10.34 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 28 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 29 | 100.00 | 82.76 | 17.24 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 30 | 100.00 | 41.38 | 58.62 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 31 | 93.10 | 27.59 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | D | W | 0.00 |
| 32 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 33 | 96.55 | 41.38 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 34 | 100.00 | 55.17 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 35 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 36 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 37 | 96.55 | 24.14 | 72.41 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 38 | 100.00 | 31.03 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 39 | 93.10 | 41.38 | 51.72 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 40 | 89.66 | 13.79 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 41 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 42 | 100.00 | 68.97 | 31.03 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 43 | 96.55 | 48.28 | 48.28 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 44 | 96.55 | 20.69 | 75.86 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 45 | 89.66 | 34.48 | 55.17 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 46 | 89.66 | 24.14 | 65.52 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 47 | 100.00 | 13.79 | 86.21 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 48 | 96.55 | 51.72 | 44.83 | CHEM | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 49 | 93.10 | 24.14 | 68.97 | CHEM | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 50 | 96.55 | 68.97 | 27.59 | CHEM | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 51 | 100.00 | 100.00 | 0.00 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 52 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 53 | 100.00 | 96.55 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 31.00/100.00 (31.00%)

Max Score: 70.00

Rank: 23

Min Score: 31.00

TEST: MAJOR TEST 5 (STD 9) (ID: 752 DT: 27-Nov-2023)

Percentile: 44.29

Avg Score: 51.45

| QNo | ATT% | R% | W% | SUBJECT | TOPIC / SCHEME | POS | NEG | KEY | ANSWER | RESULT | MARKS |
|-----|--------|--------|-------|---------|----------------|------|------|-----|--------|--------|-------|
| 54 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 55 | 93.10 | 65.52 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 56 | 96.55 | 86.21 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 57 | 100.00 | 79.31 | 20.69 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 58 | 93.10 | 51.72 | 41.38 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | C | W | 0.00 |
| 59 | 100.00 | 72.41 | 27.59 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 60 | 96.55 | 44.83 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 61 | 100.00 | 34.48 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 62 | 100.00 | 75.86 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 63 | 96.55 | 93.10 | 3.45 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 64 | 100.00 | 48.28 | 51.72 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 65 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 66 | 100.00 | 82.76 | 17.24 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 67 | 100.00 | 65.52 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 68 | 100.00 | 86.21 | 13.79 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 69 | 93.10 | 55.17 | 37.93 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 70 | 100.00 | 93.10 | 6.90 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 71 | 100.00 | 89.66 | 10.34 | BIO | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 72 | 93.10 | 27.59 | 65.52 | BIO | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 73 | 93.10 | 58.62 | 34.48 | BIO | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 74 | 100.00 | 44.83 | 55.17 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 75 | 93.10 | 68.97 | 24.14 | BIO | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 76 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 77 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | B | R | 1.00 |
| 78 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 79 | 96.55 | 62.07 | 34.48 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | A | R | 1.00 |
| 80 | 100.00 | 31.03 | 68.97 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | B | W | 0.00 |
| 81 | 100.00 | 51.72 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 82 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | B | W | 0.00 |
| 83 | 100.00 | 75.86 | 24.14 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 84 | 96.55 | 34.48 | 62.07 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |
| 85 | 100.00 | 48.28 | 51.72 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 86 | 100.00 | 89.66 | 10.34 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 87 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | B | W | 0.00 |
| 88 | 100.00 | 27.59 | 72.41 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | C | W | 0.00 |
| 89 | 96.55 | 20.69 | 75.86 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 90 | 100.00 | 82.76 | 17.24 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | A | W | 0.00 |
| 91 | 100.00 | 79.31 | 20.69 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 92 | 100.00 | 55.17 | 44.83 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | D | R | 1.00 |
| 93 | 100.00 | 100.00 | 0.00 | MATHS | BONUS 1 | 1.00 | 0.00 | | B | C | 1.00 |
| 94 | 100.00 | 68.97 | 31.03 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | C | R | 1.00 |
| 95 | 100.00 | 62.07 | 37.93 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | A | W | 0.00 |
| 96 | 100.00 | 41.38 | 58.62 | MATHS | REGULAR MT1 | 1.00 | 0.00 | B | A | W | 0.00 |
| 97 | 96.55 | 48.28 | 48.28 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 98 | 100.00 | 34.48 | 65.52 | MATHS | REGULAR MT1 | 1.00 | 0.00 | A | D | W | 0.00 |
| 99 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | D | C | W | 0.00 |
| 100 | 96.55 | 41.38 | 55.17 | MATHS | REGULAR MT1 | 1.00 | 0.00 | C | D | W | 0.00 |

Total Question: 100 Attempted: 99 (Correct: 30 Incorrect: 69) Score Rate: 0.00 Strike Rate: 0.00

Total: 31.00

Total Positive Marks: 31.00 Total Negative Marks:

| PHY | CHEM | BIO | MATHS | Total |
|------|------|------|-------|-------|
| 7.00 | 7.00 | 9.00 | 8.00 | 31.00 |

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%