

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRISHNA PRAMOD SHUKLA (ID No. 92023)

Your Score: 76.00/100.00 (76.00%)

Max Score: 76.00

Rank: 1

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 100.00

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRISHNA PRAMOD SHUKLA (ID No. 92023)

Your Score: 76.00/100.00 (76.00%)

Max Score: 76.00

Rank: 1

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 100.00

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 76 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 76.00

Total Positive Marks: 76.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	16.00	23.00	22.00	76.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL R. INGLE (ID No. 92032)

Your Score: 72.00/100.00 (72.00%)

Max Score: 76.00

Rank: 2

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 94.74

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL R. INGLE (ID No. 92032)

Your Score: 72.00/100.00 (72.00%)

Max Score: 76.00

Rank: 2

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 94.74

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 72 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 72.00

Total Positive Marks: 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	15.00	22.00	19.00	72.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 71.00/100.00 (71.00%)

Max Score: 76.00

Rank: 3

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 93.42

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 71.00/100.00 (71.00%)

Max Score: 76.00

Rank: 3

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 93.42

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 71 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 71.00

Total Positive Marks: 71.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	13.00	22.00	22.00	71.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 69.00/100.00 (69.00%)

Max Score: 76.00

Rank: 4

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 90.79

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 69.00/100.00 (69.00%)

Max Score: 76.00

Rank: 4

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 90.79

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	BC	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 69 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 69.00

Total Positive Marks: 69.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	11.00	23.00	20.00	69.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 69.00/100.00 (69.00%)

Max Score: 76.00

Rank: 4

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 90.79

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 69.00/100.00 (69.00%)

Max Score: 76.00

Rank: 4

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 90.79

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 69 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 69.00

Total Positive Marks: 69.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	15.00	22.00	16.00	69.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ANIL GAYAKWAD (ID No. 92030)

Your Score: 67.00/100.00 (67.00%)

Max Score: 76.00

Rank: 5

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 88.16

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ANIL GAYAKWAD (ID No. 92030)

Your Score: 67.00/100.00 (67.00%)

Max Score: 76.00

Rank: 5

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 88.16

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 67 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	14.00	21.00	16.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 65.00/100.00 (65.00%)

Max Score: 76.00

Rank: 6

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 85.53

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 65.00/100.00 (65.00%)

Max Score: 76.00

Rank: 6

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 85.53

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 65 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	14.00	21.00	18.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 62.00/100.00 (62.00%)

Max Score: 76.00

Rank: 7

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 81.58

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D		L	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B		L	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B		L	0.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 62.00/100.00 (62.00%)

Max Score: 76.00

Rank: 7

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 81.58

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 93 (**Correct:** 62 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	13.00	21.00	18.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 62.00/100.00 (62.00%)

Max Score: 76.00

Rank: 7

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 81.58

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 62.00/100.00 (62.00%)

Max Score: 76.00

Rank: 7

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 81.58

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 62 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	12.00	21.00	17.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 61.00/100.00 (61.00%)

Max Score: 76.00

Rank: 8

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 80.26

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 61.00/100.00 (61.00%)

Max Score: 76.00

Rank: 8

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 80.26

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 61 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	14.00	18.00	14.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 59.00/100.00 (59.00%)

Max Score: 76.00

Rank: 9

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 77.63

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 59.00/100.00 (59.00%)

Max Score: 76.00

Rank: 9

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 77.63

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 59 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	9.00	19.00	19.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASHIKA NILESH HUTKE (ID No. 91016)

Your Score: 57.00/100.00 (57.00%)

Max Score: 76.00

Rank: 10

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 75.00

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASHIKA NILESH HUTKE (ID No. 91016)

Your Score: 57.00/100.00 (57.00%)

Max Score: 76.00

Rank: 10

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 75.00

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 57 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	9.00	20.00	16.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADVAIT HEMANT BANAIT (ID No. 92005)

Your Score: 57.00/100.00 (57.00%)

Max Score: 76.00

Rank: 10

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 75.00

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C		L	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C		L	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADVAIT HEMANT BANAIT (ID No. 92005)

Your Score: 57.00/100.00 (57.00%)

Max Score: 76.00

Rank: 10

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 75.00

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 57 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	6.00	19.00	20.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 56.00/100.00 (56.00%)

Max Score: 76.00

Rank: 11

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 73.68

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 56.00/100.00 (56.00%)

Max Score: 76.00

Rank: 11

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 73.68

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 56 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	12.00	18.00	12.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 56.00/100.00 (56.00%)

Max Score: 76.00

Rank: 11

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 73.68

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 56.00/100.00 (56.00%)

Max Score: 76.00

Rank: 11

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 73.68

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 56 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	9.00	18.00	15.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 56.00/100.00 (56.00%)

Max Score: 76.00

Rank: 11

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 73.68

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 56.00/100.00 (56.00%)

Max Score: 76.00

Rank: 11

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 73.68

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 56 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	12.00	17.00	13.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 55.00/100.00 (55.00%)

Max Score: 76.00

Rank: 12

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 72.37

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 55.00/100.00 (55.00%)

Max Score: 76.00

Rank: 12

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 72.37

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	10.00	18.00	15.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 55.00/100.00 (55.00%)

Max Score: 76.00

Rank: 12

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 72.37

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 55.00/100.00 (55.00%)

Max Score: 76.00

Rank: 12

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 72.37

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	8.00	20.00	15.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 55.00/100.00 (55.00%)

Max Score: 76.00

Rank: 12

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 72.37

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 55.00/100.00 (55.00%)

Max Score: 76.00

Rank: 12

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 72.37

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	7.00	19.00	19.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 55.00/100.00 (55.00%)

Max Score: 76.00

Rank: 12

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 72.37

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 55.00/100.00 (55.00%)

Max Score: 76.00

Rank: 12

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 72.37

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	12.00	17.00	14.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYURI P. BHOJANE (ID No. 92027)

Your Score: 54.00/100.00 (54.00%)

Max Score: 76.00

Rank: 13

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 71.05

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYURI P. BHOJANE (ID No. 92027)

Your Score: 54.00/100.00 (54.00%)

Max Score: 76.00

Rank: 13

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 71.05

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	10.00	18.00	14.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DHANANJAY GADHE (ID No. 92040)

Your Score: 52.00/100.00 (52.00%)

Max Score: 76.00

Rank: 14

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 68.42

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DHANANJAY GADHE (ID No. 92040)

Your Score: 52.00/100.00 (52.00%)

Max Score: 76.00

Rank: 14

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 68.42

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	AC	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 52 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	11.00	16.00	14.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNALI S. ARBAT (ID No. 92025)

Your Score: 51.00/100.00 (51.00%)

Max Score: 76.00

Rank: 15

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 67.11

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNALI S. ARBAT (ID No. 92025)

Your Score: 51.00/100.00 (51.00%)

Max Score: 76.00

Rank: 15

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 67.11

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	8.00	18.00	15.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 50.00/100.00 (50.00%)

Max Score: 76.00

Rank: 16

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 65.79

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 50.00/100.00 (50.00%)

Max Score: 76.00

Rank: 16

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 65.79

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 50 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	11.00	19.00	10.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH MUKUNDA JAGTAP (ID No. 92017)

Your Score: 50.00/100.00 (50.00%)

Max Score: 76.00

Rank: 16

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 65.79

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH MUKUNDA JAGTAP (ID No. 92017)

Your Score: 50.00/100.00 (50.00%)

Max Score: 76.00

Rank: 16

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 65.79

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 50 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	11.00	15.00	13.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 46.00/100.00 (46.00%)

Max Score: 76.00

Rank: 17

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 60.53

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 46.00/100.00 (46.00%)

Max Score: 76.00

Rank: 17

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 60.53

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 46 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	8.00	16.00	13.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAV G. RATNAPARKHI (ID No. 92039)

Your Score: 46.00/100.00 (46.00%)

Max Score: 76.00

Rank: 17

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 60.53

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAV G. RATNAPARKHI (ID No. 92039)

Your Score: 46.00/100.00 (46.00%)

Max Score: 76.00

Rank: 17

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 60.53

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 46 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	9.00	17.00	10.00	46.00

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV NILESH WAKALE (ID No. 91008)

Your Score: 45.00/100.00 (45.00%)

Max Score: 76.00

Rank: 18

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 59.21

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV NILESH WAKALE (ID No. 91008)

Your Score: 45.00/100.00 (45.00%)

Max Score: 76.00

Rank: 18

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 59.21

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 45 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	4.00	11.00	14.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJKUMARI R. HANUMANTE (ID No. 91010)

Your Score: 44.00/100.00 (44.00%)

Max Score: 76.00

Rank: 19

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 57.89

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJKUMARI R. HANUMANTE (ID No. 91010)

Your Score: 44.00/100.00 (44.00%)

Max Score: 76.00

Rank: 19

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 57.89

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 44 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	8.00	15.00	14.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 44.00/100.00 (44.00%)

Max Score: 76.00

Rank: 19

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 57.89

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 44.00/100.00 (44.00%)

Max Score: 76.00

Rank: 19

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 57.89

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 44 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	8.00	14.00	10.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA ANIL KHANDEKAR (ID No. 91002)

Your Score: 43.00/100.00 (43.00%)

Max Score: 76.00

Rank: 20

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 56.58

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA ANIL KHANDEKAR (ID No. 91002)

Your Score: 43.00/100.00 (43.00%)

Max Score: 76.00

Rank: 20

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 56.58

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 43 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	7.00	11.00	17.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92042)

Your Score: 43.00/100.00 (43.00%)

Max Score: 76.00

Rank: 20

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 56.58

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92042)

Your Score: 43.00/100.00 (43.00%)

Max Score: 76.00

Rank: 20

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 56.58

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 43 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	4.00	15.00	14.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 42.00/100.00 (42.00%)

Max Score: 76.00

Rank: 21

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 55.26

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 42.00/100.00 (42.00%)

Max Score: 76.00

Rank: 21

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 55.26

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 42 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	11.00	11.00	11.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHRA SHARAD GHUGE (ID No. 92038)

Your Score: 42.00/100.00 (42.00%)

Max Score: 76.00

Rank: 21

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 55.26

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHRA SHARAD GHUGE (ID No. 92038)

Your Score: 42.00/100.00 (42.00%)

Max Score: 76.00

Rank: 21

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 55.26

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 42 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	7.00	12.00	12.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHANTANU VISHNU LODAM (ID No. 91012)

Your Score: 40.00/100.00 (40.00%)

Max Score: 76.00

Rank: 22

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 52.63

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHANTANU VISHNU LODAM (ID No. 91012)

Your Score: 40.00/100.00 (40.00%)

Max Score: 76.00

Rank: 22

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 52.63

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 40 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	8.00	12.00	14.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 38.00/100.00 (38.00%)

Max Score: 76.00

Rank: 23

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 50.00

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 38.00/100.00 (38.00%)

Max Score: 76.00

Rank: 23

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 50.00

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 38 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	6.00	8.00	14.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI PRAKASH SANGLE (ID No. 92041)

Your Score: 38.00/100.00 (38.00%)

Max Score: 76.00

Rank: 23

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 50.00

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	97.30	8.11	89.19	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
2	100.00	81.08	18.92	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
3	100.00	83.78	16.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
4	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
6	100.00	72.97	27.03	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
7	100.00	10.81	89.19	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
9	97.30	78.38	18.92	PHY	REGULAR MTF	1.00	0.00	B		L	0.00
10	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	24.32	75.68	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	51.35	48.65	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	43.24	56.76	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
14	100.00	5.41	94.59	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
15	94.59	35.14	59.46	PHY	REGULAR MTF	1.00	0.00	B		L	0.00
16	97.30	48.65	48.65	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	18.92	81.08	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	54.05	45.95	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	100.00	62.16	37.84	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
20	100.00	56.76	43.24	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
21	100.00	40.54	59.46	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
22	97.30	62.16	35.14	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
23	97.30	21.62	75.68	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	97.30	29.73	67.57	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
25	100.00	35.14	64.86	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
28	100.00	16.22	83.78	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	94.59	13.51	81.08	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
30	100.00	62.16	37.84	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	91.89	27.03	64.86	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
33	94.59	10.81	83.78	CHEM	REGULAR MTF	1.00	0.00	C		L	0.00
34	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
35	100.00	70.27	29.73	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	83.78	16.22	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
37	97.30	32.43	64.86	CHEM	REGULAR MTF	1.00	0.00	C		L	0.00
38	100.00	59.46	40.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	24.32	75.68	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
40	97.30	21.62	75.68	CHEM	REGULAR MTF	1.00	0.00	B		L	0.00
41	100.00	72.97	27.03	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	75.68	24.32	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	27.03	72.97	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	97.30	29.73	67.57	CHEM	REGULAR MTF	1.00	0.00	B		L	0.00
45	100.00	64.86	35.14	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	100.00	37.84	62.16	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	97.30	37.84	59.46	CHEM	REGULAR MTF	1.00	0.00	B		L	0.00
48	100.00	29.73	70.27	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
49	100.00	40.54	59.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
50	100.00	13.51	86.49	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
51	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.30	75.68	21.62	BIO	REGULAR MTF	1.00	0.00	C		L	0.00
53	97.30	89.19	8.11	BIO	REGULAR MTF	1.00	0.00	C		L	0.00
54	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
56	100.00	35.14	64.86	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
57	100.00	89.19	10.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
58	100.00	83.78	16.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
60	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
61	100.00	59.46	40.54	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
62	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	78.38	21.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI PRAKASH SANGLE (ID No. 92041)

Your Score: 38.00/100.00 (38.00%)

Max Score: 76.00

Rank: 23

Min Score: 38.00

TEST: MT-06 (STD 9TH) (ID: 8 DT: 18-Dec-2023)

Percentile: 50.00

Avg Score: 54.14

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	45.95	54.05	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
65	100.00	48.65	51.35	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
66	100.00	64.86	35.14	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	100.00	56.76	43.24	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	75.68	24.32	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
69	100.00	27.03	72.97	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
70	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
71	100.00	97.30	2.70	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	91.89	8.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
73	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	81.08	18.92	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
75	100.00	37.84	62.16	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
77	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
78	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	70.27	29.73	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
80	100.00	89.19	10.81	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
81	100.00	54.05	45.95	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
82	97.30	83.78	13.51	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00
83	100.00	35.14	64.86	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
84	100.00	72.97	27.03	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	94.59	5.41	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	59.46	40.54	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	94.59	21.62	72.97	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
88	100.00	43.24	56.76	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	48.65	51.35	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
90	100.00	29.73	70.27	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
92	97.30	35.14	62.16	MATHS	REGULAR MTF	1.00	0.00	A		L	0.00
93	100.00	67.57	32.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	75.68	24.32	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
95	97.30	70.27	27.03	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
96	100.00	45.95	54.05	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	51.35	48.65	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	100.00	81.08	18.92	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	32.43	67.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
100	100.00	91.89	8.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 85 (**Correct:** 38 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	9.00	9.00	13.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%