

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANMAY A. HANWANTE ( ID No. 10470 )

**Your Score:** 85.00/100.00 (85.00%)

**Max Score:** 85.00

**Rank:** 1

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 100.00

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANMAY A. HANWANTE ( ID No. 10470 )

**Your Score:** 85.00/100.00 (85.00%)

**Max Score:** 85.00

**Rank:** 1

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 100.00

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 85 **Incorrect:** 15) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 85.00

**Total Positive Marks:** 85.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
19.00	19.00	23.00	24.00	85.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VED VIJAY THAKARE ( ID No. 10185 )

**Your Score:** 83.00/100.00 (83.00%)

**Max Score:** 85.00

**Rank:** 2

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 97.65

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VED VIJAY THAKARE ( ID No. 10185 )

**Your Score:** 83.00/100.00 (83.00%)

**Max Score:** 85.00

**Rank:** 2

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 97.65

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 83 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 83.00

**Total Positive Marks:** 83.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	22.00	21.00	23.00	83.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AKHILESH R. KUKADE ( ID No. 10105 )

**Your Score:** 76.00/100.00 (76.00%)

**Max Score:** 85.00

**Rank:** 3

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 89.41

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AKHILESH R. KUKADE ( ID No. 10105 )

**Your Score:** 76.00/100.00 (76.00%)

**Max Score:** 85.00

**Rank:** 3

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 89.41

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 76 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 76.00

**Total Positive Marks:** 76.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	19.00	20.00	20.00	76.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHASHWAT D. RAWANKAR ( ID No. 10173 )

**Your Score:** 75.00/100.00 (75.00%)

**Max Score:** 85.00

**Rank:** 4

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 88.24

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT%/ R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHASHWAT D. RAWANKAR ( ID No. 10173 )

**Your Score:** 75.00/100.00 (75.00%)

**Max Score:** 85.00

**Rank:** 4

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 88.24

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 75 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 75.00

**Total Positive Marks:** 75.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
19.00	14.00	18.00	24.00	75.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT AJAY AGRAWAL ( ID No. 10140 )

**Your Score:** 74.00/100.00 (74.00%)

**Max Score:** 85.00

**Rank:** 5

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 87.06

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT AJAY AGRAWAL ( ID No. 10140 )

**Your Score:** 74.00/100.00 (74.00%)

**Max Score:** 85.00

**Rank:** 5

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 87.06

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 74 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 74.00

**Total Positive Marks:** 74.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	16.00	21.00	19.00	74.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM VIVEK KAKAD ( ID No. 10429 )

**Your Score:** 74.00/100.00 (74.00%)

**Max Score:** 85.00

**Rank:** 5

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 87.06

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM VIVEK KAKAD ( ID No. 10429 )

**Your Score:** 74.00/100.00 (74.00%)

**Max Score:** 85.00

**Rank:** 5

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 87.06

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 74 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 74.00

**Total Positive Marks:** 74.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	14.00	24.00	18.00	74.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVYANEE S. JAWLE ( ID No. 10123 )

**Your Score:** 72.00/100.00 (72.00%)

**Max Score:** 85.00

**Rank:** 6

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 84.71

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVYANEE S. JAWLE ( ID No. 10123 )

**Your Score:** 72.00/100.00 (72.00%)

**Max Score:** 85.00

**Rank:** 6

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 84.71

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 72 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 72.00

**Total Positive Marks:** 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	17.00	21.00	16.00	72.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA B. DHORE ( ID No. 10411 )

**Your Score:** 72.00/100.00 (72.00%)

**Max Score:** 85.00

**Rank:** 6

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 84.71

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA B. DHORE ( ID No. 10411 )

**Your Score:** 72.00/100.00 (72.00%)

**Max Score:** 85.00

**Rank:** 6

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 84.71

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 72 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 72.00

**Total Positive Marks:** 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	14.00	24.00	17.00	<b>72.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PARTH M. NAGPURE ( ID No. 10430 )

**Your Score:** 72.00/100.00 (72.00%)

**Max Score:** 85.00

**Rank:** 6

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 84.71

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PARTH M. NAGPURE ( ID No. 10430 )

**Your Score:** 72.00/100.00 (72.00%)

**Max Score:** 85.00

**Rank:** 6

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 84.71

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 72 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 72.00

**Total Positive Marks:** 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	15.00	21.00	19.00	72.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUYASH S. LOKHANDE ( ID No. 10182 )

**Your Score:** 71.00/100.00 (71.00%)

**Max Score:** 85.00

**Rank:** 7

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 83.53

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUYASH S. LOKHANDE ( ID No. 10182 )

**Your Score:** 71.00/100.00 (71.00%)

**Max Score:** 85.00

**Rank:** 7

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 83.53

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 71 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 71.00

**Total Positive Marks:** 71.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	19.00	21.00	18.00	71.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAK S. PILLEWAR ( ID No. 10461 )

**Your Score:** 69.00/100.00 (69.00%)

**Max Score:** 85.00

**Rank:** 8

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 81.18

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAK S. PILLEWAR ( ID No. 10461 )

**Your Score:** 69.00/100.00 (69.00%)

**Max Score:** 85.00

**Rank:** 8

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 81.18

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 69 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 69.00

**Total Positive Marks:** 69.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	13.00	23.00	19.00	69.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVANI R. NANNAWARE ( ID No. 10462 )

**Your Score:** 69.00/100.00 (69.00%)

**Max Score:** 85.00

**Rank:** 8

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 81.18

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVANI R. NANNAWARE ( ID No. 10462 )

**Your Score:** 69.00/100.00 (69.00%)

**Max Score:** 85.00

**Rank:** 8

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 81.18

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 69 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 69.00

**Total Positive Marks:** 69.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	12.00	23.00	21.00	69.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KARTIK S. BHALERAO ( ID No. 10131 )

**Your Score:** 68.00/100.00 (68.00%)

**Max Score:** 85.00

**Rank:** 9

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 80.00

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KARTIK S. BHALERAO ( ID No. 10131 )

**Your Score:** 68.00/100.00 (68.00%)

**Max Score:** 85.00

**Rank:** 9

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 80.00

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 68 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 68.00

**Total Positive Marks:** 68.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	12.00	21.00	19.00	68.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMRUDDHI P. BHALTILAK ( ID No. 10166 )

**Your Score:** 67.00/100.00 (67.00%)

**Max Score:** 85.00

**Rank:** 10

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 78.82

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMRUDDHI P. BHALTILAK ( ID No. 10166 )

**Your Score:** 67.00/100.00 (67.00%)

**Max Score:** 85.00

**Rank:** 10

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 78.82

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 67 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 67.00

**Total Positive Marks:** 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	18.00	22.00	15.00	67.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ASHAR ASHPAK CHAVAN ( ID No. 10410 )

**Your Score:** 67.00/100.00 (67.00%)

**Max Score:** 85.00

**Rank:** 10

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 78.82

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ASHAR ASHPAK CHAVAN ( ID No. 10410 )

**Your Score:** 67.00/100.00 (67.00%)

**Max Score:** 85.00

**Rank:** 10

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 78.82

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 67 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 67.00

**Total Positive Marks:** 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	15.00	19.00	17.00	67.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVRAJ RAHUL SABLE ( ID No. 10174 )

**Your Score:** 66.00/100.00 (66.00%)

**Max Score:** 85.00

**Rank:** 11

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 77.65

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVRAJ RAHUL SABLE ( ID No. 10174 )

**Your Score:** 66.00/100.00 (66.00%)

**Max Score:** 85.00

**Rank:** 11

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 77.65

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 66 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 66.00

**Total Positive Marks:** 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	13.00	23.00	18.00	66.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DUSHYANT S. WAYRE ( ID No. 10419 )

**Your Score:** 66.00/100.00 (66.00%)

**Max Score:** 85.00

**Rank:** 11

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 77.65

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	CD	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DUSHYANT S. WAYRE ( ID No. 10419 )

**Your Score:** 66.00/100.00 (66.00%)

**Max Score:** 85.00

**Rank:** 11

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 77.65

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 66 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 66.00

**Total Positive Marks:** 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	15.00	22.00	15.00	66.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRITHVI M. GAWANDE ( ID No. 10442 )

**Your Score:** 66.00/100.00 (66.00%)

**Max Score:** 85.00

**Rank:** 11

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 77.65

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRITHVI M. GAWANDE ( ID No. 10442 )

**Your Score:** 66.00/100.00 (66.00%)

**Max Score:** 85.00

**Rank:** 11

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 77.65

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 66 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 66.00

**Total Positive Marks:** 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	16.00	20.00	17.00	66.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH S. MHAISANE ( ID No. 10120 )

**Your Score:** 65.00/100.00 (65.00%)

**Max Score:** 85.00

**Rank:** 12

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 76.47

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C		L	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH S. MHAISANE ( ID No. 10120 )

**Your Score:** 65.00/100.00 (65.00%)

**Max Score:** 85.00

**Rank:** 12

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 76.47

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 99 (**Correct:** 65 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 65.00

**Total Positive Marks:** 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
19.00	12.00	18.00	16.00	65.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMARTH D. SAWARKAR ( ID No. 10164 )

**Your Score:** 65.00/100.00 (65.00%)

**Max Score:** 85.00

**Rank:** 12

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 76.47

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMARTH D. SAWARKAR ( ID No. 10164 )

**Your Score:** 65.00/100.00 (65.00%)

**Max Score:** 85.00

**Rank:** 12

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 76.47

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 65 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 65.00

**Total Positive Marks:** 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	15.00	19.00	20.00	65.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARWARI S. SAWALE ( ID No. 10459 )

**Your Score:** 65.00/100.00 (65.00%)

**Max Score:** 85.00

**Rank:** 12

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 76.47

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: SHARWARI S. SAWALE ( ID No. 10459 )

Your Score: 65.00/100.00 (65.00%)

Max Score: 85.00

Rank: 12

Min Score: 22.00

TEST: MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

Percentile: 76.47

Avg Score: 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

Total Question: 100 Attempted: 100 (Correct: 65 Incorrect: 35) Score Rate: 0.00 Strike Rate: 0.00

Total: 65.00

Total Positive Marks: 65.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
12.00	11.00	24.00	18.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANAND VINOD TAYDE ( ID No. 10406 )

**Your Score:** 64.00/100.00 (64.00%)

**Max Score:** 85.00

**Rank:** 13

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 75.29

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANAND VINOD TAYDE ( ID No. 10406 )

**Your Score:** 64.00/100.00 (64.00%)

**Max Score:** 85.00

**Rank:** 13

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 75.29

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 64 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 64.00

**Total Positive Marks:** 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	15.00	20.00	13.00	64.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RIDNYESH D. BHENDEKAR ( ID No. 10448 )

**Your Score:** 64.00/100.00 (64.00%)

**Max Score:** 85.00

**Rank:** 13

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 75.29

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RIDNYESH D. BHENDEKAR ( ID No. 10448 )

**Your Score:** 64.00/100.00 (64.00%)

**Max Score:** 85.00

**Rank:** 13

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 75.29

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	AD	W	0.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	AB	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00

**Total Question:** 100 **Attempted:** 99 (**Correct:** 64 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 64.00

**Total Positive Marks:** 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	14.00	22.00	15.00	64.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAKSHAM U. KHORIYA ( ID No. 10163 )

**Your Score:** 63.00/100.00 (63.00%)

**Max Score:** 85.00

**Rank:** 14

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 74.12

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAKSHAM U. KHORIYA ( ID No. 10163 )

**Your Score:** 63.00/100.00 (63.00%)

**Max Score:** 85.00

**Rank:** 14

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 74.12

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 63 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 63.00

**Total Positive Marks:** 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	16.00	21.00	18.00	63.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUMEDH S. AWADE ( ID No. 10181 )

**Your Score:** 63.00/100.00 (63.00%)

**Max Score:** 85.00

**Rank:** 14

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 74.12

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	AB	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	AD	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUMEDH S. AWADE ( ID No. 10181 )

**Your Score:** 63.00/100.00 (63.00%)

**Max Score:** 85.00

**Rank:** 14

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 74.12

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 63 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 63.00

**Total Positive Marks:** 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	10.00	21.00	17.00	63.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AKSHAYA E. AMANKAR ( ID No. 10404 )

**Your Score:** 63.00/100.00 (63.00%)

**Max Score:** 85.00

**Rank:** 14

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 74.12

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AKSHAYA E. AMANKAR ( ID No. 10404 )

**Your Score:** 63.00/100.00 (63.00%)

**Max Score:** 85.00

**Rank:** 14

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 74.12

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 63 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 63.00

**Total Positive Marks:** 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	13.00	18.00	17.00	63.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NANADAN S. GAWANDE ( ID No. 10141 )

**Your Score:** 62.00/100.00 (62.00%)

**Max Score:** 85.00

**Rank:** 15

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 72.94

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NANADAN S. GAWANDE ( ID No. 10141 )

**Your Score:** 62.00/100.00 (62.00%)

**Max Score:** 85.00

**Rank:** 15

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 72.94

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 99 (**Correct:** 62 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 62.00

**Total Positive Marks:** 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	9.00	23.00	15.00	62.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OJAS VIJAY MAHAJAN ( ID No. 10144 )

**Your Score:** 62.00/100.00 (62.00%)

**Max Score:** 85.00

**Rank:** 15

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 72.94

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OJAS VIJAY MAHAJAN ( ID No. 10144 )

**Your Score:** 62.00/100.00 (62.00%)

**Max Score:** 85.00

**Rank:** 15

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 72.94

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 62 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 62.00

**Total Positive Marks:** 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	13.00	21.00	17.00	62.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA U. DIWARE ( ID No. 10414 )

**Your Score:** 62.00/100.00 (62.00%)

**Max Score:** 85.00

**Rank:** 15

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 72.94

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C		L	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA U. DIWARE ( ID No. 10414 )

**Your Score:** 62.00/100.00 (62.00%)

**Max Score:** 85.00

**Rank:** 15

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 72.94

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 99 (**Correct:** 62 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 62.00

**Total Positive Marks:** 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	13.00	22.00	16.00	62.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRUTHA AJAY SAWARKAR ( ID No. 10443 )

**Your Score:** 62.00/100.00 (62.00%)

**Max Score:** 85.00

**Rank:** 15

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 72.94

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRUTHA AJAY SAWARKAR ( ID No. 10443 )

**Your Score:** 62.00/100.00 (62.00%)

**Max Score:** 85.00

**Rank:** 15

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 72.94

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 99 (**Correct:** 62 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 62.00

**Total Positive Marks:** 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	9.00	23.00	16.00	62.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HRIGVED ANIL CHAVAN ( ID No. 10129 )

**Your Score:** 60.00/100.00 (60.00%)

**Max Score:** 85.00

**Rank:** 16

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 70.59

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HRIGVED ANIL CHAVAN ( ID No. 10129 )

**Your Score:** 60.00/100.00 (60.00%)

**Max Score:** 85.00

**Rank:** 16

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 70.59

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 60 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 60.00

**Total Positive Marks:** 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	6.00	17.00	21.00	60.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMARTH L. RELKAR ( ID No. 10165 )

**Your Score:** 60.00/100.00 (60.00%)

**Max Score:** 85.00

**Rank:** 16

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 70.59

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMARTH L. RELKAR ( ID No. 10165 )

**Your Score:** 60.00/100.00 (60.00%)

**Max Score:** 85.00

**Rank:** 16

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 70.59

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 60 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 60.00

**Total Positive Marks:** 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	13.00	18.00	16.00	60.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRANAV P. THAKARE ( ID No. 10436 )

**Your Score:** 60.00/100.00 (60.00%)

**Max Score:** 85.00

**Rank:** 16

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 70.59

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRANAV P. THAKARE ( ID No. 10436 )

**Your Score:** 60.00/100.00 (60.00%)

**Max Score:** 85.00

**Rank:** 16

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 70.59

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 60 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 60.00

**Total Positive Marks:** 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	11.00	19.00	14.00	60.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANURAG N. GHAVAT ( ID No. 10112 )

**Your Score:** 59.00/100.00 (59.00%)

**Max Score:** 85.00

**Rank:** 17

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 69.41

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	AD	W	0.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANURAG N. GHAVAT ( ID No. 10112 )

**Your Score:** 59.00/100.00 (59.00%)

**Max Score:** 85.00

**Rank:** 17

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 69.41

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 59 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 59.00

**Total Positive Marks:** 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	15.00	19.00	14.00	59.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KALPAJIT J. TELGOTE ( ID No. 10422 )

**Your Score:** 59.00/100.00 (59.00%)

**Max Score:** 85.00

**Rank:** 17

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 69.41

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B		L	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C		L	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KALPAJIT J. TELGOTE ( ID No. 10422 )

**Your Score:** 59.00/100.00 (59.00%)

**Max Score:** 85.00

**Rank:** 17

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 69.41

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A		L	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	BC	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 88 (**Correct:** 59 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 59.00

**Total Positive Marks:** 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	13.00	22.00	16.00	59.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VEDPRAKASH O. CHOUBE ( ID No. 10478 )

**Your Score:** 58.00/100.00 (58.00%)

**Max Score:** 85.00

**Rank:** 18

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 68.24

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VEDPRAKASH O. CHOUBE ( ID No. 10478 )

**Your Score:** 58.00/100.00 (58.00%)

**Max Score:** 85.00

**Rank:** 18

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 68.24

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	AC	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	BC	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 58 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 58.00

**Total Positive Marks:** 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	11.00	18.00	18.00	58.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%





# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** YASH S. PARDHI ( ID No. 10190 )

**Your Score:** 55.00/100.00 (55.00%)

**Max Score:** 85.00

**Rank:** 19

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 64.71

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 55.00

**Total Positive Marks:** 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	13.00	19.00	12.00	55.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHOURYA S. BHATULKAR ( ID No. 10175 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 85.00

**Rank:** 20

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 63.53

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B		L	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 95 (**Correct:** 54 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 54.00

**Total Positive Marks:** 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	9.00	14.00	18.00	54.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AMRUT SURESH ASARE ( ID No. 10405 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 85.00

**Rank:** 20

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 63.53

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	BD	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 54.00

**Total Positive Marks:** 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	8.00	17.00	13.00	54.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RAJASHREE MILIND RELE ( ID No. 10445 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 85.00

**Rank:** 20

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 63.53

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 54.00

**Total Positive Marks:** 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	10.00	19.00	13.00	54.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MANAV NILESH PAWAR ( ID No. 10137 )

**Your Score:** 53.00/100.00 (53.00%)

**Max Score:** 85.00

**Rank:** 21

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 62.35

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MANAV NILESH PAWAR ( ID No. 10137 )

**Your Score:** 53.00/100.00 (53.00%)

**Max Score:** 85.00

**Rank:** 21

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 62.35

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B		L	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 99 (**Correct:** 53 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 53.00

**Total Positive Marks:** 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	11.00	18.00	16.00	53.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHUBH SACHIN SARDA ( ID No. 10178 )

**Your Score:** 52.00/100.00 (52.00%)

**Max Score:** 85.00

**Rank:** 22

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 61.18

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHUBH SACHIN SARDA ( ID No. 10178 )

**Your Score:** 52.00/100.00 (52.00%)

**Max Score:** 85.00

**Rank:** 22

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 61.18

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 52 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 52.00

**Total Positive Marks:** 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	15.00	15.00	16.00	52.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL ( ID No. 10455 )

Your Score: 52.00/100.00 (52.00%)

Max Score: 85.00

Rank: 22

Min Score: 22.00

TEST: MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

Percentile: 61.18

Avg Score: 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.  
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI U. NICHAL ( ID No. 10455 )

**Your Score:** 52.00/100.00 (52.00%)

**Max Score:** 85.00

**Rank:** 22

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 61.18

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 52 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 52.00

**Total Positive Marks:** 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	8.00	21.00	14.00	52.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANAND RAJESH GAVATRE ( ID No. 10107 )

**Your Score:** 51.00/100.00 (51.00%)

**Max Score:** 85.00

**Rank:** 23

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 60.00

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANAND RAJESH GAVATRE ( ID No. 10107 )

**Your Score:** 51.00/100.00 (51.00%)

**Max Score:** 85.00

**Rank:** 23

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 60.00

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 51.00

**Total Positive Marks:** 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	13.00	14.00	13.00	51.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%





# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GAVRAV S. MISAL ( ID No. 10128 )

**Your Score:** 51.00/100.00 (51.00%)

**Max Score:** 85.00

**Rank:** 23

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 60.00

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 51.00

**Total Positive Marks:** 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	4.00	9.00	23.00	51.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** YASH SUNIL TAROLE ( ID No. 10191 )

**Your Score:** 51.00/100.00 (51.00%)

**Max Score:** 85.00

**Rank:** 23

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 60.00

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 51.00

**Total Positive Marks:** 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	12.00	21.00	10.00	51.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH P. RAHANE ( ID No. 10119 )

**Your Score:** 50.00/100.00 (50.00%)

**Max Score:** 85.00

**Rank:** 24

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 58.82

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 50 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 50.00

**Total Positive Marks:** 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	14.00	12.00	13.00	50.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANKIT AMIT MAHAJAN ( ID No. 10110 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 85.00

**Rank:** 25

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 57.65

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 49.00

**Total Positive Marks:** 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	9.00	15.00	18.00	49.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%





# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHAVYA PRAFUL JAIN ( ID No. 10194 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 85.00

**Rank:** 25

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 57.65

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 49 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 49.00

**Total Positive Marks:** 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	7.00	18.00	13.00	49.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRANJAL V. MANWARKAR ( ID No. 10438 )

**Your Score:** 49.00/100.00 (49.00%)

**Max Score:** 85.00

**Rank:** 25

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 57.65

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 98 (**Correct:** 49 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 49.00

**Total Positive Marks:** 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	10.00	19.00	12.00	49.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI K. TIWARI ( ID No. 10168 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 85.00

**Rank:** 26

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 56.47

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 48.00

**Total Positive Marks:** 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	12.00	10.00	13.00	<b>48.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA DILIP GHODKAR ( ID No. 10412 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 85.00

**Rank:** 26

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 56.47

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 99 (**Correct:** 48 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 48.00

**Total Positive Marks:** 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	13.00	17.00	11.00	48.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



**SAFE HANDS**  
**QUESTION RESPONSE ANALYSIS**

**NAME:** PRACHI P. KHANDARE ( ID No. 10435 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 85.00

**Rank:** 26

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 56.47

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B		L	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B		L	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D		L	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C		L	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRACHI P. KHANDARE ( ID No. 10435 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 85.00

**Rank:** 26

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 56.47

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	AB	W	0.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 92 (**Correct:** 48 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 48.00

**Total Positive Marks:** 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	6.00	19.00	11.00	48.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

**SAFE HANDS**  
**QUESTION RESPONSE ANALYSIS**

**NAME:** SALONI KESHAB MAHALLE ( ID No. 10450 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 85.00

**Rank:** 26

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 56.47

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	AC	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	BC	W	0.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT%/ R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SALONI KESHAO MAHALLE ( ID No. 10450 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 85.00

**Rank:** 26

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 56.47

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 48.00

**Total Positive Marks:** 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	11.00	16.00	12.00	48.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DIVYANSHU C. MORE ( ID No. 10125 )

**Your Score:** 47.00/100.00 (47.00%)

**Max Score:** 85.00

**Rank:** 27

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 55.29

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT%/ R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT**: 0-25% | 26-50% | 51-75% | 76-100%    **RIGHT**: 0-25% | 26-50% | 51-75% | 76-100%    **WRONG**: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE ( ID No. 10125 )

Your Score: 47.00/100.00 (47.00%)

Max Score: 85.00

Rank: 27

Min Score: 22.00

TEST: MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

Percentile: 55.29

Avg Score: 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

Total Question: 100 Attempted: 100 (Correct: 47 Incorrect: 53) Score Rate: 0.00 Strike Rate: 0.00

Total: 47.00

Total Positive Marks: 47.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
6.00	16.00	16.00	9.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

**SAFE HANDS****QUESTION RESPONSE ANALYSIS**

NAME: SANJIVINI A. BHALTILAK ( ID No. 10167 )

Your Score: 47.00/100.00 (47.00%)

Max Score: 85.00

Rank: 27

Min Score: 22.00

TEST: MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

Percentile: 55.29

Avg Score: 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANJIVINI A. BHALTILAK ( ID No. 10167 )

**Your Score:** 47.00/100.00 (47.00%)

**Max Score:** 85.00

**Rank:** 27

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 55.29

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 47 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 47.00

**Total Positive Marks:** 47.00 **Total Negative Marks:** 0.00

PHY	CHEM	BIO	MATHS	Total
7.00	12.00	14.00	14.00	47.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: ANKITA P. GUDADHE ( ID No. 10408 )

Your Score: 47.00/100.00 (47.00%)

Max Score: 85.00

Rank: 27

Min Score: 22.00

TEST: MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

Percentile: 55.29

Avg Score: 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C		L	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

ATT%/ R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANKITA P. GUDADHE ( ID No. 10408 )

**Your Score:** 47.00/100.00 (47.00%)

**Max Score:** 85.00

**Rank:** 27

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 55.29

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	BC	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 99 (**Correct:** 47 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 47.00

**Total Positive Marks:** 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	9.00	17.00	12.00	47.00



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VAIBHAVI M. DALAL ( ID No. 10473 )

**Your Score:** 47.00/100.00 (47.00%)

**Max Score:** 85.00

**Rank:** 27

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 55.29

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00

**Total Question:** 100 **Attempted:** 90 (**Correct:** 47 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 47.00

**Total Positive Marks:** 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	12.00	16.00	9.00	47.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: VIJAYANDRA R. RATHOD ( ID No. 10186 )

Your Score: 45.00/100.00 (45.00%)

Max Score: 85.00

Rank: 28

Min Score: 22.00

TEST: MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

Percentile: 52.94

Avg Score: 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

Total Question: 100 Attempted: 100 (Correct: 45 Incorrect: 55) Score Rate: 0.00 Strike Rate: 0.00

Total: 45.00

Total Positive Marks: 45.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
6.00	7.00	18.00	14.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRASANNA Y. WANKHADE ( ID No. 10441 )

**Your Score:** 45.00/100.00 (45.00%)

**Max Score:** 85.00

**Rank:** 28

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 52.94

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 45 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 45.00

**Total Positive Marks:** 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	10.00	17.00	11.00	45.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%





# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYAN RITESH KELKAR ( ID No. 10116 )

**Your Score:** 44.00/100.00 (44.00%)

**Max Score:** 85.00

**Rank:** 29

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 51.76

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 44 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 44.00

**Total Positive Marks:** 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	7.00	13.00	14.00	44.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KHUSHI RAJENDRA PATOLE ( ID No. 10133 )

**Your Score:** 44.00/100.00 (44.00%)

**Max Score:** 85.00

**Rank:** 29

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 51.76

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 99 (**Correct:** 44 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 44.00

**Total Positive Marks:** 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	10.00	19.00	8.00	44.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUSHIKESH S. BIHADE ( ID No. 10449 )

**Your Score:** 44.00/100.00 (44.00%)

**Max Score:** 85.00

**Rank:** 29

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 51.76

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 44 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 44.00

**Total Positive Marks:** 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	10.00	17.00	11.00	44.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI PRADIP TALE ( ID No. 10471 )

**Your Score:** 44.00/100.00 (44.00%)

**Max Score:** 85.00

**Rank:** 29

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 51.76

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 99 (**Correct:** 44 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 44.00

**Total Positive Marks:** 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	5.00	19.00	11.00	44.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: NEHA RAJNISH GHOPE ( ID No. 10142 )

Your Score: 43.00/100.00 (43.00%)

Max Score: 85.00

Rank: 30

Min Score: 22.00

TEST: MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

Percentile: 50.59

Avg Score: 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

ATT%/ R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHA RAJNISH GHOPE ( ID No. 10142 )

**Your Score:** 43.00/100.00 (43.00%)

**Max Score:** 85.00

**Rank:** 30

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 50.59

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 43 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 43.00

**Total Positive Marks:** 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	7.00	17.00	8.00	43.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ADITYA AMBARISH SHUKLA ( ID No. 10101 )

**Your Score:** 42.00/100.00 (42.00%)

**Max Score:** 85.00

**Rank:** 31

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 49.41

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 42 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 42.00

**Total Positive Marks:** 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	7.00	13.00	16.00	42.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PARTH PANKAJ JAGTAP ( ID No. 10432 )

**Your Score:** 38.00/100.00 (38.00%)

**Max Score:** 85.00

**Rank:** 32

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 44.71

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 99 **(Correct: 38 Incorrect: 61)** **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 38.00

**Total Positive Marks:** 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	10.00	15.00	7.00	<b>38.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREE RAVINDRA DODKE ( ID No. 10176 )

**Your Score:** 37.00/100.00 (37.00%)

**Max Score:** 85.00

**Rank:** 33

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 43.53

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
2	97.22	59.72	37.50	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
3	97.22	13.89	83.33	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
4	98.61	26.39	72.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
6	98.61	27.78	70.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
7	100.00	54.17	45.83	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	41.67	58.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	66.67	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
10	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	100.00	59.72	40.28	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
13	100.00	34.72	65.28	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
14	100.00	12.50	87.50	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	98.61	45.83	52.78	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	18.06	81.94	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
18	98.61	65.28	33.33	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
19	98.61	52.78	45.83	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
20	95.83	44.44	51.39	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	62.50	37.50	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
23	98.61	56.94	41.67	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
24	100.00	56.94	43.06	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	98.61	84.72	13.89	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
26	100.00	19.44	80.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	98.61	40.28	58.33	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
28	100.00	66.67	33.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
29	97.22	16.67	80.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	98.61	79.17	19.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	98.61	29.17	69.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	98.61	47.22	51.39	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
34	100.00	23.61	76.39	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
35	100.00	36.11	63.89	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	95.83	50.00	45.83	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
37	100.00	81.94	18.06	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
38	100.00	70.83	29.17	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
39	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
40	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
41	100.00	63.89	36.11	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
42	100.00	26.39	73.61	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	98.61	25.00	73.61	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
45	98.61	44.44	54.17	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
46	98.61	26.39	72.22	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
47	95.83	26.39	69.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
49	100.00	56.94	43.06	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
50	98.61	41.67	56.94	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	50.00	50.00	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
52	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
53	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
54	100.00	70.83	29.17	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
55	98.61	79.17	19.44	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
56	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	76.39	23.61	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
58	100.00	84.72	15.28	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	40.28	59.72	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	91.67	8.33	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
62	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
63	100.00	79.17	20.83	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE ( ID No. 10176 )

Your Score: 37.00/100.00 (37.00%)

Max Score: 85.00

Rank: 33

Min Score: 22.00

TEST: MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

Percentile: 43.53

Avg Score: 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00

Total Question: 100 Attempted: 100 (Correct: 37 Incorrect: 63) Score Rate: 0.00 Strike Rate: 0.00

Total: 37.00

Total Positive Marks: 37.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
8.00	4.00	12.00	13.00	37.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%





# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK V. SARNAIK ( ID No. 10457 )

**Your Score:** 37.00/100.00 (37.00%)

**Max Score:** 85.00

**Rank:** 33

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 43.53

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 37 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 37.00

**Total Positive Marks:** 37.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	11.00	13.00	9.00	37.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** YUVRAJ A. SHARMA ( ID No. 10480 )

**Your Score:** 31.00/100.00 (31.00%)

**Max Score:** 85.00

**Rank:** 34

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 36.47

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 31 **Incorrect:** 69) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 31.00

**Total Positive Marks:** 31.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	10.00	8.00	5.00	31.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANIKET VAIBHAV OLAMBE ( ID No. 10108 )

**Your Score:** 29.00/100.00 (29.00%)

**Max Score:** 85.00

**Rank:** 35

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 34.12

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 29 **Incorrect:** 71) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 29.00

**Total Positive Marks:** 29.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	7.00	6.00	6.00	29.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI P. WAGHMARE ( ID No. 10453 )

**Your Score:** 22.00/100.00 (22.00%)

**Max Score:** 85.00

**Rank:** 36

**Min Score:** 22.00

**TEST:** MT-06 STD. 10TH ( ID: 9 DT: 23-Dec-2023 )

**Percentile:** 25.88

**Avg Score:** 56.35

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
65	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
67	97.22	45.83	51.39	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	95.83	4.17	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
69	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
71	100.00	73.61	26.39	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	90.28	9.72	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	81.94	18.06	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
74	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
75	100.00	87.50	12.50	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	76.39	23.61	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
78	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
79	100.00	31.94	68.06	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
80	100.00	9.72	90.28	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	43.06	56.94	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
83	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
84	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
85	98.61	73.61	25.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
87	98.61	83.33	15.28	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
88	100.00	79.17	20.83	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
89	98.61	77.78	20.83	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
90	98.61	68.06	30.56	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
91	98.61	72.22	26.39	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
92	98.61	69.44	29.17	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
93	98.61	51.39	47.22	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	98.61	47.22	51.39	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
95	100.00	62.50	37.50	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	100.00	18.06	81.94	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	98.61	40.28	58.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
98	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
100	100.00	68.06	31.94	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 22 **Incorrect:** 78) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 22.00

**Total Positive Marks:** 22.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
2.00	7.00	5.00	8.00	22.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%