

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANMAY A. HANWANTE ( ID No. 10470 )

**Your Score:** 78.00/100.00 (78.00%)

**Max Score:** 78.00

**Rank:** 1

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 100.00

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANMAY A. HANWANTE ( ID No. 10470 )

**Your Score:** 78.00/100.00 (78.00%)

**Max Score:** 78.00

**Rank:** 1

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 100.00

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 78 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 78.00

**Total Positive Marks:** 78.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	21.00	23.00	16.00	<b>78.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHASHWAT D. RAWANKAR ( ID No. 10173 )

**Your Score:** 72.00/100.00 (72.00%)

**Max Score:** 78.00

**Rank:** 2

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 92.31

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHASHWAT D. RAWANKAR ( ID No. 10173 )

**Your Score:** 72.00/100.00 (72.00%)

**Max Score:** 78.00

**Rank:** 2

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 92.31

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 72 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 72.00

**Total Positive Marks:** 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	20.00	18.00	20.00	72.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VED VIJAY THAKARE ( ID No. 10185 )

**Your Score:** 72.00/100.00 (72.00%)

**Max Score:** 78.00

**Rank:** 2

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 92.31

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VED VIJAY THAKARE ( ID No. 10185 )

**Your Score:** 72.00/100.00 (72.00%)

**Max Score:** 78.00

**Rank:** 2

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 92.31

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 72 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 72.00

**Total Positive Marks:** 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	18.00	17.00	20.00	<b>72.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM VIVEK KAKAD ( ID No. 10429 )

**Your Score:** 69.00/100.00 (69.00%)

**Max Score:** 78.00

**Rank:** 3

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 88.46

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM VIVEK KAKAD ( ID No. 10429 )

**Your Score:** 69.00/100.00 (69.00%)

**Max Score:** 78.00

**Rank:** 3

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 88.46

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 69 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 69.00

**Total Positive Marks:** 69.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	18.00	18.00	16.00	<b>69.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUYASH S. LOKHANDE ( ID No. 10182 )

**Your Score:** 65.00/100.00 (65.00%)

**Max Score:** 78.00

**Rank:** 4

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 83.33

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C		L	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUYASH S. LOKHANDE ( ID No. 10182 )

**Your Score:** 65.00/100.00 (65.00%)

**Max Score:** 78.00

**Rank:** 4

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 83.33

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00

**Total Question:** 100 **Attempted:** 98 (**Correct:** 65 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 65.00

**Total Positive Marks:** 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	16.00	18.00	13.00	65.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HRIGVED ANIL CHAVAN ( ID No. 10129 )

**Your Score:** 64.00/100.00 (64.00%)

**Max Score:** 78.00

**Rank:** 5

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 82.05

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HRIGVED ANIL CHAVAN ( ID No. 10129 )

**Your Score:** 64.00/100.00 (64.00%)

**Max Score:** 78.00

**Rank:** 5

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 82.05

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 64 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 64.00

**Total Positive Marks:** 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	15.00	14.00	17.00	64.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA B. DHORE ( ID No. 10411 )

**Your Score:** 63.00/100.00 (63.00%)

**Max Score:** 78.00

**Rank:** 6

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 80.77

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B		L	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA B. DHORE ( ID No. 10411 )

**Your Score:** 63.00/100.00 (63.00%)

**Max Score:** 78.00

**Rank:** 6

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 80.77

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 99 (**Correct:** 63 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 63.00

**Total Positive Marks:** 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	18.00	17.00	10.00	63.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AKHILESH R. KUKADE ( ID No. 10105 )

**Your Score:** 62.00/100.00 (62.00%)

**Max Score:** 78.00

**Rank:** 7

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 79.49

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AKHILESH R. KUKADE ( ID No. 10105 )

**Your Score:** 62.00/100.00 (62.00%)

**Max Score:** 78.00

**Rank:** 7

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 79.49

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 62 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 62.00

**Total Positive Marks:** 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	18.00	19.00	11.00	62.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO ( ID No. 10131 )

Your Score: 62.00/100.00 (62.00%)

Max Score: 78.00

Rank: 7

Min Score: 32.00

TEST: MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

Percentile: 79.49

Avg Score: 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00

ATT%/ R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KARTIK S. BHALERAO ( ID No. 10131 )

**Your Score:** 62.00/100.00 (62.00%)

**Max Score:** 78.00

**Rank:** 7

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 79.49

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 62 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 62.00

**Total Positive Marks:** 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	12.00	15.00	17.00	62.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUMEDH S. AWADE ( ID No. 10181 )

**Your Score:** 61.00/100.00 (61.00%)

**Max Score:** 78.00

**Rank:** 8

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 78.21

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUMEDH S. AWADE ( ID No. 10181 )

**Your Score:** 61.00/100.00 (61.00%)

**Max Score:** 78.00

**Rank:** 8

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 78.21

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 61 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 61.00

**Total Positive Marks:** 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
19.00	12.00	19.00	11.00	61.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PARTH PANKAJ JAGTAP ( ID No. 10432 )

**Your Score:** 61.00/100.00 (61.00%)

**Max Score:** 78.00

**Rank:** 8

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 78.21

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

ATT%/R%/W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PARTH PANKAJ JAGTAP ( ID No. 10432 )

**Your Score:** 61.00/100.00 (61.00%)

**Max Score:** 78.00

**Rank:** 8

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 78.21

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 61 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 61.00

**Total Positive Marks:** 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	11.00	19.00	16.00	61.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE ( ID No. 10141 )

Your Score: 60.00/100.00 (60.00%)

Max Score: 78.00

Rank: 9

Min Score: 32.00

TEST: MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

Percentile: 76.92

Avg Score: 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00

ATT%/ R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.  
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NANADAN S. GAWANDE ( ID No. 10141 )

**Your Score:** 60.00/100.00 (60.00%)

**Max Score:** 78.00

**Rank:** 9

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 76.92

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 60 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 60.00

**Total Positive Marks:** 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	16.00	19.00	8.00	<b>60.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RIDNYESH D. BHENDEKAR ( ID No. 10448 )

**Your Score:** 60.00/100.00 (60.00%)

**Max Score:** 78.00

**Rank:** 9

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 76.92

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RIDNYESH D. BHENDEKAR ( ID No. 10448 )

**Your Score:** 60.00/100.00 (60.00%)

**Max Score:** 78.00

**Rank:** 9

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 76.92

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 60.00

**Total Positive Marks:** 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	17.00	20.00	12.00	60.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUSHIKESH S. BIHADE ( ID No. 10449 )

**Your Score:** 59.00/100.00 (59.00%)

**Max Score:** 78.00

**Rank:** 10

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 75.64

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUSHIKESH S. BIHADE ( ID No. 10449 )

**Your Score:** 59.00/100.00 (59.00%)

**Max Score:** 78.00

**Rank:** 10

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 75.64

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 59 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 59.00

**Total Positive Marks:** 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	16.00	19.00	16.00	59.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** YASH SUNIL TAROLE ( ID No. 10191 )

**Your Score:** 58.00/100.00 (58.00%)

**Max Score:** 78.00

**Rank:** 11

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 74.36

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	CD	W	0.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** YASH SUNIL TAROLE ( ID No. 10191 )

**Your Score:** 58.00/100.00 (58.00%)

**Max Score:** 78.00

**Rank:** 11

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 74.36

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 58 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 58.00

**Total Positive Marks:** 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	13.00	17.00	11.00	58.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR ( ID No. 10438 )

Your Score: 58.00/100.00 (58.00%)

Max Score: 78.00

Rank: 11

Min Score: 32.00

TEST: MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

Percentile: 74.36

Avg Score: 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C		L	0.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRANJAL V. MANWARKAR ( ID No. 10438 )

**Your Score:** 58.00/100.00 (58.00%)

**Max Score:** 78.00

**Rank:** 11

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 74.36

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A		L	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 96 (**Correct:** 58 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 58.00

**Total Positive Marks:** 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	12.00	18.00	13.00	58.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI U. NICHAL ( ID No. 10455 )

**Your Score:** 58.00/100.00 (58.00%)

**Max Score:** 78.00

**Rank:** 11

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 74.36

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI U. NICHAL ( ID No. 10455 )

**Your Score:** 58.00/100.00 (58.00%)

**Max Score:** 78.00

**Rank:** 11

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 74.36

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 58 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 58.00

**Total Positive Marks:** 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	14.00	18.00	12.00	58.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARWARI S. SAWALE ( ID No. 10459 )

**Your Score:** 58.00/100.00 (58.00%)

**Max Score:** 78.00

**Rank:** 11

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 74.36

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARWARI S. SAWALE ( ID No. 10459 )

**Your Score:** 58.00/100.00 (58.00%)

**Max Score:** 78.00

**Rank:** 11

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 74.36

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 58 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 58.00

**Total Positive Marks:** 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	10.00	21.00	10.00	58.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MANAV NILESH PAWAR ( ID No. 10137 )

**Your Score:** 57.00/100.00 (57.00%)

**Max Score:** 78.00

**Rank:** 12

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 73.08

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B		L	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MANAV NILESH PAWAR ( ID No. 10137 )

**Your Score:** 57.00/100.00 (57.00%)

**Max Score:** 78.00

**Rank:** 12

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 73.08

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 98 (**Correct:** 57 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 57.00

**Total Positive Marks:** 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	12.00	18.00	16.00	57.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PARTH M. NAGPURE ( ID No. 10430 )

**Your Score:** 57.00/100.00 (57.00%)

**Max Score:** 78.00

**Rank:** 12

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 73.08

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B		L	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B		L	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B		L	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C		L	0.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PARTH M. NAGPURE ( ID No. 10430 )

**Your Score:** 57.00/100.00 (57.00%)

**Max Score:** 78.00

**Rank:** 12

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 73.08

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A		L	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A		L	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A		L	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00

**Total Question:** 100 **Attempted:** 84 (**Correct:** 57 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 57.00

**Total Positive Marks:** 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	12.00	17.00	12.00	57.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA U. DIWARE ( ID No. 10414 )

**Your Score:** 56.00/100.00 (56.00%)

**Max Score:** 78.00

**Rank:** 13

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 71.79

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B		L	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA U. DIWARE ( ID No. 10414 )

**Your Score:** 56.00/100.00 (56.00%)

**Max Score:** 78.00

**Rank:** 13

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 71.79

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00

**Total Question:** 100 **Attempted:** 98 (**Correct:** 56 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 56.00

**Total Positive Marks:** 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	16.00	19.00	8.00	56.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VEDPRAKASH O. CHOUBE ( ID No. 10478 )

**Your Score:** 56.00/100.00 (56.00%)

**Max Score:** 78.00

**Rank:** 13

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 71.79

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	BD	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VEDPRAKASH O. CHOUBE ( ID No. 10478 )

**Your Score:** 56.00/100.00 (56.00%)

**Max Score:** 78.00

**Rank:** 13

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 71.79

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 56 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 56.00

**Total Positive Marks:** 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	16.00	17.00	10.00	56.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GAVRAV S. MISAL ( ID No. 10128 )

**Your Score:** 55.00/100.00 (55.00%)

**Max Score:** 78.00

**Rank:** 14

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 70.51

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GAVRAV S. MISAL ( ID No. 10128 )

**Your Score:** 55.00/100.00 (55.00%)

**Max Score:** 78.00

**Rank:** 14

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 70.51

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 55.00

**Total Positive Marks:** 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	8.00	15.00	17.00	55.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** YASH S. PARDHI ( ID No. 10190 )

**Your Score:** 55.00/100.00 (55.00%)

**Max Score:** 78.00

**Rank:** 14

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 70.51

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** YASH S. PARDHI ( ID No. 10190 )

**Your Score:** 55.00/100.00 (55.00%)

**Max Score:** 78.00

**Rank:** 14

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 70.51

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 55 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 55.00

**Total Positive Marks:** 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	13.00	16.00	13.00	55.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH P. RAHANE ( ID No. 10119 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 78.00

**Rank:** 15

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 69.23

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH P. RAHANE ( ID No. 10119 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 78.00

**Rank:** 15

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 69.23

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 54.00

**Total Positive Marks:** 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	12.00	19.00	13.00	54.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH S. MHAISANE ( ID No. 10120 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 78.00

**Rank:** 15

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 69.23

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AYUSH S. MHAISANE ( ID No. 10120 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 78.00

**Rank:** 15

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 69.23

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 54.00

**Total Positive Marks:** 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	10.00	17.00	14.00	54.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMRUDDHI P. BHALTILAK ( ID No. 10166 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 78.00

**Rank:** 15

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 69.23

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMRUDDHI P. BHALTILAK ( ID No. 10166 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 78.00

**Rank:** 15

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 69.23

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 54.00

**Total Positive Marks:** 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	18.00	16.00	9.00	54.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KALPAJIT J. TELGOTE ( ID No. 10422 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 78.00

**Rank:** 15

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 69.23

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B		L	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B		L	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KALPAJIT J. TELGOTE ( ID No. 10422 )

**Your Score:** 54.00/100.00 (54.00%)

**Max Score:** 78.00

**Rank:** 15

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 69.23

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A		L	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00

**Total Question:** 100 **Attempted:** 92 (**Correct:** 54 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 54.00

**Total Positive Marks:** 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	11.00	15.00	11.00	54.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAYANK MOHAN LAKRAS ( ID No. 10139 )

**Your Score:** 53.00/100.00 (53.00%)

**Max Score:** 78.00

**Rank:** 16

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 67.95

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAYANK MOHAN LAKRAS ( ID No. 10139 )

**Your Score:** 53.00/100.00 (53.00%)

**Max Score:** 78.00

**Rank:** 16

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 67.95

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 99 (**Correct:** 53 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 53.00

**Total Positive Marks:** 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	11.00	16.00	15.00	53.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AKSHAYA E. AMANKAR ( ID No. 10404 )

**Your Score:** 52.00/100.00 (52.00%)

**Max Score:** 78.00

**Rank:** 17

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 66.67

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** AKSHAYA E. AMANKAR ( ID No. 10404 )

**Your Score:** 52.00/100.00 (52.00%)

**Max Score:** 78.00

**Rank:** 17

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 66.67

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 52 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 52.00

**Total Positive Marks:** 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	10.00	19.00	9.00	52.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GARGI R. JADHAO ( ID No. 10420 )

**Your Score:** 52.00/100.00 (52.00%)

**Max Score:** 78.00

**Rank:** 17

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 66.67

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GARGI R. JADHAO ( ID No. 10420 )

**Your Score:** 52.00/100.00 (52.00%)

**Max Score:** 78.00

**Rank:** 17

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 66.67

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 99 (**Correct:** 52 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 52.00

**Total Positive Marks:** 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	8.00	16.00	11.00	52.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM ATUL GAVHANE ( ID No. 10428 )

**Your Score:** 52.00/100.00 (52.00%)

**Max Score:** 78.00

**Rank:** 17

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 66.67

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** OM ATUL GAVHANE ( ID No. 10428 )

**Your Score:** 52.00/100.00 (52.00%)

**Max Score:** 78.00

**Rank:** 17

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 66.67

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 52 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 52.00

**Total Positive Marks:** 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	14.00	20.00	11.00	52.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMARTH D. SAWARKAR ( ID No. 10164 )

**Your Score:** 51.00/100.00 (51.00%)

**Max Score:** 78.00

**Rank:** 18

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 65.38

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAMARTH D. SAWARKAR ( ID No. 10164 )

**Your Score:** 51.00/100.00 (51.00%)

**Max Score:** 78.00

**Rank:** 18

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 65.38

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 51.00

**Total Positive Marks:** 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	13.00	18.00	9.00	51.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAK S. PILLEWAR ( ID No. 10461 )

**Your Score:** 51.00/100.00 (51.00%)

**Max Score:** 78.00

**Rank:** 18

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 65.38

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAK S. PILLEWAR ( ID No. 10461 )

**Your Score:** 51.00/100.00 (51.00%)

**Max Score:** 78.00

**Rank:** 18

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 65.38

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 51.00

**Total Positive Marks:** 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	8.00	19.00	12.00	51.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI PRADIP TALE ( ID No. 10471 )

**Your Score:** 50.00/100.00 (50.00%)

**Max Score:** 78.00

**Rank:** 19

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 64.10

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B		L	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C		L	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI PRADIP TALE ( ID No. 10471 )

**Your Score:** 50.00/100.00 (50.00%)

**Max Score:** 78.00

**Rank:** 19

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 64.10

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A		L	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 97 (**Correct:** 50 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 50.00

**Total Positive Marks:** 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	13.00	15.00	9.00	50.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** GAURESH K. DAKHORE ( ID No. 10127 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 78.00

**Rank:** 20

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 61.54

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE ( ID No. 10127 )

Your Score: 48.00/100.00 (48.00%)

Max Score: 78.00

Rank: 20

Min Score: 32.00

TEST: MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

Percentile: 61.54

Avg Score: 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

Total Question: 100 Attempted: 100 (Correct: 48 Incorrect: 52) Score Rate: 0.00 Strike Rate: 0.00

Total: 48.00

Total Positive Marks: 48.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
12.00	9.00	18.00	9.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%





# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVRAJ RAHUL SABLE ( ID No. 10174 )

**Your Score:** 48.00/100.00 (48.00%)

**Max Score:** 78.00

**Rank:** 20

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 61.54

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 48.00

**Total Positive Marks:** 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	13.00	16.00	9.00	48.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHAN RAJIV HALADE ( ID No. 10155 )

**Your Score:** 47.00/100.00 (47.00%)

**Max Score:** 78.00

**Rank:** 21

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 60.26

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A		L	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00

**Total Question:** 100 **Attempted:** 81 (**Correct:** 47 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 47.00

**Total Positive Marks:** 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	14.00	21.00	8.00	47.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHA RAJNISH GHOPE ( ID No. 10142 )

**Your Score:** 46.00/100.00 (46.00%)

**Max Score:** 78.00

**Rank:** 22

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 58.97

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 46 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 46.00

**Total Positive Marks:** 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	8.00	14.00	11.00	46.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE ( ID No. 10441 )

Your Score: 45.00/100.00 (45.00%)

Max Score: 78.00

Rank: 23

Min Score: 32.00

TEST: MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

Percentile: 57.69

Avg Score: 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 Attempted: 98 (Correct: 45 Incorrect: 53) Score Rate: 0.00 Strike Rate: 0.00

Total: 45.00

Total Positive Marks: 45.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
11.00	7.00	14.00	13.00	45.00



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHAVYA PRAFUL JAIN ( ID No. 10194 )

**Your Score:** 43.00/100.00 (43.00%)

**Max Score:** 78.00

**Rank:** 24

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 55.13

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** BHAVYA PRAFUL JAIN ( ID No. 10194 )

**Your Score:** 43.00/100.00 (43.00%)

**Max Score:** 78.00

**Rank:** 24

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 55.13

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	BD	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 43 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 43.00

**Total Positive Marks:** 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	9.00	17.00	10.00	43.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL R. INGALE ( ID No. 10160 )

**Your Score:** 39.00/100.00 (39.00%)

**Max Score:** 78.00

**Rank:** 25

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 50.00

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL R. INGALE ( ID No. 10160 )

**Your Score:** 39.00/100.00 (39.00%)

**Max Score:** 78.00

**Rank:** 25

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 50.00

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 39 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 39.00

**Total Positive Marks:** 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	8.00	16.00	8.00	<b>39.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANJIVINI A. BHALTILAK ( ID No. 10167 )

**Your Score:** 39.00/100.00 (39.00%)

**Max Score:** 78.00

**Rank:** 25

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 50.00

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANJIVINI A. BHALTILAK ( ID No. 10167 )

**Your Score:** 39.00/100.00 (39.00%)

**Max Score:** 78.00

**Rank:** 25

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 50.00

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 39 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 39.00

**Total Positive Marks:** 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	9.00	15.00	8.00	<b>39.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VIJAYANDRA R. RATHOD ( ID No. 10186 )

**Your Score:** 38.00/100.00 (38.00%)

**Max Score:** 78.00

**Rank:** 26

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 48.72

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VIJAYANDRA R. RATHOD ( ID No. 10186 )

**Your Score:** 38.00/100.00 (38.00%)

**Max Score:** 78.00

**Rank:** 26

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 48.72

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 38 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 38.00

**Total Positive Marks:** 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	10.00	14.00	7.00	<b>38.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI K. TIWARI ( ID No. 10168 )

**Your Score:** 37.00/100.00 (37.00%)

**Max Score:** 78.00

**Rank:** 27

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 47.44

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI K. TIWARI ( ID No. 10168 )

**Your Score:** 37.00/100.00 (37.00%)

**Max Score:** 78.00

**Rank:** 27

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 47.44

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 37 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 37.00

**Total Positive Marks:** 37.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	11.00	12.00	10.00	<b>37.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREE RAVINDRA DODKE ( ID No. 10176 )

**Your Score:** 37.00/100.00 (37.00%)

**Max Score:** 78.00

**Rank:** 27

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 47.44

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREE RAVINDRA DODKE ( ID No. 10176 )

**Your Score:** 37.00/100.00 (37.00%)

**Max Score:** 78.00

**Rank:** 27

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 47.44

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 37 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 37.00

**Total Positive Marks:** 37.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	8.00	16.00	9.00	37.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ATHARVA DILIP GHODKAR ( ID No. 10412 )

**Your Score:** 36.00/100.00 (36.00%)

**Max Score:** 78.00

**Rank:** 28

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 46.15

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR ( ID No. 10412 )

Your Score: 36.00/100.00 (36.00%)

Max Score: 78.00

Rank: 28

Min Score: 32.00

TEST: MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

Percentile: 46.15

Avg Score: 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 Attempted: 100 (Correct: 36 Incorrect: 64) Score Rate: 0.00 Strike Rate: 0.00

Total: 36.00

Total Positive Marks: 36.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
7.00	9.00	14.00	6.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK V. SARNAIK ( ID No. 10457 )

**Your Score:** 36.00/100.00 (36.00%)

**Max Score:** 78.00

**Rank:** 28

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 46.15

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARTHAK V. SARNAIK ( ID No. 10457 )

**Your Score:** 36.00/100.00 (36.00%)

**Max Score:** 78.00

**Rank:** 28

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 46.15

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 36 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 36.00

**Total Positive Marks:** 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	5.00	15.00	7.00	36.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** YUVRAJ A. SHARMA ( ID No. 10480 )

**Your Score:** 36.00/100.00 (36.00%)

**Max Score:** 78.00

**Rank:** 28

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 46.15

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
**ATTEMPT:** 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** YUVRAJ A. SHARMA ( ID No. 10480 )

**Your Score:** 36.00/100.00 (36.00%)

**Max Score:** 78.00

**Rank:** 28

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 46.15

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 36 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 36.00

**Total Positive Marks:** 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	9.00	14.00	5.00	<b>36.00</b>

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100%    RIGHT: 0-25% | 26-50% | 51-75% | 76-100%    WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANAND RAJESH GAVATRE ( ID No. 10107 )

**Your Score:** 35.00/100.00 (35.00%)

**Max Score:** 78.00

**Rank:** 29

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 44.87

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B		L	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANAND RAJESH GAVATRE ( ID No. 10107 )

**Your Score:** 35.00/100.00 (35.00%)

**Max Score:** 78.00

**Rank:** 29

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 44.87

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 99 (**Correct:** 35 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 35.00

**Total Positive Marks:** 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	6.00	11.00	8.00	35.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VEDIKA RANJIT KHEDKAR ( ID No. 10477 )

**Your Score:** 33.00/100.00 (33.00%)

**Max Score:** 78.00

**Rank:** 30

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 42.31

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer  
**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

NAME: VEDIKA RANJIT KHEDKAR ( ID No. 10477 )

Your Score: 33.00/100.00 (33.00%)

Max Score: 78.00

Rank: 30

Min Score: 32.00

TEST: MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

Percentile: 42.31

Avg Score: 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

Total Question: 100 Attempted: 100 (Correct: 33 Incorrect: 67) Score Rate: 0.00 Strike Rate: 0.00

Total: 33.00

Total Positive Marks: 33.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
4.00	8.00	15.00	6.00	33.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer  
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANIKET VAIBHAV OLAMBE ( ID No. 10108 )

**Your Score:** 32.00/100.00 (32.00%)

**Max Score:** 78.00

**Rank:** 31

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 41.03

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	21.15	78.85	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
2	96.15	61.54	34.62	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	65.38	34.62	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
5	100.00	44.23	55.77	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
6	100.00	9.62	90.38	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	98.08	30.77	67.31	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
8	100.00	67.31	32.69	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
9	98.08	46.15	51.92	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
10	98.08	67.31	30.77	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	98.08	78.85	19.23	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
12	96.15	21.15	75.00	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
13	98.08	50.00	48.08	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
14	100.00	55.77	44.23	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
15	98.08	44.23	53.85	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
16	98.08	59.62	38.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
17	98.08	23.08	75.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
18	100.00	63.46	36.54	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	98.08	55.77	42.31	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
20	100.00	46.15	53.85	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
21	98.08	63.46	34.62	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	98.08	84.62	13.46	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
23	100.00	78.85	21.15	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
24	92.31	28.85	63.46	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
25	98.08	17.31	80.77	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
26	100.00	88.46	11.54	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
27	92.31	26.92	65.38	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
28	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
29	92.31	32.69	59.62	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
30	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	75.00	25.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	94.23	65.38	28.85	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
33	100.00	26.92	73.08	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
34	100.00	65.38	34.62	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	100.00	57.69	42.31	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
37	100.00	42.31	57.69	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
38	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
39	100.00	34.62	65.38	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	96.15	51.92	44.23	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
41	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	15.38	84.62	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	96.15	63.46	32.69	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
45	100.00	61.54	38.46	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	98.08	36.54	61.54	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	44.23	55.77	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
49	100.00	30.77	69.23	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	100.00	55.77	44.23	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	38.46	61.54	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
52	98.08	63.46	34.62	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
53	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
54	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
55	100.00	19.23	80.77	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
56	100.00	65.38	34.62	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
57	100.00	57.69	42.31	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
58	100.00	86.54	13.46	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
59	98.08	69.23	28.85	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
60	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	40.38	59.62	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
62	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
63	100.00	71.15	28.85	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer **KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ANIKET VAIBHAV OLAMBE ( ID No. 10108 )

**Your Score:** 32.00/100.00 (32.00%)

**Max Score:** 78.00

**Rank:** 31

**Min Score:** 32.00

**TEST:** MAJOR TEST 7 (STD. 10TH) ( ID: 23 DT: 08-Jan-2024 )

**Percentile:** 41.03

**Avg Score:** 52.46

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	59.62	40.38	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
65	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
66	100.00	30.77	69.23	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
67	100.00	98.08	1.92	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	100.00	80.77	19.23	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	44.23	55.77	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	46.15	53.85	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
71	100.00	92.31	7.69	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
72	100.00	82.69	17.31	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
73	100.00	88.46	11.54	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
74	100.00	94.23	5.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	69.23	30.77	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
76	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	98.08	55.77	42.31	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	96.15	23.08	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	98.08	30.77	67.31	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	61.54	38.46	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
82	100.00	36.54	63.46	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
83	100.00	40.38	59.62	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
84	96.15	30.77	65.38	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
85	100.00	82.69	17.31	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
86	100.00	65.38	34.62	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
87	100.00	55.77	44.23	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
89	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	100.00	46.15	53.85	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	100.00	26.92	73.08	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	96.15	78.85	17.31	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
93	98.08	76.92	21.15	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	96.15	34.62	61.54	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	94.23	26.92	67.31	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
96	98.08	48.08	50.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
97	96.15	15.38	80.77	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	96.15	42.31	53.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
99	94.23	23.08	71.15	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
100	94.23	48.08	46.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

**Total Question:** 100 **Attempted:** 100 (**Correct:** 32 **Incorrect:** 68) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 32.00

**Total Positive Marks:** 32.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	8.00	10.00	8.00	32.00

**ATT% / R% / W%** : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer  
**KEY** : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.  
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%