

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 72.00/100.00 (72.00%)

Max Score: 72.00

Rank: 1

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 100.00

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 72.00/100.00 (72.00%)

Max Score: 72.00

Rank: 1

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 100.00

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 72 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 72.00

Total Positive Marks: 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	19.00	21.00	18.00	72.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRISHNA PRAMOD SHUKLA (ID No. 92023)

Your Score: 70.00/100.00 (70.00%)

Max Score: 72.00

Rank: 2

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 97.22

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRISHNA PRAMOD SHUKLA (ID No. 92023)

Your Score: 70.00/100.00 (70.00%)

Max Score: 72.00

Rank: 2

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 97.22

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 70 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 70.00

Total Positive Marks: 70.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	17.00	22.00	18.00	70.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 67.00/100.00 (67.00%)

Max Score: 72.00

Rank: 3

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 93.06

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 67.00/100.00 (67.00%)

Max Score: 72.00

Rank: 3

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 93.06

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 67 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	18.00	20.00	16.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 63.00/100.00 (63.00%)

Max Score: 72.00

Rank: 4

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 87.50

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D		L	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 63.00/100.00 (63.00%)

Max Score: 72.00

Rank: 4

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 87.50

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 63 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	16.00	19.00	20.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 63.00/100.00 (63.00%)

Max Score: 72.00

Rank: 4

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 87.50

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 63.00/100.00 (63.00%)

Max Score: 72.00

Rank: 4

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 87.50

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 63 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	18.00	19.00	14.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 62.00/100.00 (62.00%)

Max Score: 72.00

Rank: 5

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 86.11

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 62.00/100.00 (62.00%)

Max Score: 72.00

Rank: 5

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 86.11

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 62 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	16.00	17.00	16.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV NILESH WAKALE (ID No. 91008)

Your Score: 61.00/100.00 (61.00%)

Max Score: 72.00

Rank: 6

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 84.72

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV NILESH WAKALE (ID No. 91008)

Your Score: 61.00/100.00 (61.00%)

Max Score: 72.00

Rank: 6

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 84.72

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 61 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	12.00	20.00	17.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 56.00/100.00 (56.00%)

Max Score: 72.00

Rank: 7

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 77.78

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 56.00/100.00 (56.00%)

Max Score: 72.00

Rank: 7

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 77.78

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 56 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	10.00	19.00	17.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 55.00/100.00 (55.00%)

Max Score: 72.00

Rank: 8

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 76.39

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 55.00/100.00 (55.00%)

Max Score: 72.00

Rank: 8

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 76.39

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	13.00	20.00	10.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 54.00/100.00 (54.00%)

Max Score: 72.00

Rank: 9

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 75.00

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 54.00/100.00 (54.00%)

Max Score: 72.00

Rank: 9

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 75.00

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	12.00	18.00	14.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 53.00/100.00 (53.00%)

Max Score: 72.00

Rank: 10

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 73.61

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 53.00/100.00 (53.00%)

Max Score: 72.00

Rank: 10

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 73.61

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 53 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	14.00	19.00	11.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 53.00/100.00 (53.00%)

Max Score: 72.00

Rank: 10

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 73.61

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 53.00/100.00 (53.00%)

Max Score: 72.00

Rank: 10

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 73.61

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 53 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	14.00	16.00	11.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 53.00/100.00 (53.00%)

Max Score: 72.00

Rank: 10

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 73.61

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 53.00/100.00 (53.00%)

Max Score: 72.00

Rank: 10

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 73.61

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 53 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	12.00	19.00	13.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYA GAJANAN INGLE (ID No. 92013)

Your Score: 51.00/100.00 (51.00%)

Max Score: 72.00

Rank: 11

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 70.83

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	AB	W	0.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYA GAJANAN INGLE (ID No. 92013)

Your Score: 51.00/100.00 (51.00%)

Max Score: 72.00

Rank: 11

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 70.83

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	11.00	19.00	10.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 51.00/100.00 (51.00%)

Max Score: 72.00

Rank: 11

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 70.83

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 51.00/100.00 (51.00%)

Max Score: 72.00

Rank: 11

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 70.83

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	10.00	18.00	15.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 48.00/100.00 (48.00%)

Max Score: 72.00

Rank: 12

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 66.67

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 48.00/100.00 (48.00%)

Max Score: 72.00

Rank: 12

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 66.67

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	14.00	16.00	12.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASHIKA NILESH HUTKE (ID No. 91016)

Your Score: 48.00/100.00 (48.00%)

Max Score: 72.00

Rank: 12

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 66.67

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASHIKA NILESH HUTKE (ID No. 91016)

Your Score: 48.00/100.00 (48.00%)

Max Score: 72.00

Rank: 12

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 66.67

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	15.00	17.00	12.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 47.00/100.00 (47.00%)

Max Score: 72.00

Rank: 13

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 65.28

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 47.00/100.00 (47.00%)

Max Score: 72.00

Rank: 13

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 65.28

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 47 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	11.00	18.00	8.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 47.00/100.00 (47.00%)

Max Score: 72.00

Rank: 13

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 65.28

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 47.00/100.00 (47.00%)

Max Score: 72.00

Rank: 13

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 65.28

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 47 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	12.00	17.00	11.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 46.00/100.00 (46.00%)

Max Score: 72.00

Rank: 14

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 63.89

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	AB	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 46.00/100.00 (46.00%)

Max Score: 72.00

Rank: 14

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 63.89

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	BD	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 46 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	9.00	19.00	10.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 46.00/100.00 (46.00%)

Max Score: 72.00

Rank: 14

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 63.89

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 46.00/100.00 (46.00%)

Max Score: 72.00

Rank: 14

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 63.89

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 46 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	11.00	19.00	11.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNALI S. ARBAT (ID No. 92025)

Your Score: 46.00/100.00 (46.00%)

Max Score: 72.00

Rank: 14

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 63.89

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNALI S. ARBAT (ID No. 92025)

Your Score: 46.00/100.00 (46.00%)

Max Score: 72.00

Rank: 14

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 63.89

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 46 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	14.00	13.00	11.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH MUKUNDA JAGTAP (ID No. 92017)

Your Score: 45.00/100.00 (45.00%)

Max Score: 72.00

Rank: 15

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 62.50

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B		L	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B		L	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH MUKUNDA JAGTAP (ID No. 92017)

Your Score: 45.00/100.00 (45.00%)

Max Score: 72.00

Rank: 15

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 62.50

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B		L	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 45 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	7.00	19.00	15.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DHANANJAY GADHE (ID No. 92040)

Your Score: 45.00/100.00 (45.00%)

Max Score: 72.00

Rank: 15

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 62.50

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DHANANJAY GADHE (ID No. 92040)

Your Score: 45.00/100.00 (45.00%)

Max Score: 72.00

Rank: 15

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 62.50

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 45 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	11.00	15.00	9.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 42.00/100.00 (42.00%)

Max Score: 72.00

Rank: 16

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 58.33

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 42.00/100.00 (42.00%)

Max Score: 72.00

Rank: 16

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 58.33

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 42 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	12.00	13.00	9.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 41.00/100.00 (41.00%)

Max Score: 72.00

Rank: 17

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 56.94

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 41.00/100.00 (41.00%)

Max Score: 72.00

Rank: 17

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 56.94

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 41 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	12.00	13.00	11.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 40.00/100.00 (40.00%)

Max Score: 72.00

Rank: 18

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 55.56

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 40.00/100.00 (40.00%)

Max Score: 72.00

Rank: 18

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 55.56

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 40 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	8.00	13.00	11.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA ANIL KHANDEKAR (ID No. 91002)

Your Score: 38.00/100.00 (38.00%)

Max Score: 72.00

Rank: 19

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 52.78

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA ANIL KHANDEKAR (ID No. 91002)

Your Score: 38.00/100.00 (38.00%)

Max Score: 72.00

Rank: 19

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 52.78

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 38 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	10.00	12.00	9.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHRA SHARAD GHUGE (ID No. 92038)

Your Score: 38.00/100.00 (38.00%)

Max Score: 72.00

Rank: 19

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 52.78

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHRA SHARAD GHUGE (ID No. 92038)

Your Score: 38.00/100.00 (38.00%)

Max Score: 72.00

Rank: 19

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 52.78

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 38 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	9.00	15.00	9.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJKUMARI R. HANUMANTE (ID No. 91010)

Your Score: 36.00/100.00 (36.00%)

Max Score: 72.00

Rank: 20

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 50.00

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJKUMARI R. HANUMANTE (ID No. 91010)

Your Score: 36.00/100.00 (36.00%)

Max Score: 72.00

Rank: 20

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 50.00

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 36 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
3.00	11.00	16.00	6.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHANTANU VISHNU LODAM (ID No. 91012)

Your Score: 36.00/100.00 (36.00%)

Max Score: 72.00

Rank: 20

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 50.00

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHANTANU VISHNU LODAM (ID No. 91012)

Your Score: 36.00/100.00 (36.00%)

Max Score: 72.00

Rank: 20

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 50.00

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 36 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	8.00	12.00	8.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92042)

Your Score: 36.00/100.00 (36.00%)

Max Score: 72.00

Rank: 20

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 50.00

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92042)

Your Score: 36.00/100.00 (36.00%)

Max Score: 72.00

Rank: 20

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 50.00

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 36 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	10.00	13.00	8.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 34.00/100.00 (34.00%)

Max Score: 72.00

Rank: 21

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 47.22

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 34.00/100.00 (34.00%)

Max Score: 72.00

Rank: 21

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 47.22

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 34 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 34.00

Total Positive Marks: 34.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	8.00	13.00	8.00	34.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAVINDRA SURVE (ID No. 92022)

Your Score: 34.00/100.00 (34.00%)

Max Score: 72.00

Rank: 21

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 47.22

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAVINDRA SURVE (ID No. 92022)

Your Score: 34.00/100.00 (34.00%)

Max Score: 72.00

Rank: 21

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 47.22

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 34 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 34.00

Total Positive Marks: 34.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	9.00	11.00	3.00	34.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI PRAKASH SANGLE (ID No. 92041)

Your Score: 25.00/100.00 (25.00%)

Max Score: 72.00

Rank: 22

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 34.72

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	94.29	17.14	77.14	PHY	REGULAR MTF	1.00	0.00	D		L	0.00
2	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	97.14	34.29	62.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
4	91.43	42.86	48.57	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
5	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
6	100.00	51.43	48.57	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
7	97.14	37.14	60.00	PHY	REGULAR MTF	1.00	0.00	D		L	0.00
8	100.00	25.71	74.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
9	97.14	74.29	22.86	PHY	REGULAR MTF	1.00	0.00	B		L	0.00
10	94.29	40.00	54.29	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
11	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
12	100.00	28.57	71.43	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
14	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
15	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	97.14	42.86	54.29	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
17	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
18	97.14	25.71	71.43	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
19	94.29	34.29	60.00	PHY	REGULAR MTF	1.00	0.00	B		L	0.00
20	100.00	20.00	80.00	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
21	100.00	11.43	88.57	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
22	97.14	62.86	34.29	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
23	100.00	57.14	42.86	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
24	100.00	45.71	54.29	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
25	100.00	22.86	77.14	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
26	100.00	42.86	57.14	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
27	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
29	97.14	14.29	82.86	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
30	97.14	25.71	71.43	CHEM	REGULAR MTF	1.00	0.00	B		L	0.00
31	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
33	100.00	45.71	54.29	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
34	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
35	100.00	17.14	82.86	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
36	97.14	34.29	62.86	CHEM	REGULAR MTF	1.00	0.00	D		L	0.00
37	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
38	100.00	34.29	65.71	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
39	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
40	100.00	68.57	31.43	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	97.14	48.57	48.57	CHEM	REGULAR MTF	1.00	0.00	B		L	0.00
42	100.00	40.00	60.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
43	97.14	31.43	65.71	CHEM	REGULAR MTF	1.00	0.00	C		L	0.00
44	100.00	80.00	20.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
45	100.00	85.71	14.29	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
46	100.00	100.00	0.00	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	48.57	51.43	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	31.43	68.57	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
50	100.00	65.71	34.29	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
51	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
52	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
53	100.00	25.71	74.29	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
54	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
55	97.14	74.29	22.86	BIO	REGULAR MTF	1.00	0.00	A		L	0.00
56	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
58	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
59	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
60	100.00	82.86	17.14	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
62	100.00	14.29	85.71	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
63	100.00	97.14	2.86	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI PRAKASH SANGLE (ID No. 92041)

Your Score: 25.00/100.00 (25.00%)

Max Score: 72.00

Rank: 22

Min Score: 25.00

TEST: MAJOR TEST 7 (STD. 9TH) (ID: 22 DT: 08-Jan-2024)

Percentile: 34.72

Avg Score: 48.63

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	37.14	62.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
65	100.00	77.14	22.86	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
66	100.00	80.00	20.00	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
67	100.00	68.57	31.43	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
68	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
69	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	88.57	11.43	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
71	97.14	48.57	48.57	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
72	100.00	94.29	5.71	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	74.29	25.71	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	65.71	34.29	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
75	100.00	51.43	48.57	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
76	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
77	94.29	74.29	20.00	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
78	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
79	100.00	14.29	85.71	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
80	100.00	40.00	60.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
81	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
82	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
83	97.14	62.86	34.29	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
84	100.00	25.71	74.29	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
85	100.00	8.57	91.43	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
86	100.00	51.43	48.57	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
87	97.14	31.43	65.71	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
88	97.14	60.00	37.14	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00
89	100.00	17.14	82.86	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
90	100.00	37.14	62.86	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	97.14	37.14	60.00	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
92	100.00	65.71	34.29	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
93	100.00	48.57	51.43	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	97.14	42.86	54.29	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00
95	100.00	60.00	40.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
96	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	20.00	80.00	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	62.86	37.14	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
99	100.00	57.14	42.86	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	80.00	20.00	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 79 (**Correct:** 25 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 25.00

Total Positive Marks: 25.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	7.00	12.00	2.00	25.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%