

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 77.00/100.00 (77.00%)

Max Score: 77.00

Rank: 1

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 100.00

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 77.00/100.00 (77.00%)

Max Score: 77.00

Rank: 1

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 100.00

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 77 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 77.00

Total Positive Marks: 77.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	17.00	22.00	23.00	77.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 75.00/100.00 (75.00%)

Max Score: 77.00

Rank: 2

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 97.40

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 75.00/100.00 (75.00%)

Max Score: 77.00

Rank: 2

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 97.40

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	CD	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 75 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 75.00

Total Positive Marks: 75.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	19.00	19.00	20.00	75.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 68.00/100.00 (68.00%)

Max Score: 77.00

Rank: 3

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 88.31

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 68.00/100.00 (68.00%)

Max Score: 77.00

Rank: 3

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 88.31

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 68 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 68.00

Total Positive Marks: 68.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	16.00	22.00	17.00	68.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 68.00/100.00 (68.00%)

Max Score: 77.00

Rank: 3

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 88.31

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 68.00/100.00 (68.00%)

Max Score: 77.00

Rank: 3

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 88.31

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 68 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 68.00

Total Positive Marks: 68.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	17.00	22.00	16.00	68.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 67.00/100.00 (67.00%)

Max Score: 77.00

Rank: 4

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 87.01

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 67.00/100.00 (67.00%)

Max Score: 77.00

Rank: 4

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 87.01

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 67 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	17.00	21.00	17.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 67.00/100.00 (67.00%)

Max Score: 77.00

Rank: 4

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 87.01

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 67.00/100.00 (67.00%)

Max Score: 77.00

Rank: 4

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 87.01

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 67 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	14.00	21.00	18.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 65.00/100.00 (65.00%)

Max Score: 77.00

Rank: 5

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 84.42

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 65.00/100.00 (65.00%)

Max Score: 77.00

Rank: 5

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 84.42

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	BC	W	0.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 65 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	16.00	22.00	12.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 63.00/100.00 (63.00%)

Max Score: 77.00

Rank: 6

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 81.82

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	CD	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 63.00/100.00 (63.00%)

Max Score: 77.00

Rank: 6

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 81.82

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 Attempted: 99 (Correct: 63 Incorrect: 36) Score Rate: 0.00 Strike Rate: 0.00

Total: 63.00

Total Positive Marks: 63.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
11.00	12.00	20.00	20.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 63.00/100.00 (63.00%)

Max Score: 77.00

Rank: 6

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 81.82

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 63.00/100.00 (63.00%)

Max Score: 77.00

Rank: 6

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 81.82

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	CD	W	0.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 Attempted: 100 (Correct: 63 Incorrect: 37) Score Rate: 0.00 Strike Rate: 0.00

Total: 63.00

Total Positive Marks: 63.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
14.00	12.00	22.00	15.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 63.00/100.00 (63.00%)

Max Score: 77.00

Rank: 6

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 81.82

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 63.00/100.00 (63.00%)

Max Score: 77.00

Rank: 6

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 81.82

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 63 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	14.00	22.00	18.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 7

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 80.52

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B		L	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 62.00/100.00 (62.00%)

Max Score: 77.00

Rank: 7

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 80.52

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 87 (**Correct:** 62 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	14.00	24.00	17.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 60.00/100.00 (60.00%)

Max Score: 77.00

Rank: 8

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 77.92

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 60.00/100.00 (60.00%)

Max Score: 77.00

Rank: 8

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 77.92

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 60 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	16.00	21.00	14.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KUNAL SANJAY RAI (ID No. 10136)

Your Score: 58.00/100.00 (58.00%)

Max Score: 77.00

Rank: 9

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 75.32

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KUNAL SANJAY RAI (ID No. 10136)

Your Score: 58.00/100.00 (58.00%)

Max Score: 77.00

Rank: 9

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 75.32

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 58 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	13.00	21.00	18.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 10

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 74.03

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 10

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 74.03

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 57 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	13.00	23.00	13.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 10

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 74.03

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 10

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 74.03

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 57 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	14.00	21.00	10.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 10

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 74.03

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 57.00/100.00 (57.00%)

Max Score: 77.00

Rank: 10

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 74.03

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00

Total Question: 100 Attempted: 100 (Correct: 57 Incorrect: 43) Score Rate: 0.00 Strike Rate: 0.00

Total: 57.00

Total Positive Marks: 57.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
7.00	14.00	23.00	13.00	57.00

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR (ID No. 10116)

Your Score: 56.00/100.00 (56.00%)

Max Score: 77.00

Rank: 11

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 72.73

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR (ID No. 10116)

Your Score: 56.00/100.00 (56.00%)

Max Score: 77.00

Rank: 11

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 72.73

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 56 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	10.00	25.00	12.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 54.00/100.00 (54.00%)

Max Score: 77.00

Rank: 12

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 70.13

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 54.00/100.00 (54.00%)

Max Score: 77.00

Rank: 12

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 70.13

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00

Total Question: 100 Attempted: 98 (Correct: 54 Incorrect: 44) Score Rate: 0.00 Strike Rate: 0.00

Total: 54.00

Total Positive Marks: 54.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
10.00	8.00	17.00	19.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 54.00/100.00 (54.00%)

Max Score: 77.00

Rank: 12

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 70.13

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 54.00/100.00 (54.00%)

Max Score: 77.00

Rank: 12

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 70.13

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	9.00	22.00	16.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 54.00/100.00 (54.00%)

Max Score: 77.00

Rank: 12

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 70.13

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 54.00/100.00 (54.00%)

Max Score: 77.00

Rank: 12

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 70.13

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 54 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	15.00	17.00	12.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 52.00/100.00 (52.00%)

Max Score: 77.00

Rank: 13

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 67.53

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 52.00/100.00 (52.00%)

Max Score: 77.00

Rank: 13

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 67.53

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 52 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	9.00	19.00	17.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 51.00/100.00 (51.00%)

Max Score: 77.00

Rank: 14

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 66.23

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 51.00/100.00 (51.00%)

Max Score: 77.00

Rank: 14

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 66.23

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	13.00	24.00	9.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 15

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 64.94

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 50.00/100.00 (50.00%)

Max Score: 77.00

Rank: 15

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 64.94

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 50 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	12.00	21.00	10.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL R. INGALE (ID No. 10160)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 16

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 62.34

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL R. INGALE (ID No. 10160)

Your Score: 48.00/100.00 (48.00%)

Max Score: 77.00

Rank: 16

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 62.34

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	7.00	20.00	13.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIJAYANDRA R. RATHOD (ID No. 10186)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 17

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 61.04

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIJAYANDRA R. RATHOD (ID No. 10186)

Your Score: 47.00/100.00 (47.00%)

Max Score: 77.00

Rank: 17

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 61.04

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00

Total Question: 100 Attempted: 100 (Correct: 47 Incorrect: 53) Score Rate: 0.00 Strike Rate: 0.00

Total: 47.00

Total Positive Marks: 47.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
8.00	10.00	17.00	12.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
 KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 45.00/100.00 (45.00%)

Max Score: 77.00

Rank: 18

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 58.44

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	CD	W	0.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 45.00/100.00 (45.00%)

Max Score: 77.00

Rank: 18

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 58.44

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 45 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	12.00	10.00	14.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHA RAJNISH GHOPE (ID No. 10142)

Your Score: 44.00/100.00 (44.00%)

Max Score: 77.00

Rank: 19

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 57.14

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	70.37	29.63	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
2	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
3	96.30	33.33	62.96	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
5	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
6	96.30	70.37	25.93	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
7	96.30	25.93	70.37	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
8	92.59	59.26	33.33	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
9	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	25.93	74.07	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
11	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
12	96.30	40.74	55.56	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
13	96.30	37.04	59.26	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
14	96.30	48.15	48.15	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
15	96.30	7.41	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
16	92.59	18.52	74.07	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
18	96.30	62.96	33.33	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
19	100.00	11.11	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
21	100.00	40.74	59.26	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	100.00	14.81	85.19	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
23	100.00	37.04	62.96	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
24	100.00	77.78	22.22	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
25	100.00	62.96	37.04	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
26	100.00	51.85	48.15	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
27	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
28	96.30	66.67	29.63	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
29	100.00	18.52	81.48	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
30	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	7.41	92.59	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
32	96.30	14.81	81.48	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
33	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
35	100.00	25.93	74.07	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
36	92.59	55.56	37.04	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
37	100.00	81.48	18.52	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
38	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
39	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
40	100.00	40.74	59.26	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
42	100.00	14.81	85.19	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
43	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
44	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
45	100.00	62.96	37.04	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
46	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
47	100.00	59.26	40.74	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
48	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
49	100.00	77.78	22.22	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
50	100.00	85.19	14.81	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
51	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
52	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	100.00	0.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
54	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
55	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
56	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
57	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
58	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
59	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
60	100.00	74.07	25.93	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
61	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
62	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
63	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NEHA RAJNISH GHOPE (ID No. 10142)

Your Score: 44.00/100.00 (44.00%)

Max Score: 77.00

Rank: 19

Min Score: 44.00

TEST: MAJOR TEST 8 (STD 10) (ID: 30 DT: 05-Feb-2024)

Percentile: 57.14

Avg Score: 58.59

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
65	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
66	100.00	96.30	3.70	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
67	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
68	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
69	100.00	85.19	14.81	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
70	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
71	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	100.00	81.48	18.52	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
73	100.00	62.96	37.04	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
74	100.00	88.89	11.11	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
75	100.00	92.59	7.41	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
76	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
78	100.00	70.37	29.63	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
79	100.00	62.96	37.04	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
80	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
82	100.00	88.89	11.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
83	96.30	22.22	74.07	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
84	100.00	85.19	14.81	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	66.67	33.33	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
86	100.00	96.30	3.70	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
87	100.00	92.59	7.41	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
88	100.00	74.07	25.93	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
89	100.00	81.48	18.52	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
90	96.30	48.15	48.15	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
91	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
92	100.00	44.44	55.56	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
93	100.00	18.52	81.48	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
94	100.00	40.74	59.26	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
95	100.00	25.93	74.07	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
96	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	100.00	77.78	22.22	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
98	100.00	59.26	40.74	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
99	100.00	48.15	51.85	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
100	100.00	37.04	62.96	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 44 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	9.00	16.00	15.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%