

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL R. INGLE (ID No. 92032)

Your Score: 70.00/100.00 (70.00%)

Max Score: 70.00

Rank: 1

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 100.00

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL R. INGLE (ID No. 92032)

Your Score: 70.00/100.00 (70.00%)

Max Score: 70.00

Rank: 1

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 100.00

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 68 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 70.00

Total Positive Marks: 70.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	16.00	23.00	17.00	70.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRISHNA PRAMOD SHUKLA (ID No. 92023)

Your Score: 63.00/100.00 (63.00%)

Max Score: 70.00

Rank: 2

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 90.00

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRISHNA PRAMOD SHUKLA (ID No. 92023)

Your Score: 63.00/100.00 (63.00%)

Max Score: 70.00

Rank: 2

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 90.00

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 61 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	10.00	21.00	19.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 63.00/100.00 (63.00%)

Max Score: 70.00

Rank: 2

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 90.00

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 63.00/100.00 (63.00%)

Max Score: 70.00

Rank: 2

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 90.00

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 61 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	14.00	20.00	15.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 61.00/100.00 (61.00%)

Max Score: 70.00

Rank: 3

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 87.14

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 61.00/100.00 (61.00%)

Max Score: 70.00

Rank: 3

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 87.14

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 59 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	15.00	17.00	17.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 58.00/100.00 (58.00%)

Max Score: 70.00

Rank: 4

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 82.86

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 58.00/100.00 (58.00%)

Max Score: 70.00

Rank: 4

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 82.86

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 56 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	17.00	15.00	15.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 57.00/100.00 (57.00%)

Max Score: 70.00

Rank: 5

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 81.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 57.00/100.00 (57.00%)

Max Score: 70.00

Rank: 5

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 81.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A		L	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		D	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 Attempted: 97 (Correct: 55 Incorrect: 42) Score Rate: 0.00 Strike Rate: 0.00

Total: 57.00

Total Positive Marks: 57.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
14.00	10.00	20.00	13.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ANIL GAYAKWAD (ID No. 92030)

Your Score: 57.00/100.00 (57.00%)

Max Score: 70.00

Rank: 5

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 81.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ANIL GAYAKWAD (ID No. 92030)

Your Score: 57.00/100.00 (57.00%)

Max Score: 70.00

Rank: 5

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 81.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 55 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	14.00	17.00	13.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 57.00/100.00 (57.00%)

Max Score: 70.00

Rank: 5

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 81.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 57.00/100.00 (57.00%)

Max Score: 70.00

Rank: 5

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 81.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		C	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 55 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	9.00	22.00	14.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI PRAMOD SURWADE (ID No. 92034)

Your Score: 57.00/100.00 (57.00%)

Max Score: 70.00

Rank: 5

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 81.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI PRAMOD SURWADE (ID No. 92034)

Your Score: 57.00/100.00 (57.00%)

Max Score: 70.00

Rank: 5

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 81.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		C	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		D	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 55 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	13.00	20.00	13.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 56.00/100.00 (56.00%)

Max Score: 70.00

Rank: 6

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 80.00

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 56.00/100.00 (56.00%)

Max Score: 70.00

Rank: 6

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 80.00

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		C	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

Total Question: 100 **Attempted:** 97 (**Correct:** 54 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	9.00	21.00	14.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 56.00/100.00 (56.00%)

Max Score: 70.00

Rank: 6

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 80.00

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 56.00/100.00 (56.00%)

Max Score: 70.00

Rank: 6

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 80.00

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		C	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		D	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 54 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	11.00	18.00	14.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASHIKA NILESH HUTKE (ID No. 91016)

Your Score: 54.00/100.00 (54.00%)

Max Score: 70.00

Rank: 7

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 77.14

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASHIKA NILESH HUTKE (ID No. 91016)

Your Score: 54.00/100.00 (54.00%)

Max Score: 70.00

Rank: 7

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 77.14

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 52 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	10.00	16.00	16.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 54.00/100.00 (54.00%)

Max Score: 70.00

Rank: 7

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 77.14

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 54.00/100.00 (54.00%)

Max Score: 70.00

Rank: 7

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 77.14

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		C	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		A	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 52 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	9.00	15.00	16.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH MUKUNDA JAGTAP (ID No. 92017)

Your Score: 54.00/100.00 (54.00%)

Max Score: 70.00

Rank: 7

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 77.14

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	AB	W	0.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C		L	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH MUKUNDA JAGTAP (ID No. 92017)

Your Score: 54.00/100.00 (54.00%)

Max Score: 70.00

Rank: 7

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 77.14

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D		L	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B		L	0.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B		L	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

Total Question: 100 **Attempted:** 93 (**Correct:** 52 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	13.00	16.00	15.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 53.00/100.00 (53.00%)

Max Score: 70.00

Rank: 8

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 75.71

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 53.00/100.00 (53.00%)

Max Score: 70.00

Rank: 8

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 75.71

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		A	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 51 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	10.00	21.00	11.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 52.00/100.00 (52.00%)

Max Score: 70.00

Rank: 9

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 74.29

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B		L	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B		L	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D		L	0.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B		L	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C		L	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A		L	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A		L	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C		L	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 52.00/100.00 (52.00%)

Max Score: 70.00

Rank: 9

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 74.29

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A		L	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00			C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A		L	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A		L	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00			C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C		L	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 **Attempted:** 80 (**Correct:** 50 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	10.00	18.00	11.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADVAIT HEMANT BANAIT (ID No. 92005)

Your Score: 52.00/100.00 (52.00%)

Max Score: 70.00

Rank: 9

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 74.29

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADVAIT HEMANT BANAIT (ID No. 92005)

Your Score: 52.00/100.00 (52.00%)

Max Score: 70.00

Rank: 9

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 74.29

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	BC	W	0.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		D	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		C	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

Total Question: 100 **Attempted:** 97 (**Correct:** 50 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	11.00	18.00	11.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 50.00/100.00 (50.00%)

Max Score: 70.00

Rank: 10

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 71.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 50.00/100.00 (50.00%)

Max Score: 70.00

Rank: 10

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 71.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		A	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 48 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	11.00	18.00	12.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASVI AJAY RAUT (ID No. 92026)

Your Score: 50.00/100.00 (50.00%)

Max Score: 70.00

Rank: 10

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 71.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASVI AJAY RAUT (ID No. 92026)

Your Score: 50.00/100.00 (50.00%)

Max Score: 70.00

Rank: 10

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 71.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		C	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		D	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 48 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	7.00	14.00	13.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 49.00/100.00 (49.00%)

Max Score: 70.00

Rank: 11

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 70.00

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A		L	0.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARAH RAFI SHAIKH (ID No. 91011)

Your Score: 49.00/100.00 (49.00%)

Max Score: 70.00

Rank: 11

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 70.00

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		C	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

Total Question: 100 **Attempted:** 97 (**Correct:** 47 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	11.00	16.00	12.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 49.00/100.00 (49.00%)

Max Score: 70.00

Rank: 11

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 70.00

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B		L	0.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 49.00/100.00 (49.00%)

Max Score: 70.00

Rank: 11

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 70.00

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00			C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		D	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

Total Question: 100 **Attempted:** 97 (**Correct:** 47 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	8.00	15.00	15.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
 ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 48.00/100.00 (48.00%)

Max Score: 70.00

Rank: 12

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 68.57

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 48.00/100.00 (48.00%)

Max Score: 70.00

Rank: 12

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 68.57

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D		L	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		A	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 46 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	6.00	17.00	14.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 48.00/100.00 (48.00%)

Max Score: 70.00

Rank: 12

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 68.57

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 48.00/100.00 (48.00%)

Max Score: 70.00

Rank: 12

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 68.57

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		D	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 46 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	9.00	15.00	11.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNALI S. ARBAT (ID No. 92025)

Your Score: 47.00/100.00 (47.00%)

Max Score: 70.00

Rank: 13

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 67.14

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNALI S. ARBAT (ID No. 92025)

Your Score: 47.00/100.00 (47.00%)

Max Score: 70.00

Rank: 13

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 67.14

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B		L	0.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 **Attempted:** 97 (**Correct:** 45 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	7.00	16.00	14.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYURI P. BHOJANE (ID No. 92027)

Your Score: 46.00/100.00 (46.00%)

Max Score: 70.00

Rank: 14

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 65.71

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B		L	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYURI P. BHOJANE (ID No. 92027)

Your Score: 46.00/100.00 (46.00%)

Max Score: 70.00

Rank: 14

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 65.71

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		C	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		D	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 **Attempted:** 97 (**Correct:** 44 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	8.00	14.00	12.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 44.00/100.00 (44.00%)

Max Score: 70.00

Rank: 15

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 62.86

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 44.00/100.00 (44.00%)

Max Score: 70.00

Rank: 15

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 62.86

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		D	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		D	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 42 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	8.00	14.00	11.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 43.00/100.00 (43.00%)

Max Score: 70.00

Rank: 16

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 61.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 43.00/100.00 (43.00%)

Max Score: 70.00

Rank: 16

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 61.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		D	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		D	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 41 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	11.00	14.00	9.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAVINDRA SURVE (ID No. 92022)

Your Score: 43.00/100.00 (43.00%)

Max Score: 70.00

Rank: 16

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 61.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	CD	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAVINDRA SURVE (ID No. 92022)

Your Score: 43.00/100.00 (43.00%)

Max Score: 70.00

Rank: 16

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 61.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	AC	W	0.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		C	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		A	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

Total Question: 100 Attempted: 98 (Correct: 41 Incorrect: 57) Score Rate: 0.00 Strike Rate: 0.00

Total: 43.00

Total Positive Marks: 43.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
9.00	9.00	14.00	11.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYA GAJANAN INGLE (ID No. 92013)

Your Score: 40.00/100.00 (40.00%)

Max Score: 70.00

Rank: 17

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 57.14

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYA GAJANAN INGLE (ID No. 92013)

Your Score: 40.00/100.00 (40.00%)

Max Score: 70.00

Rank: 17

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 57.14

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		C	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		D	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 38 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	7.00	13.00	10.00	40.00

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 39.00/100.00 (39.00%)

Max Score: 70.00

Rank: 18

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 55.71

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 39.00/100.00 (39.00%)

Max Score: 70.00

Rank: 18

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 55.71

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		A	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 37 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	8.00	10.00	13.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 38.00/100.00 (38.00%)

Max Score: 70.00

Rank: 19

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 54.29

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 38.00/100.00 (38.00%)

Max Score: 70.00

Rank: 19

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 54.29

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	B	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	BD	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 36 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	6.00	12.00	9.00	38.00

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 36.00/100.00 (36.00%)

Max Score: 70.00

Rank: 20

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 51.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 36.00/100.00 (36.00%)

Max Score: 70.00

Rank: 20

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 51.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	A	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		D	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00

Total Question: 100 Attempted: 98 (Correct: 34 Incorrect: 64) Score Rate: 0.00 Strike Rate: 0.00

Total: 36.00

Total Positive Marks: 36.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
6.00	6.00	14.00	10.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHRA SHARAD GHUGE (ID No. 92038)

Your Score: 35.00/100.00 (35.00%)

Max Score: 70.00

Rank: 21

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 50.00

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHRA SHARAD GHUGE (ID No. 92038)

Your Score: 35.00/100.00 (35.00%)

Max Score: 70.00

Rank: 21

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 50.00

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	D	R	1.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		C	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 33 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	6.00	9.00	11.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA ANIL KHANDEKAR (ID No. 91002)

Your Score: 33.00/100.00 (33.00%)

Max Score: 70.00

Rank: 22

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 47.14

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA ANIL KHANDEKAR (ID No. 91002)

Your Score: 33.00/100.00 (33.00%)

Max Score: 70.00

Rank: 22

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 47.14

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		A	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 Attempted: 98 (Correct: 31 Incorrect: 67) Score Rate: 0.00 Strike Rate: 0.00

Total: 33.00

Total Positive Marks: 33.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
5.00	5.00	12.00	11.00	33.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92042)

Your Score: 33.00/100.00 (33.00%)

Max Score: 70.00

Rank: 22

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 47.14

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	C	W	0.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	A	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	C	R	1.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	D	R	1.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	B	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	B	W	0.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	C	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANJALI DILIP TAYADE (ID No. 92042)

Your Score: 33.00/100.00 (33.00%)

Max Score: 70.00

Rank: 22

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 47.14

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	B	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		A	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	B	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 31 **Incorrect:** 67) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 33.00

Total Positive Marks: 33.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	7.00	13.00	7.00	33.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.
ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% **RIGHT:** 0-25% | 26-50% | 51-75% | 76-100% **WRONG:** 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI PRAKASH SANGLE (ID No. 92041)

Your Score: 29.00/100.00 (29.00%)

Max Score: 70.00

Rank: 23

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 41.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	50.00	50.00	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
2	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
3	97.22	25.00	72.22	PHY	REGULAR MTF	1.00	0.00	C	A	W	0.00
4	97.22	47.22	50.00	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
5	100.00	19.44	80.56	PHY	REGULAR MTF	1.00	0.00	A	A	R	1.00
6	97.22	8.33	88.89	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
7	97.22	55.56	41.67	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
8	100.00	44.44	55.56	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
9	100.00	30.56	69.44	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
10	100.00	38.89	61.11	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
11	100.00	22.22	77.78	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
12	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
13	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	C	B	W	0.00
14	100.00	58.33	41.67	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
15	94.44	30.56	63.89	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
16	100.00	33.33	66.67	PHY	REGULAR MTF	1.00	0.00	A	D	W	0.00
17	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
18	100.00	55.56	44.44	PHY	REGULAR MTF	1.00	0.00	D	B	W	0.00
19	97.22	50.00	47.22	PHY	REGULAR MTF	1.00	0.00	B	C	W	0.00
20	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	A	B	W	0.00
21	97.22	27.78	69.44	PHY	REGULAR MTF	1.00	0.00	C	D	W	0.00
22	97.22	11.11	86.11	PHY	REGULAR MTF	1.00	0.00	A	C	W	0.00
23	100.00	52.78	47.22	PHY	REGULAR MTF	1.00	0.00	B	A	W	0.00
24	97.22	63.89	33.33	PHY	REGULAR MTF	1.00	0.00	B	B	R	1.00
25	100.00	69.44	30.56	PHY	REGULAR MTF	1.00	0.00	B	D	W	0.00
26	100.00	30.56	69.44	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
27	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
28	100.00	83.33	16.67	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
29	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
30	100.00	11.11	88.89	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
31	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
32	100.00	22.22	77.78	CHEM	REGULAR MTF	1.00	0.00	C	D	W	0.00
33	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	D		L	0.00
34	97.22	22.22	75.00	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
35	100.00	55.56	44.44	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
36	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	A	A	R	1.00
37	100.00	61.11	38.89	CHEM	REGULAR MTF	1.00	0.00	D	A	W	0.00
38	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
39	100.00	38.89	61.11	CHEM	REGULAR MTF	1.00	0.00	C	C	R	1.00
40	100.00	16.67	83.33	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
41	100.00	44.44	55.56	CHEM	REGULAR MTF	1.00	0.00	A	B	W	0.00
42	100.00	50.00	50.00	CHEM	REGULAR MTF	1.00	0.00	D	C	W	0.00
43	97.22	30.56	66.67	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
44	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	A	C	W	0.00
45	100.00	88.89	11.11	CHEM	REGULAR MTF	1.00	0.00	D	D	R	1.00
46	100.00	25.00	75.00	CHEM	REGULAR MTF	1.00	0.00	B	B	R	1.00
47	100.00	47.22	52.78	CHEM	REGULAR MTF	1.00	0.00	B	A	W	0.00
48	97.22	41.67	55.56	CHEM	REGULAR MTF	1.00	0.00	A	D	W	0.00
49	100.00	33.33	66.67	CHEM	REGULAR MTF	1.00	0.00	B	D	W	0.00
50	94.44	27.78	66.67	CHEM	REGULAR MTF	1.00	0.00	C	A	W	0.00
51	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
52	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	A	C	W	0.00
53	100.00	66.67	33.33	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
54	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
55	100.00	44.44	55.56	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
56	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
57	100.00	75.00	25.00	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
58	100.00	94.44	5.56	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
59	100.00	77.78	22.22	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
60	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
61	100.00	33.33	66.67	BIO	REGULAR MTF	1.00	0.00	D	C	W	0.00
62	100.00	83.33	16.67	BIO	REGULAR MTF	1.00	0.00	A	A	R	1.00
63	100.00	58.33	41.67	BIO	REGULAR MTF	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI PRAKASH SANGLE (ID No. 92041)

Your Score: 29.00/100.00 (29.00%)

Max Score: 70.00

Rank: 23

Min Score: 29.00

TEST: MAJOR TEST 8 (STD 9) (ID: 29 DT: 05-Feb-2024)

Percentile: 41.43

Avg Score: 49.28

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
64	94.44	8.33	86.11	BIO	REGULAR MTF	1.00	0.00	D	A	W	0.00
65	100.00	69.44	30.56	BIO	REGULAR MTF	1.00	0.00	C	B	W	0.00
66	100.00	80.56	19.44	BIO	REGULAR MTF	1.00	0.00	B	B	R	1.00
67	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	D	W	0.00
68	97.22	61.11	36.11	BIO	REGULAR MTF	1.00	0.00	B	C	W	0.00
69	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	A	D	W	0.00
70	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
71	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	D	W	0.00
72	97.22	47.22	50.00	BIO	REGULAR MTF	1.00	0.00	B	A	W	0.00
73	100.00	86.11	13.89	BIO	REGULAR MTF	1.00	0.00	C	C	R	1.00
74	100.00	72.22	27.78	BIO	REGULAR MTF	1.00	0.00	D	D	R	1.00
75	100.00	63.89	36.11	BIO	REGULAR MTF	1.00	0.00	C	A	W	0.00
76	100.00	58.33	41.67	MATHS	REGULAR MTF	1.00	0.00	D	C	W	0.00
77	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
78	100.00	69.44	30.56	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
79	94.44	22.22	72.22	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
80	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
81	100.00	72.22	27.78	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
82	100.00	80.56	19.44	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
83	100.00	19.44	80.56	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
84	94.44	50.00	44.44	MATHS	REGULAR MTF	1.00	0.00	B	C	W	0.00
85	100.00	47.22	52.78	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
86	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	A	C	W	0.00
87	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		B	C	1.00
88	97.22	61.11	36.11	MATHS	REGULAR MTF	1.00	0.00	A		L	0.00
89	100.00	16.67	83.33	MATHS	REGULAR MTF	1.00	0.00	A	B	W	0.00
90	97.22	33.33	63.89	MATHS	REGULAR MTF	1.00	0.00	A	A	R	1.00
91	97.22	19.44	77.78	MATHS	REGULAR MTF	1.00	0.00	A	D	W	0.00
92	100.00	36.11	63.89	MATHS	REGULAR MTF	1.00	0.00	B	B	R	1.00
93	94.44	58.33	36.11	MATHS	REGULAR MTF	1.00	0.00	B		L	0.00
94	100.00	100.00	0.00	MATHS	REGULAR MTF	1.00	0.00		D	C	1.00
95	100.00	75.00	25.00	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00
96	97.22	30.56	66.67	MATHS	REGULAR MTF	1.00	0.00	C	D	W	0.00
97	97.22	38.89	58.33	MATHS	REGULAR MTF	1.00	0.00	B	A	W	0.00
98	100.00	38.89	61.11	MATHS	REGULAR MTF	1.00	0.00	B	D	W	0.00
99	100.00	33.33	66.67	MATHS	REGULAR MTF	1.00	0.00	C	A	W	0.00
100	100.00	22.22	77.78	MATHS	REGULAR MTF	1.00	0.00	C	C	R	1.00

Total Question: 100 **Attempted:** 95 (**Correct:** 27 **Incorrect:** 68) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 29.00

Total Positive Marks: 29.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
3.00	8.00	10.00	8.00	29.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer
KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%