

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY A. HANWANTE (ID No. 10470)

Your Score: 84.00/100.00 (84.00%)

Max Score: 84.00

Rank: 1

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 100.00

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY A. HANWANTE (ID No. 10470)

Your Score: 84.00/100.00 (84.00%)

Max Score: 84.00

Rank: 1

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 100.00

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 83 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 84.00

Total Positive Marks: 84.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	24.00	25.00	21.00	84.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 73.00/100.00 (73.00%)

Max Score: 84.00

Rank: 2

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 86.90

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	BD	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 73.00/100.00 (73.00%)

Max Score: 84.00

Rank: 2

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 86.90

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 72 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 73.00

Total Positive Marks: 73.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	21.00	24.00	16.00	73.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 72.00/100.00 (72.00%)

Max Score: 84.00

Rank: 3

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 85.71

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 72.00/100.00 (72.00%)

Max Score: 84.00

Rank: 3

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 85.71

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 71 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 72.00

Total Positive Marks: 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	21.00	22.00	18.00	72.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 72.00/100.00 (72.00%)

Max Score: 84.00

Rank: 3

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 85.71

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 72.00/100.00 (72.00%)

Max Score: 84.00

Rank: 3

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 85.71

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 71 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 72.00

Total Positive Marks: 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	20.00	18.00	21.00	72.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVANI R. NANNAWARE (ID No. 10462)

Your Score: 70.00/100.00 (70.00%)

Max Score: 84.00

Rank: 4

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 83.33

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVANI R. NANNAWARE (ID No. 10462)

Your Score: 70.00/100.00 (70.00%)

Max Score: 84.00

Rank: 4

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 83.33

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 69 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 70.00

Total Positive Marks: 70.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	17.00	25.00	14.00	70.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 66.00/100.00 (66.00%)

Max Score: 84.00

Rank: 5

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 78.57

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 66.00/100.00 (66.00%)

Max Score: 84.00

Rank: 5

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 78.57

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 65 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	20.00	22.00	12.00	66.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 66.00/100.00 (66.00%)

Max Score: 84.00

Rank: 5

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 78.57

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 66.00/100.00 (66.00%)

Max Score: 84.00

Rank: 5

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 78.57

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 65 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	16.00	20.00	19.00	66.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV V. SONAWANE (ID No. 10437)

Your Score: 66.00/100.00 (66.00%)

Max Score: 84.00

Rank: 5

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 78.57

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV V. SONAWANE (ID No. 10437)

Your Score: 66.00/100.00 (66.00%)

Max Score: 84.00

Rank: 5

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 78.57

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 65 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	15.00	22.00	18.00	66.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUKTI S. RATHOD (ID No. 10481)

Your Score: 66.00/100.00 (66.00%)

Max Score: 84.00

Rank: 5

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 78.57

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUKTI S. RATHOD (ID No. 10481)

Your Score: 66.00/100.00 (66.00%)

Max Score: 84.00

Rank: 5

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 78.57

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 65 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	20.00	16.00	17.00	66.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 65.00/100.00 (65.00%)

Max Score: 84.00

Rank: 6

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 77.38

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 65.00/100.00 (65.00%)

Max Score: 84.00

Rank: 6

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 77.38

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 64 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	19.00	24.00	13.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMEY NARENDRA SURE (ID No. 10106)

Your Score: 64.00/100.00 (64.00%)

Max Score: 84.00

Rank: 7

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 76.19

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMEY NARENDRA SURE (ID No. 10106)

Your Score: 64.00/100.00 (64.00%)

Max Score: 84.00

Rank: 7

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 76.19

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 63 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	13.00	18.00	18.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 64.00/100.00 (64.00%)

Max Score: 84.00

Rank: 7

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 76.19

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 64.00/100.00 (64.00%)

Max Score: 84.00

Rank: 7

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 76.19

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 63 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	20.00	18.00	11.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 63.00/100.00 (63.00%)

Max Score: 84.00

Rank: 8

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 75.00

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 63.00/100.00 (63.00%)

Max Score: 84.00

Rank: 8

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 75.00

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 62 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 63.00

Total Positive Marks: 63.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	18.00	19.00	14.00	63.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 62.00/100.00 (62.00%)

Max Score: 84.00

Rank: 9

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 73.81

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 62.00/100.00 (62.00%)

Max Score: 84.00

Rank: 9

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 73.81

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	17.00	24.00	12.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA SUNIL SATHE (ID No. 10152)

Your Score: 62.00/100.00 (62.00%)

Max Score: 84.00

Rank: 9

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 73.81

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA SUNIL SATHE (ID No. 10152)

Your Score: 62.00/100.00 (62.00%)

Max Score: 84.00

Rank: 9

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 73.81

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	15.00	23.00	15.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 62.00/100.00 (62.00%)

Max Score: 84.00

Rank: 9

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 73.81

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 62.00/100.00 (62.00%)

Max Score: 84.00

Rank: 9

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 73.81

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	19.00	20.00	13.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NIRAL NAREN NIKHADE (ID No. 10143)

Your Score: 61.00/100.00 (61.00%)

Max Score: 84.00

Rank: 10

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 72.62

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NIRAL NAREN NIKHADE (ID No. 10143)

Your Score: 61.00/100.00 (61.00%)

Max Score: 84.00

Rank: 10

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 72.62

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	18.00	20.00	14.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR (ID No. 10461)

Your Score: 61.00/100.00 (61.00%)

Max Score: 84.00

Rank: 10

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 72.62

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR (ID No. 10461)

Your Score: 61.00/100.00 (61.00%)

Max Score: 84.00

Rank: 10

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 72.62

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 60 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	15.00	20.00	15.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 61.00/100.00 (61.00%)

Max Score: 84.00

Rank: 10

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 72.62

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 61.00/100.00 (61.00%)

Max Score: 84.00

Rank: 10

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 72.62

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	14.00	21.00	12.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 61.00/100.00 (61.00%)

Max Score: 84.00

Rank: 10

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 72.62

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 61.00/100.00 (61.00%)

Max Score: 84.00

Rank: 10

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 72.62

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	AB	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	20.00	16.00	11.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHAIRYA DHIRAJ SHARMA (ID No. 10124)

Your Score: 60.00/100.00 (60.00%)

Max Score: 84.00

Rank: 11

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 71.43

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHAIRYA DHIRAJ SHARMA (ID No. 10124)

Your Score: 60.00/100.00 (60.00%)

Max Score: 84.00

Rank: 11

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 71.43

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 91 (**Correct:** 59 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	18.00	20.00	15.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 60.00/100.00 (60.00%)

Max Score: 84.00

Rank: 11

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 71.43

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 60.00/100.00 (60.00%)

Max Score: 84.00

Rank: 11

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 71.43

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 85 (**Correct:** 59 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	14.00	21.00	17.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 60.00/100.00 (60.00%)

Max Score: 84.00

Rank: 11

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 71.43

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 60.00/100.00 (60.00%)

Max Score: 84.00

Rank: 11

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 71.43

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 59 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	16.00	18.00	19.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KUNAL SANJAY RAI (ID No. 10136)

Your Score: 59.00/100.00 (59.00%)

Max Score: 84.00

Rank: 12

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 70.24

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KUNAL SANJAY RAI (ID No. 10136)

Your Score: 59.00/100.00 (59.00%)

Max Score: 84.00

Rank: 12

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 70.24

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 58 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	15.00	16.00	20.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 59.00/100.00 (59.00%)

Max Score: 84.00

Rank: 12

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 70.24

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 59.00/100.00 (59.00%)

Max Score: 84.00

Rank: 12

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 70.24

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 58 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	14.00	19.00	13.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 59.00/100.00 (59.00%)

Max Score: 84.00

Rank: 12

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 70.24

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 59.00/100.00 (59.00%)

Max Score: 84.00

Rank: 12

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 70.24

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 58 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	19.00	17.00	14.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 58.00/100.00 (58.00%)

Max Score: 84.00

Rank: 13

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 69.05

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 58.00/100.00 (58.00%)

Max Score: 84.00

Rank: 13

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 69.05

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 57 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	12.00	21.00	14.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA SANJAY SHARMA (ID No. 10403)

Your Score: 58.00/100.00 (58.00%)

Max Score: 84.00

Rank: 13

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 69.05

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA SANJAY SHARMA (ID No. 10403)

Your Score: 58.00/100.00 (58.00%)

Max Score: 84.00

Rank: 13

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 69.05

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 57 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	14.00	24.00	10.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 58.00/100.00 (58.00%)

Max Score: 84.00

Rank: 13

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 69.05

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 58.00/100.00 (58.00%)

Max Score: 84.00

Rank: 13

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 69.05

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 57 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	14.00	24.00	10.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH M. NAGPURE (ID No. 10430)

Your Score: 58.00/100.00 (58.00%)

Max Score: 84.00

Rank: 13

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 69.05

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH M. NAGPURE (ID No. 10430)

Your Score: 58.00/100.00 (58.00%)

Max Score: 84.00

Rank: 13

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 69.05

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00			C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00

Total Question: 100 **Attempted:** 63 (**Correct:** 57 **Incorrect:** 6) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	19.00	16.00	17.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 57.00/100.00 (57.00%)

Max Score: 84.00

Rank: 14

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 67.86

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 57.00/100.00 (57.00%)

Max Score: 84.00

Rank: 14

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 67.86

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 56 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	14.00	15.00	17.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 57.00/100.00 (57.00%)

Max Score: 84.00

Rank: 14

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 67.86

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 57.00/100.00 (57.00%)

Max Score: 84.00

Rank: 14

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 67.86

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 56 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	16.00	18.00	13.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKASHAM S. BEDARKAR (ID No. 10162)

Your Score: 57.00/100.00 (57.00%)

Max Score: 84.00

Rank: 14

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 67.86

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKASHAM S. BEDARKAR (ID No. 10162)

Your Score: 57.00/100.00 (57.00%)

Max Score: 84.00

Rank: 14

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 67.86

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 56 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	16.00	18.00	14.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR (ID No. 10116)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR (ID No. 10116)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	CD	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 55 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	11.00	18.00	15.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	CD	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	15.00	19.00	14.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH L. RELKAR (ID No. 10165)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH L. RELKAR (ID No. 10165)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	BD	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	BD	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	16.00	21.00	12.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH S. PARDHI (ID No. 10190)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 89 (**Correct:** 55 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	18.00	21.00	8.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	20.00	16.00	12.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	17.00	22.00	7.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI R. JADHAO (ID No. 10420)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI R. JADHAO (ID No. 10420)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	11.00	20.00	12.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA AJAY SAWARKAR (ID No. 10443)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA AJAY SAWARKAR (ID No. 10443)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 55 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	15.00	18.00	13.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	BD	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	15.00	23.00	9.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARWARI S. SAWALE (ID No. 10459)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARWARI S. SAWALE (ID No. 10459)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 90 (**Correct:** 55 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	16.00	22.00	10.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHI VIJAY SAWALE (ID No. 10468)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	BD	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHI VIJAY SAWALE (ID No. 10468)

Your Score: 56.00/100.00 (56.00%)

Max Score: 84.00

Rank: 15

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 66.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	16.00	19.00	12.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI ARUN SHARMA (ID No. 10159)

Your Score: 55.00/100.00 (55.00%)

Max Score: 84.00

Rank: 16

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 65.48

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI ARUN SHARMA (ID No. 10159)

Your Score: 55.00/100.00 (55.00%)

Max Score: 84.00

Rank: 16

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 65.48

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	BC	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 54 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	16.00	17.00	12.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRACHI P. KHANDARE (ID No. 10435)

Your Score: 55.00/100.00 (55.00%)

Max Score: 84.00

Rank: 16

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 65.48

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRACHI P. KHANDARE (ID No. 10435)

Your Score: 55.00/100.00 (55.00%)

Max Score: 84.00

Rank: 16

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 65.48

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	AD	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 54 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	18.00	19.00	9.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE (ID No. 10463)

Your Score: 55.00/100.00 (55.00%)

Max Score: 84.00

Rank: 16

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 65.48

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE (ID No. 10463)

Your Score: 55.00/100.00 (55.00%)

Max Score: 84.00

Rank: 16

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 65.48

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	18.00	14.00	12.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH D. SAWARKAR (ID No. 10164)

Your Score: 53.00/100.00 (53.00%)

Max Score: 84.00

Rank: 17

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 63.10

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH D. SAWARKAR (ID No. 10164)

Your Score: 53.00/100.00 (53.00%)

Max Score: 84.00

Rank: 17

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 63.10

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 52 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	15.00	18.00	15.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH VINOD RAUT (ID No. 10415)

Your Score: 53.00/100.00 (53.00%)

Max Score: 84.00

Rank: 17

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 63.10

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH VINOD RAUT (ID No. 10415)

Your Score: 53.00/100.00 (53.00%)

Max Score: 84.00

Rank: 17

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 63.10

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		CD	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 52 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	12.00	19.00	12.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHATAKSHI AJAY MULEY (ID No. 10460)

Your Score: 53.00/100.00 (53.00%)

Max Score: 84.00

Rank: 17

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 63.10

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHATAKSHI AJAY MULEY (ID No. 10460)

Your Score: 53.00/100.00 (53.00%)

Max Score: 84.00

Rank: 17

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 63.10

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 91 (**Correct:** 52 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	19.00	17.00	7.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYANK MOHAN LAKRAS (ID No. 10139)

Your Score: 52.00/100.00 (52.00%)

Max Score: 84.00

Rank: 18

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 61.90

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYANK MOHAN LAKRAS (ID No. 10139)

Your Score: 52.00/100.00 (52.00%)

Max Score: 84.00

Rank: 18

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 61.90

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	12.00	17.00	12.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 52.00/100.00 (52.00%)

Max Score: 84.00

Rank: 18

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 61.90

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 52.00/100.00 (52.00%)

Max Score: 84.00

Rank: 18

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 61.90

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	10.00	20.00	12.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHOURYA S. BHATULKAR (ID No. 10175)

Your Score: 52.00/100.00 (52.00%)

Max Score: 84.00

Rank: 18

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 61.90

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHOURYA S. BHATULKAR (ID No. 10175)

Your Score: 52.00/100.00 (52.00%)

Max Score: 84.00

Rank: 18

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 61.90

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	16.00	20.00	11.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP (ID No. 10432)

Your Score: 52.00/100.00 (52.00%)

Max Score: 84.00

Rank: 18

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 61.90

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	BD	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	CD	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP (ID No. 10432)

Your Score: 52.00/100.00 (52.00%)

Max Score: 84.00

Rank: 18

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 61.90

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	19.00	16.00	12.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 51.00/100.00 (51.00%)

Max Score: 84.00

Rank: 19

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 60.71

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 51.00/100.00 (51.00%)

Max Score: 84.00

Rank: 19

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 60.71

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 50 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	15.00	19.00	10.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 51.00/100.00 (51.00%)

Max Score: 84.00

Rank: 19

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 60.71

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 51.00/100.00 (51.00%)

Max Score: 84.00

Rank: 19

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 60.71

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 50 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	18.00	19.00	8.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT (ID No. 10402)

Your Score: 51.00/100.00 (51.00%)

Max Score: 84.00

Rank: 19

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 60.71

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT (ID No. 10402)

Your Score: 51.00/100.00 (51.00%)

Max Score: 84.00

Rank: 19

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 60.71

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 50 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	17.00	16.00	9.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK V. SARNAIK (ID No. 10457)

Your Score: 51.00/100.00 (51.00%)

Max Score: 84.00

Rank: 19

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 60.71

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK V. SARNAIK (ID No. 10457)

Your Score: 51.00/100.00 (51.00%)

Max Score: 84.00

Rank: 19

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 60.71

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 50 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	15.00	19.00	9.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 50.00/100.00 (50.00%)

Max Score: 84.00

Rank: 20

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 59.52

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 50.00/100.00 (50.00%)

Max Score: 84.00

Rank: 20

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 59.52

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	11.00	18.00	11.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAHSIKANT Y. DESHMUKH (ID No. 10171)

Your Score: 50.00/100.00 (50.00%)

Max Score: 84.00

Rank: 20

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 59.52

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHAHSIKANT Y. DESHMUKH (ID No. 10171)

Your Score: 50.00/100.00 (50.00%)

Max Score: 84.00

Rank: 20

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 59.52

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	14.00	19.00	10.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIPIN VIJAY SHIRAL (ID No. 10187)

Your Score: 50.00/100.00 (50.00%)

Max Score: 84.00

Rank: 20

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 59.52

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIPIN VIJAY SHIRAL (ID No. 10187)

Your Score: 50.00/100.00 (50.00%)

Max Score: 84.00

Rank: 20

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 59.52

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	12.00	17.00	12.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHAVYA PRAFUL JAIN (ID No. 10194)

Your Score: 50.00/100.00 (50.00%)

Max Score: 84.00

Rank: 20

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 59.52

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHAVYA PRAFUL JAIN (ID No. 10194)

Your Score: 50.00/100.00 (50.00%)

Max Score: 84.00

Rank: 20

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 59.52

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	8.00	23.00	9.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR (ID No. 10404)

Your Score: 50.00/100.00 (50.00%)

Max Score: 84.00

Rank: 20

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 59.52

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR (ID No. 10404)

Your Score: 50.00/100.00 (50.00%)

Max Score: 84.00

Rank: 20

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 59.52

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	12.00	19.00	11.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE (ID No. 10441)

Your Score: 50.00/100.00 (50.00%)

Max Score: 84.00

Rank: 20

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 59.52

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE (ID No. 10441)

Your Score: 50.00/100.00 (50.00%)

Max Score: 84.00

Rank: 20

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 59.52

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 94 (**Correct:** 49 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	8.00	16.00	15.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 50.00/100.00 (50.00%)

Max Score: 84.00

Rank: 20

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 59.52

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	CD	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 50.00/100.00 (50.00%)

Max Score: 84.00

Rank: 20

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 59.52

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	10.00	19.00	13.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH SUNIL TAROLE (ID No. 10191)

Your Score: 49.00/100.00 (49.00%)

Max Score: 84.00

Rank: 21

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 58.33

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	BD	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH SUNIL TAROLE (ID No. 10191)

Your Score: 49.00/100.00 (49.00%)

Max Score: 84.00

Rank: 21

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 58.33

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	AD	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 48 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	16.00	15.00	10.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 49.00/100.00 (49.00%)

Max Score: 84.00

Rank: 21

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 58.33

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 49.00/100.00 (49.00%)

Max Score: 84.00

Rank: 21

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 58.33

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 48 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	14.00	18.00	9.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SALONI KESHAO MAHALLE (ID No. 10450)

Your Score: 49.00/100.00 (49.00%)

Max Score: 84.00

Rank: 21

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 58.33

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SALONI KESHAO MAHALLE (ID No. 10450)

Your Score: 49.00/100.00 (49.00%)

Max Score: 84.00

Rank: 21

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 58.33

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 48 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	14.00	20.00	8.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 48.00/100.00 (48.00%)

Max Score: 84.00

Rank: 22

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 57.14

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 48.00/100.00 (48.00%)

Max Score: 84.00

Rank: 22

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 57.14

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 47 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	12.00	16.00	11.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHYAATI B. ROUT (ID No. 10134)

Your Score: 48.00/100.00 (48.00%)

Max Score: 84.00

Rank: 22

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 57.14

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHYAATI B. ROUT (ID No. 10134)

Your Score: 48.00/100.00 (48.00%)

Max Score: 84.00

Rank: 22

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 57.14

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00

Total Question: 100 **Attempted:** 96 (**Correct:** 47 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	16.00	19.00	7.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 48.00/100.00 (48.00%)

Max Score: 84.00

Rank: 22

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 57.14

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	BC	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 48.00/100.00 (48.00%)

Max Score: 84.00

Rank: 22

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 57.14

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 47 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	14.00	17.00	13.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 48.00/100.00 (48.00%)

Max Score: 84.00

Rank: 22

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 57.14

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 48.00/100.00 (48.00%)

Max Score: 84.00

Rank: 22

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 57.14

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 47 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	11.00	17.00	7.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR (ID No. 10102)

Your Score: 47.00/100.00 (47.00%)

Max Score: 84.00

Rank: 23

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 55.95

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR (ID No. 10102)

Your Score: 47.00/100.00 (47.00%)

Max Score: 84.00

Rank: 23

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 55.95

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 46 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	11.00	13.00	11.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 47.00/100.00 (47.00%)

Max Score: 84.00

Rank: 23

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 55.95

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 47.00/100.00 (47.00%)

Max Score: 84.00

Rank: 23

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 55.95

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 46 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	14.00	18.00	9.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEDHAVI AJAY JOSHI (ID No. 10424)

Your Score: 47.00/100.00 (47.00%)

Max Score: 84.00

Rank: 23

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 55.95

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEDHAVI AJAY JOSHI (ID No. 10424)

Your Score: 47.00/100.00 (47.00%)

Max Score: 84.00

Rank: 23

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 55.95

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 46 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	12.00	18.00	11.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH UMESH MORE (ID No. 10434)

Your Score: 47.00/100.00 (47.00%)

Max Score: 84.00

Rank: 23

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 55.95

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH UMESH MORE (ID No. 10434)

Your Score: 47.00/100.00 (47.00%)

Max Score: 84.00

Rank: 23

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 55.95

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 46 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	11.00	17.00	7.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHARAT NITIN AGRAWAL (ID No. 10121)

Your Score: 46.00/100.00 (46.00%)

Max Score: 84.00

Rank: 24

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 54.76

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHARAT NITIN AGRAWAL (ID No. 10121)

Your Score: 46.00/100.00 (46.00%)

Max Score: 84.00

Rank: 24

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 54.76

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	BC	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 45 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	12.00	16.00	10.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 46.00/100.00 (46.00%)

Max Score: 84.00

Rank: 24

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 54.76

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 46.00/100.00 (46.00%)

Max Score: 84.00

Rank: 24

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 54.76

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 45 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	11.00	18.00	8.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL (ID No. 10128)

Your Score: 46.00/100.00 (46.00%)

Max Score: 84.00

Rank: 24

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 54.76

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	BD	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL (ID No. 10128)

Your Score: 46.00/100.00 (46.00%)

Max Score: 84.00

Rank: 24

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 54.76

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 45 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	6.00	5.00	19.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 46.00/100.00 (46.00%)

Max Score: 84.00

Rank: 24

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 54.76

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 46.00/100.00 (46.00%)

Max Score: 84.00

Rank: 24

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 54.76

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00

Total Question: 100 **Attempted:** 96 (**Correct:** 45 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	10.00	19.00	8.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA R. RAJANDEKAR (ID No. 10158)

Your Score: 46.00/100.00 (46.00%)

Max Score: 84.00

Rank: 24

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 54.76

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA R. RAJANDEKAR (ID No. 10158)

Your Score: 46.00/100.00 (46.00%)

Max Score: 84.00

Rank: 24

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 54.76

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 45 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	11.00	19.00	11.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA (ID No. 10178)

Your Score: 45.00/100.00 (45.00%)

Max Score: 84.00

Rank: 25

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 53.57

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA (ID No. 10178)

Your Score: 45.00/100.00 (45.00%)

Max Score: 84.00

Rank: 25

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 53.57

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 44 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	14.00	13.00	12.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJSSINGH K. CHUNGADE (ID No. 10188)

Your Score: 45.00/100.00 (45.00%)

Max Score: 84.00

Rank: 25

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 53.57

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJSSINGH K. CHUNGADE (ID No. 10188)

Your Score: 45.00/100.00 (45.00%)

Max Score: 84.00

Rank: 25

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 53.57

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 44 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	10.00	17.00	10.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 45.00/100.00 (45.00%)

Max Score: 84.00

Rank: 25

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 53.57

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 45.00/100.00 (45.00%)

Max Score: 84.00

Rank: 25

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 53.57

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 44 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	9.00	17.00	10.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH N. MANKE (ID No. 10431)

Your Score: 45.00/100.00 (45.00%)

Max Score: 84.00

Rank: 25

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 53.57

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH N. MANKE (ID No. 10431)

Your Score: 45.00/100.00 (45.00%)

Max Score: 84.00

Rank: 25

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 53.57

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 77 (**Correct:** 44 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	15.00	0.00	18.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEENAKSHI G. MUKUNDE (ID No. 10425)

Your Score: 44.00/100.00 (44.00%)

Max Score: 84.00

Rank: 26

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 52.38

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEENAKSHI G. MUKUNDE (ID No. 10425)

Your Score: 44.00/100.00 (44.00%)

Max Score: 84.00

Rank: 26

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 52.38

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 43 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	12.00	17.00	11.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDDHI SUDHAKAR DHAGE (ID No. 10447)

Your Score: 44.00/100.00 (44.00%)

Max Score: 84.00

Rank: 26

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 52.38

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDDHI SUDHAKAR DHAGE (ID No. 10447)

Your Score: 44.00/100.00 (44.00%)

Max Score: 84.00

Rank: 26

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 52.38

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	13.00	18.00	7.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANJIRI SUSHIL GIRHE (ID No. 10138)

Your Score: 43.00/100.00 (43.00%)

Max Score: 84.00

Rank: 27

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 51.19

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	AD	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANJIRI SUSHIL GIRHE (ID No. 10138)

Your Score: 43.00/100.00 (43.00%)

Max Score: 84.00

Rank: 27

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 51.19

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 42 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	10.00	16.00	11.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE (ID No. 10133)

Your Score: 42.00/100.00 (42.00%)

Max Score: 84.00

Rank: 28

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 50.00

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE (ID No. 10133)

Your Score: 42.00/100.00 (42.00%)

Max Score: 84.00

Rank: 28

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 50.00

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 41 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	12.00	15.00	10.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT V. TIRUK (ID No. 10156)

Your Score: 42.00/100.00 (42.00%)

Max Score: 84.00

Rank: 28

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 50.00

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	BD	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT V. TIRUK (ID No. 10156)

Your Score: 42.00/100.00 (42.00%)

Max Score: 84.00

Rank: 28

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 50.00

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 41 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	8.00	14.00	9.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DINESH SOLANKE (ID No. 10189)

Your Score: 42.00/100.00 (42.00%)

Max Score: 84.00

Rank: 28

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 50.00

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DINESH SOLANKE (ID No. 10189)

Your Score: 42.00/100.00 (42.00%)

Max Score: 84.00

Rank: 28

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 50.00

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 41 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	12.00	17.00	5.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE (ID No. 10449)

Your Score: 42.00/100.00 (42.00%)

Max Score: 84.00

Rank: 28

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 50.00

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE (ID No. 10449)

Your Score: 42.00/100.00 (42.00%)

Max Score: 84.00

Rank: 28

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 50.00

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 41 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	12.00	13.00	11.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 42.00/100.00 (42.00%)

Max Score: 84.00

Rank: 28

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 50.00

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	BD	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 42.00/100.00 (42.00%)

Max Score: 84.00

Rank: 28

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 50.00

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00

Total Question: 100 **Attempted:** 97 (**Correct:** 41 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	5.00	20.00	8.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA AMBARISH SHUKLA (ID No. 10101)

Your Score: 41.00/100.00 (41.00%)

Max Score: 84.00

Rank: 29

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 48.81

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	BC	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA AMBARISH SHUKLA (ID No. 10101)

Your Score: 41.00/100.00 (41.00%)

Max Score: 84.00

Rank: 29

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 48.81

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 40 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	7.00	16.00	5.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANITA UMESH TAYADE (ID No. 10149)

Your Score: 41.00/100.00 (41.00%)

Max Score: 84.00

Rank: 29

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 48.81

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANITA UMESH TAYADE (ID No. 10149)

Your Score: 41.00/100.00 (41.00%)

Max Score: 84.00

Rank: 29

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 48.81

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 40 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	8.00	16.00	10.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 41.00/100.00 (41.00%)

Max Score: 84.00

Rank: 29

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 48.81

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 41.00/100.00 (41.00%)

Max Score: 84.00

Rank: 29

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 48.81

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 40 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	9.00	15.00	9.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 40.00/100.00 (40.00%)

Max Score: 84.00

Rank: 30

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 47.62

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 40.00/100.00 (40.00%)

Max Score: 84.00

Rank: 30

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 47.62

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 39 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	5.00	16.00	9.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK S. SONONE (ID No. 10456)

Your Score: 40.00/100.00 (40.00%)

Max Score: 84.00

Rank: 30

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 47.62

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK S. SONONE (ID No. 10456)

Your Score: 40.00/100.00 (40.00%)

Max Score: 84.00

Rank: 30

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 47.62

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00			C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 86 (**Correct:** 39 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	10.00	14.00	6.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARUPA S. GOLE (ID No. 10469)

Your Score: 40.00/100.00 (40.00%)

Max Score: 84.00

Rank: 30

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 47.62

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARUPA S. GOLE (ID No. 10469)

Your Score: 40.00/100.00 (40.00%)

Max Score: 84.00

Rank: 30

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 47.62

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 39 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	12.00	14.00	7.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI SACHIN SHINDE (ID No. 10423)

Your Score: 39.00/100.00 (39.00%)

Max Score: 84.00

Rank: 31

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 46.43

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI SACHIN SHINDE (ID No. 10423)

Your Score: 39.00/100.00 (39.00%)

Max Score: 84.00

Rank: 31

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 46.43

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 38 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	6.00	14.00	9.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA S. DALANKAR (ID No. 10111)

Your Score: 38.00/100.00 (38.00%)

Max Score: 84.00

Rank: 32

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 45.24

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA S. DALANKAR (ID No. 10111)

Your Score: 38.00/100.00 (38.00%)

Max Score: 84.00

Rank: 32

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 45.24

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00

Total Question: 100 **Attempted:** 97 (**Correct:** 37 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	7.00	11.00	13.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANURAG N. GHAVAT (ID No. 10112)

Your Score: 38.00/100.00 (38.00%)

Max Score: 84.00

Rank: 32

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 45.24

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANURAG N. GHAVAT (ID No. 10112)

Your Score: 38.00/100.00 (38.00%)

Max Score: 84.00

Rank: 32

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 45.24

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 37 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	8.00	15.00	9.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARINJAY MRUDUL TAYDE (ID No. 10115)

Your Score: 38.00/100.00 (38.00%)

Max Score: 84.00

Rank: 32

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 45.24

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARINJAY MRUDUL TAYDE (ID No. 10115)

Your Score: 38.00/100.00 (38.00%)

Max Score: 84.00

Rank: 32

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 45.24

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 37 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	5.00	17.00	10.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PALASH N CHITLANGE (ID No. 10146)

Your Score: 38.00/100.00 (38.00%)

Max Score: 84.00

Rank: 32

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 45.24

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PALASH N CHITLANGE (ID No. 10146)

Your Score: 38.00/100.00 (38.00%)

Max Score: 84.00

Rank: 32

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 45.24

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 37 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	7.00	12.00	14.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PURVA KALPAK PETHE (ID No. 10153)

Your Score: 38.00/100.00 (38.00%)

Max Score: 84.00

Rank: 32

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 45.24

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PURVA KALPAK PETHE (ID No. 10153)

Your Score: 38.00/100.00 (38.00%)

Max Score: 84.00

Rank: 32

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 45.24

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 37 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	10.00	16.00	5.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 36.00/100.00 (36.00%)

Max Score: 84.00

Rank: 33

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 42.86

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 36.00/100.00 (36.00%)

Max Score: 84.00

Rank: 33

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 42.86

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 35 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	9.00	12.00	11.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: APEKSHA AJAY PETKAR (ID No. 10114)

Your Score: 36.00/100.00 (36.00%)

Max Score: 84.00

Rank: 33

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 42.86

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: APEKSHA AJAY PETKAR (ID No. 10114)

Your Score: 36.00/100.00 (36.00%)

Max Score: 84.00

Rank: 33

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 42.86

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	BD	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 35 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	12.00	10.00	9.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIJAYANDRA R. RATHOD (ID No. 10186)

Your Score: 35.00/100.00 (35.00%)

Max Score: 84.00

Rank: 34

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 41.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIJAYANDRA R. RATHOD (ID No. 10186)

Your Score: 35.00/100.00 (35.00%)

Max Score: 84.00

Rank: 34

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 41.67

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 34 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	9.00	12.00	8.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRIYA KISHOR WALKE (ID No. 10151)

Your Score: 34.00/100.00 (34.00%)

Max Score: 84.00

Rank: 35

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 40.48

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRIYA KISHOR WALKE (ID No. 10151)

Your Score: 34.00/100.00 (34.00%)

Max Score: 84.00

Rank: 35

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 40.48

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 33 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 34.00

Total Positive Marks: 34.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	7.00	12.00	9.00	34.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 33.00/100.00 (33.00%)

Max Score: 84.00

Rank: 36

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 39.29

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 33.00/100.00 (33.00%)

Max Score: 84.00

Rank: 36

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 39.29

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 32 **Incorrect:** 67) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 33.00

Total Positive Marks: 33.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	4.00	12.00	11.00	33.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAVI M. DALAL (ID No. 10473)

Your Score: 33.00/100.00 (33.00%)

Max Score: 84.00

Rank: 36

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 39.29

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAVI M. DALAL (ID No. 10473)

Your Score: 33.00/100.00 (33.00%)

Max Score: 84.00

Rank: 36

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 39.29

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00

Total Question: 100 **Attempted:** 83 (**Correct:** 32 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 33.00

Total Positive Marks: 33.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	7.00	12.00	7.00	33.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE (ID No. 10440)

Your Score: 32.00/100.00 (32.00%)

Max Score: 84.00

Rank: 37

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 38.10

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE (ID No. 10440)

Your Score: 32.00/100.00 (32.00%)

Max Score: 84.00

Rank: 37

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 38.10

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 31 **Incorrect:** 68) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 32.00

Total Positive Marks: 32.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	8.00	9.00	8.00	32.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SANJAY BARABDE (ID No. 10421)

Your Score: 31.00/100.00 (31.00%)

Max Score: 84.00

Rank: 38

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 36.90

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SANJAY BARABDE (ID No. 10421)

Your Score: 31.00/100.00 (31.00%)

Max Score: 84.00

Rank: 38

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 36.90

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 30 **Incorrect:** 69) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 31.00

Total Positive Marks: 31.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	7.00	10.00	7.00	31.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI P. WAGHMARE (ID No. 10453)

Your Score: 29.00/100.00 (29.00%)

Max Score: 84.00

Rank: 39

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 34.52

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	BC	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI P. WAGHMARE (ID No. 10453)

Your Score: 29.00/100.00 (29.00%)

Max Score: 84.00

Rank: 39

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 34.52

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	CD	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 28 **Incorrect:** 71) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 29.00

Total Positive Marks: 29.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	7.00	9.00	8.00	29.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDANT BABAN THOTE (ID No. 10475)

Your Score: 27.00/100.00 (27.00%)

Max Score: 84.00

Rank: 40

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 32.14

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDANT BABAN THOTE (ID No. 10475)

Your Score: 27.00/100.00 (27.00%)

Max Score: 84.00

Rank: 40

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 32.14

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00

Total Question: 100 **Attempted:** 96 (**Correct:** 26 **Incorrect:** 70) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 27.00

Total Positive Marks: 27.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	9.00	4.00	7.00	27.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TUSHAR S. INGLE (ID No. 10183)

Your Score: 26.00/100.00 (26.00%)

Max Score: 84.00

Rank: 41

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 30.95

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TUSHAR S. INGLE (ID No. 10183)

Your Score: 26.00/100.00 (26.00%)

Max Score: 84.00

Rank: 41

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 30.95

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		A	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 25 **Incorrect:** 74) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 26.00

Total Positive Marks: 26.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	6.00	7.00	8.00	26.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRUTI P. JADHAV (ID No. 10466)

Your Score: 26.00/100.00 (26.00%)

Max Score: 84.00

Rank: 41

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 30.95

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRUTI P. JADHAV (ID No. 10466)

Your Score: 26.00/100.00 (26.00%)

Max Score: 84.00

Rank: 41

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 30.95

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		B	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00

Total Question: 100 **Attempted:** 95 (**Correct:** 25 **Incorrect:** 70) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 26.00

Total Positive Marks: 26.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	7.00	3.00	12.00	26.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRADDHA SANJAY NAKAT (ID No. 10464)

Your Score: 25.00/100.00 (25.00%)

Max Score: 84.00

Rank: 42

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 29.76

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRADDHA SANJAY NAKAT (ID No. 10464)

Your Score: 25.00/100.00 (25.00%)

Max Score: 84.00

Rank: 42

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 29.76

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 24 **Incorrect:** 75) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 25.00

Total Positive Marks: 25.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	3.00	7.00	6.00	25.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHETAN GOPAL KHEDKAR (ID No. 10122)

Your Score: 22.00/100.00 (22.00%)

Max Score: 84.00

Rank: 43

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 26.19

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHETAN GOPAL KHEDKAR (ID No. 10122)

Your Score: 22.00/100.00 (22.00%)

Max Score: 84.00

Rank: 43

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 26.19

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		D	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 21 **Incorrect:** 78) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 22.00

Total Positive Marks: 22.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	3.00	9.00	5.00	22.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHIKA DINKAR WAZIRE (ID No. 10444)

Your Score: 22.00/100.00 (22.00%)

Max Score: 84.00

Rank: 43

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 26.19

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHIKA DINKAR WAZIRE (ID No. 10444)

Your Score: 22.00/100.00 (22.00%)

Max Score: 84.00

Rank: 43

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 26.19

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00		C	C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00

Total Question: 100 **Attempted:** 53 (**Correct:** 21 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 22.00

Total Positive Marks: 22.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
3.00	7.00	5.00	7.00	22.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOKASHADA A. GAWANDE (ID No. 10427)

Your Score: 12.00/100.00 (12.00%)

Max Score: 84.00

Rank: 44

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 14.29

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	99.17	58.68	40.50	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
2	95.04	28.10	66.94	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
3	99.17	61.16	38.02	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
4	97.52	22.31	75.21	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
5	98.35	42.98	55.37	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
6	98.35	53.72	44.63	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
7	96.69	17.36	79.34	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
8	94.21	40.50	53.72	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
9	97.52	26.45	71.07	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
10	96.69	65.29	31.40	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
11	97.52	55.37	42.15	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
12	99.17	32.23	66.94	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
13	97.52	47.93	49.59	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
14	97.52	15.70	81.82	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
15	97.52	48.76	48.76	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
16	98.35	11.57	86.78	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
17	95.87	26.45	69.42	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
18	98.35	43.80	54.55	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
19	98.35	8.26	90.08	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
20	96.69	26.45	70.25	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
21	95.87	16.53	79.34	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
22	95.04	43.80	51.24	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
23	92.56	23.14	69.42	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
24	95.87	31.40	64.46	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
25	96.69	19.01	77.69	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
26	98.35	37.19	61.16	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
27	98.35	48.76	49.59	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
28	98.35	59.50	38.84	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
29	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
30	98.35	73.55	24.79	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
31	97.52	38.84	58.68	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
32	97.52	58.68	38.84	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
33	97.52	19.83	77.69	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
34	98.35	66.94	31.40	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
35	98.35	63.64	34.71	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
36	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
37	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
38	99.17	52.89	46.28	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
39	98.35	61.98	36.36	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	99.17	78.51	20.66	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	100.00	53.72	46.28	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	99.17	43.80	55.37	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
43	96.69	23.14	73.55	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	98.35	52.89	45.45	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
45	99.17	35.54	63.64	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
46	98.35	58.68	39.67	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
47	98.35	50.41	47.93	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
48	97.52	64.46	33.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
49	97.52	85.12	12.40	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
50	98.35	38.84	59.50	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
51	98.35	59.50	38.84	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	96.69	71.07	25.62	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
53	98.35	82.64	15.70	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOKASHADA A. GAWANDE (ID No. 10427)

Your Score: 12.00/100.00 (12.00%)

Max Score: 84.00

Rank: 44

Min Score: 12.00

TEST: MAJOR TEST-03 (STD.10TH) (ID: 737 DT: 18-Sep-2023)

Percentile: 14.29

Avg Score: 49.52

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	98.35	94.21	4.13	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	97.52	79.34	18.18	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
56	98.35	61.98	36.36	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
57	96.69	67.77	28.93	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
58	98.35	69.42	28.93	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
59	95.04	68.60	26.45	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
60	96.69	72.73	23.97	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
61	97.52	64.46	33.06	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	74.38	25.62	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
63	99.17	70.25	28.93	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	99.17	83.47	15.70	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
65	96.69	56.20	40.50	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
66	96.69	61.98	34.71	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
67	94.21	58.68	35.54	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
68	95.04	58.68	36.36	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
69	99.17	79.34	19.83	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
70	96.69	65.29	31.40	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
71	97.52	63.64	33.88	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
72	97.52	76.86	20.66	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
73	95.04	23.97	71.07	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
74	93.39	37.19	56.20	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
75	95.87	70.25	25.62	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
76	96.69	22.31	74.38	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
77	94.21	46.28	47.93	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
78	97.52	49.59	47.93	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
79	99.17	35.54	63.64	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	97.52	51.24	46.28	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
81	97.52	69.42	28.10	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
82	98.35	29.75	68.60	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
83	96.69	33.06	63.64	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
84	95.04	13.22	81.82	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
85	99.17	49.59	49.59	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
86	95.87	33.88	61.98	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	100.00	100.00	0.00	MATHS	BONUS 1	1.00	0.00			C	1.00
88	98.35	41.32	57.02	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
89	95.87	26.45	69.42	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
90	97.52	23.97	73.55	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
91	99.17	40.50	58.68	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
92	99.17	77.69	21.49	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
93	97.52	56.20	41.32	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
94	99.17	38.02	61.16	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
95	96.69	41.32	55.37	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
96	98.35	47.93	50.41	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
97	97.52	42.98	54.55	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
98	97.52	27.27	70.25	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
99	94.21	52.89	41.32	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
100	98.35	76.03	22.31	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00

Total Question: 100 **Attempted:** 23 (**Correct:** 11 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 12.00

Total Positive Marks: 12.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
0.00	3.00	8.00	1.00	12.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%