

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY A. HANWANTE (ID No. 10470)

Your Score: 87.00/100.00 (87.00%)

Max Score: 87.00

Rank: 1

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 100.00

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANMAY A. HANWANTE (ID No. 10470)

Your Score: 87.00/100.00 (87.00%)

Max Score: 87.00

Rank: 1

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 100.00

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 86 **Incorrect:** 13) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 87.00

Total Positive Marks: 87.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
19.00	23.00	21.00	24.00	87.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 81.00/100.00 (81.00%)

Max Score: 87.00

Rank: 2

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 93.10

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHASHWAT D. RAWANKAR (ID No. 10173)

Your Score: 81.00/100.00 (81.00%)

Max Score: 87.00

Rank: 2

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 93.10

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 80 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 81.00

Total Positive Marks: 81.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	22.00	22.00	22.00	81.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 79.00/100.00 (79.00%)

Max Score: 87.00

Rank: 3

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 90.80

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKHILESH R. KUKADE (ID No. 10105)

Your Score: 79.00/100.00 (79.00%)

Max Score: 87.00

Rank: 3

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 90.80

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	AB	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 78 **Incorrect:** 21) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 79.00

Total Positive Marks: 79.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	21.00	20.00	21.00	79.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV V. SONAWANE (ID No. 10437)

Your Score: 79.00/100.00 (79.00%)

Max Score: 87.00

Rank: 3

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 90.80

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV V. SONAWANE (ID No. 10437)

Your Score: 79.00/100.00 (79.00%)

Max Score: 87.00

Rank: 3

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 90.80

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	AD	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 78 **Incorrect:** 21) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 79.00

Total Positive Marks: 79.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	20.00	22.00	20.00	79.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR (ID No. 10404)

Your Score: 78.00/100.00 (78.00%)

Max Score: 87.00

Rank: 4

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 89.66

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKSHAYA E. AMANKAR (ID No. 10404)

Your Score: 78.00/100.00 (78.00%)

Max Score: 87.00

Rank: 4

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 89.66

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 77 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 78.00

Total Positive Marks: 78.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	21.00	24.00	18.00	78.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KUNAL SANJAY RAI (ID No. 10136)

Your Score: 75.00/100.00 (75.00%)

Max Score: 87.00

Rank: 5

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 86.21

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KUNAL SANJAY RAI (ID No. 10136)

Your Score: 75.00/100.00 (75.00%)

Max Score: 87.00

Rank: 5

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 86.21

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 97 (**Correct:** 74 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 75.00

Total Positive Marks: 75.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	23.00	20.00	19.00	75.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 75.00/100.00 (75.00%)

Max Score: 87.00

Rank: 5

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 86.21

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NANADAN S. GAWANDE (ID No. 10141)

Your Score: 75.00/100.00 (75.00%)

Max Score: 87.00

Rank: 5

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 86.21

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 74 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 75.00

Total Positive Marks: 75.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	20.00	20.00	20.00	75.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE (ID No. 10449)

Your Score: 75.00/100.00 (75.00%)

Max Score: 87.00

Rank: 5

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 86.21

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUSHIKESH S. BIHADE (ID No. 10449)

Your Score: 75.00/100.00 (75.00%)

Max Score: 87.00

Rank: 5

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 86.21

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 74 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 75.00

Total Positive Marks: 75.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	20.00	22.00	19.00	75.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIJAYANTI M. ASHTAPUTRE (ID No. 10474)

Your Score: 75.00/100.00 (75.00%)

Max Score: 87.00

Rank: 5

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 86.21

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIJAYANTI M. ASHTAPUTRE (ID No. 10474)

Your Score: 75.00/100.00 (75.00%)

Max Score: 87.00

Rank: 5

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 86.21

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC		L	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 86 (**Correct:** 74 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 75.00

Total Positive Marks: 75.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	21.00	22.00	16.00	75.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 74.00/100.00 (74.00%)

Max Score: 87.00

Rank: 6

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 85.06

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DEVYANEE S. JAWLE (ID No. 10123)

Your Score: 74.00/100.00 (74.00%)

Max Score: 87.00

Rank: 6

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 85.06

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 73 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 74.00

Total Positive Marks: 74.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	23.00	20.00	18.00	74.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 74.00/100.00 (74.00%)

Max Score: 87.00

Rank: 6

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 85.06

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDPRAKASH O. CHOUBE (ID No. 10478)

Your Score: 74.00/100.00 (74.00%)

Max Score: 87.00

Rank: 6

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 85.06

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 73 **Incorrect:** 26) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 74.00

Total Positive Marks: 74.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	22.00	20.00	16.00	74.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI ALHAD BHAVSAR (ID No. 10126)

Your Score: 73.00/100.00 (73.00%)

Max Score: 87.00

Rank: 7

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 83.91

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI ALHAD BHAVSAR (ID No. 10126)

Your Score: 73.00/100.00 (73.00%)

Max Score: 87.00

Rank: 7

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 83.91

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 72 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 73.00

Total Positive Marks: 73.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
18.00	18.00	23.00	14.00	73.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI R. JADHAO (ID No. 10420)

Your Score: 72.00/100.00 (72.00%)

Max Score: 87.00

Rank: 8

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 82.76

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GARGI R. JADHAO (ID No. 10420)

Your Score: 72.00/100.00 (72.00%)

Max Score: 87.00

Rank: 8

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 82.76

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 71 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 72.00

Total Positive Marks: 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	18.00	20.00	17.00	72.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUKTI S. RATHOD (ID No. 10481)

Your Score: 72.00/100.00 (72.00%)

Max Score: 87.00

Rank: 8

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 82.76

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUKTI S. RATHOD (ID No. 10481)

Your Score: 72.00/100.00 (72.00%)

Max Score: 87.00

Rank: 8

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 82.76

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 71 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 72.00

Total Positive Marks: 72.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	21.00	21.00	14.00	72.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 71.00/100.00 (71.00%)

Max Score: 87.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 81.61

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KARTIK S. BHALERAO (ID No. 10131)

Your Score: 71.00/100.00 (71.00%)

Max Score: 87.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 81.61

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 70 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 71.00

Total Positive Marks: 71.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	18.00	21.00	16.00	71.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN SUNIL MANTRI (ID No. 10409)

Your Score: 71.00/100.00 (71.00%)

Max Score: 87.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 81.61

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	BC	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN SUNIL MANTRI (ID No. 10409)

Your Score: 71.00/100.00 (71.00%)

Max Score: 87.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 81.61

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 70 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 71.00

Total Positive Marks: 71.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	21.00	22.00	17.00	71.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SANJAY BARABDE (ID No. 10421)

Your Score: 71.00/100.00 (71.00%)

Max Score: 87.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 81.61

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	CD	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHWARI SANJAY BARABDE (ID No. 10421)

Your Score: 71.00/100.00 (71.00%)

Max Score: 87.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 81.61

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 70 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 71.00

Total Positive Marks: 71.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	20.00	24.00	17.00	71.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH M. NAGPURE (ID No. 10430)

Your Score: 71.00/100.00 (71.00%)

Max Score: 87.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 81.61

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH M. NAGPURE (ID No. 10430)

Your Score: 71.00/100.00 (71.00%)

Max Score: 87.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 81.61

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 94 (**Correct:** 70 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 71.00

Total Positive Marks: 71.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	21.00	17.00	19.00	71.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 71.00/100.00 (71.00%)

Max Score: 87.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 81.61

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDNYESH D. BHENDEKAR (ID No. 10448)

Your Score: 71.00/100.00 (71.00%)

Max Score: 87.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 81.61

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 70 **Incorrect:** 27) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 71.00

Total Positive Marks: 71.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	20.00	23.00	13.00	71.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR (ID No. 10461)

Your Score: 71.00/100.00 (71.00%)

Max Score: 87.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 81.61

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVAK S. PILLEWAR (ID No. 10461)

Your Score: 71.00/100.00 (71.00%)

Max Score: 87.00

Rank: 9

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 81.61

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 93 (**Correct:** 70 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 71.00

Total Positive Marks: 71.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	17.00	21.00	21.00	71.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIPIN VIJAY SHIRAL (ID No. 10187)

Your Score: 70.00/100.00 (70.00%)

Max Score: 87.00

Rank: 10

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 80.46

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIPIN VIJAY SHIRAL (ID No. 10187)

Your Score: 70.00/100.00 (70.00%)

Max Score: 87.00

Rank: 10

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 80.46

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 69 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 70.00

Total Positive Marks: 70.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	19.00	20.00	16.00	70.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJASHREE MILIND RELE (ID No. 10445)

Your Score: 70.00/100.00 (70.00%)

Max Score: 87.00

Rank: 10

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 80.46

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJASHREE MILIND RELE (ID No. 10445)

Your Score: 70.00/100.00 (70.00%)

Max Score: 87.00

Rank: 10

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 80.46

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 69 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 70.00

Total Positive Marks: 70.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	21.00	19.00	15.00	70.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVANI R. NANNAWARE (ID No. 10462)

Your Score: 70.00/100.00 (70.00%)

Max Score: 87.00

Rank: 10

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 80.46

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	BC	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVANI R. NANNAWARE (ID No. 10462)

Your Score: 70.00/100.00 (70.00%)

Max Score: 87.00

Rank: 10

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 80.46

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 69 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 70.00

Total Positive Marks: 70.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	19.00	23.00	16.00	70.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIRUDHA ARUN GAWAI (ID No. 10407)

Your Score: 69.00/100.00 (69.00%)

Max Score: 87.00

Rank: 11

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 79.31

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIRUDHA ARUN GAWAI (ID No. 10407)

Your Score: 69.00/100.00 (69.00%)

Max Score: 87.00

Rank: 11

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 79.31

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 68 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 69.00

Total Positive Marks: 69.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	19.00	19.00	18.00	69.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 69.00/100.00 (69.00%)

Max Score: 87.00

Rank: 11

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 79.31

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM VIVEK KAKAD (ID No. 10429)

Your Score: 69.00/100.00 (69.00%)

Max Score: 87.00

Rank: 11

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 79.31

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 68 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 69.00

Total Positive Marks: 69.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	17.00	20.00	17.00	69.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE (ID No. 10454)

Your Score: 69.00/100.00 (69.00%)

Max Score: 87.00

Rank: 11

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 79.31

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI S. NEMADE (ID No. 10454)

Your Score: 69.00/100.00 (69.00%)

Max Score: 87.00

Rank: 11

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 79.31

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 68 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 69.00

Total Positive Marks: 69.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	20.00	23.00	14.00	69.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 68.00/100.00 (68.00%)

Max Score: 87.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 78.16

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	AC	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUMEDH S. AWADE (ID No. 10181)

Your Score: 68.00/100.00 (68.00%)

Max Score: 87.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 78.16

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 67 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 68.00

Total Positive Marks: 68.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	18.00	20.00	15.00	68.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARWARI S. SAWALE (ID No. 10459)

Your Score: 68.00/100.00 (68.00%)

Max Score: 87.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 78.16

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHARWARI S. SAWALE (ID No. 10459)

Your Score: 68.00/100.00 (68.00%)

Max Score: 87.00

Rank: 12

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 78.16

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 92 (**Correct:** 67 **Incorrect:** 25) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 68.00

Total Positive Marks: 68.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	18.00	19.00	15.00	68.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 67.00/100.00 (67.00%)

Max Score: 87.00

Rank: 13

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 77.01

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DUSHYANT S. WAYRE (ID No. 10419)

Your Score: 67.00/100.00 (67.00%)

Max Score: 87.00

Rank: 13

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 77.01

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 66 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	20.00	19.00	14.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 67.00/100.00 (67.00%)

Max Score: 87.00

Rank: 13

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 77.01

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KALPAJIT J. TELGOTE (ID No. 10422)

Your Score: 67.00/100.00 (67.00%)

Max Score: 87.00

Rank: 13

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 77.01

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 66 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	16.00	21.00	19.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH SATISH KORDE (ID No. 10433)

Your Score: 67.00/100.00 (67.00%)

Max Score: 87.00

Rank: 13

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 77.01

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH SATISH KORDE (ID No. 10433)

Your Score: 67.00/100.00 (67.00%)

Max Score: 87.00

Rank: 13

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 77.01

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 66 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	20.00	19.00	16.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 66.00/100.00 (66.00%)

Max Score: 87.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 75.86

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOHIT AJAY AGRAWAL (ID No. 10140)

Your Score: 66.00/100.00 (66.00%)

Max Score: 87.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 75.86

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 65 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	20.00	16.00	19.00	66.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA AJAY SAWARKAR (ID No. 10443)

Your Score: 66.00/100.00 (66.00%)

Max Score: 87.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 75.86

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA AJAY SAWARKAR (ID No. 10443)

Your Score: 66.00/100.00 (66.00%)

Max Score: 87.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 75.86

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	BC	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	BC	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 94 (**Correct:** 65 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	19.00	19.00	14.00	66.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 66.00/100.00 (66.00%)

Max Score: 87.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 75.86

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RASIKA SHIRISH KUKADE (ID No. 10446)

Your Score: 66.00/100.00 (66.00%)

Max Score: 87.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 75.86

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	BD	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	BC	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 65 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
17.00	19.00	16.00	14.00	66.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDDHI SUDHAKAR DHAGE (ID No. 10447)

Your Score: 66.00/100.00 (66.00%)

Max Score: 87.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 75.86

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	CD	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RIDDHI SUDHAKAR DHAGE (ID No. 10447)

Your Score: 66.00/100.00 (66.00%)

Max Score: 87.00

Rank: 14

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 75.86

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 65 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	20.00	24.00	12.00	66.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEENAKSHI G. MUKUNDE (ID No. 10425)

Your Score: 65.00/100.00 (65.00%)

Max Score: 87.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 74.71

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEENAKSHI G. MUKUNDE (ID No. 10425)

Your Score: 65.00/100.00 (65.00%)

Max Score: 87.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 74.71

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC		L	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 94 (**Correct:** 64 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	21.00	20.00	11.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP (ID No. 10432)

Your Score: 65.00/100.00 (65.00%)

Max Score: 87.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 74.71

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH PANKAJ JAGTAP (ID No. 10432)

Your Score: 65.00/100.00 (65.00%)

Max Score: 87.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 74.71

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 64 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	17.00	17.00	21.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 65.00/100.00 (65.00%)

Max Score: 87.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 74.71

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHANT S. THATE (ID No. 10467)

Your Score: 65.00/100.00 (65.00%)

Max Score: 87.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 74.71

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 Attempted: 99 (Correct: 64 Incorrect: 35) Score Rate: 0.00 Strike Rate: 0.00

Total: 65.00

Total Positive Marks: 65.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
16.00	19.00	18.00	12.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS J. RAYANE (ID No. 10472)

Your Score: 65.00/100.00 (65.00%)

Max Score: 87.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 74.71

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TEJAS J. RAYANE (ID No. 10472)

Your Score: 65.00/100.00 (65.00%)

Max Score: 87.00

Rank: 15

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 74.71

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 64 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	21.00	19.00	12.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AVADHUT A. BHOKARDANKAR (ID No. 10118)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC		L	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AVADHUT A. BHOKARDANKAR (ID No. 10118)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 84 (**Correct:** 63 **Incorrect:** 21) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	21.00	10.00	23.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NIRAL NAREN NIKHADE (ID No. 10143)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NIRAL NAREN NIKHADE (ID No. 10143)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 63 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	20.00	17.00	15.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA SUNIL SATHE (ID No. 10152)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRUTHA SUNIL SATHE (ID No. 10152)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 63 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	21.00	16.00	14.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADARSH SUHAS DABHADE (ID No. 10401)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	C	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADARSH SUHAS DABHADE (ID No. 10401)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	A	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 63 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	18.00	20.00	14.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA B. DHORE (ID No. 10411)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC		L	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00

Total Question: 100 **Attempted:** 94 (**Correct:** 63 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	20.00	20.00	12.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEDHAVI AJAY JOSHI (ID No. 10424)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MEDHAVI AJAY JOSHI (ID No. 10424)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 63 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	19.00	20.00	9.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRACHI P. KHANDARE (ID No. 10435)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	C	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRACHI P. KHANDARE (ID No. 10435)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 63 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	21.00	21.00	13.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SALONI KESHAO MAHALLE (ID No. 10450)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SALONI KESHAO MAHALLE (ID No. 10450)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 63 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	19.00	17.00	16.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE (ID No. 10463)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHLOK TUSHAR KUTE (ID No. 10463)

Your Score: 64.00/100.00 (64.00%)

Max Score: 87.00

Rank: 16

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 73.56

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 63 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 64.00

Total Positive Marks: 64.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	18.00	13.00	20.00	64.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA S. DALANKAR (ID No. 10111)

Your Score: 62.00/100.00 (62.00%)

Max Score: 87.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 71.26

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUJA S. DALANKAR (ID No. 10111)

Your Score: 62.00/100.00 (62.00%)

Max Score: 87.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 71.26

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	17.00	18.00	14.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 62.00/100.00 (62.00%)

Max Score: 87.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 71.26

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OJAS VIJAY MAHAJAN (ID No. 10144)

Your Score: 62.00/100.00 (62.00%)

Max Score: 87.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 71.26

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	22.00	19.00	13.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 62.00/100.00 (62.00%)

Max Score: 87.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 71.26

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	C	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAKSHAM U. KHORIYA (ID No. 10163)

Your Score: 62.00/100.00 (62.00%)

Max Score: 87.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 71.26

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	19.00	18.00	14.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 62.00/100.00 (62.00%)

Max Score: 87.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 71.26

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	AB	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMRUDDHI P. BHALTILAK (ID No. 10166)

Your Score: 62.00/100.00 (62.00%)

Max Score: 87.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 71.26

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC		L	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 90 (**Correct:** 61 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	20.00	17.00	12.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 62.00/100.00 (62.00%)

Max Score: 87.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 71.26

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ASHAR ASHPAK CHAVAN (ID No. 10410)

Your Score: 62.00/100.00 (62.00%)

Max Score: 87.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 71.26

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 61 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	19.00	18.00	9.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 62.00/100.00 (62.00%)

Max Score: 87.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 71.26

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA DILIP GHODKAR (ID No. 10412)

Your Score: 62.00/100.00 (62.00%)

Max Score: 87.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 71.26

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 61 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
14.00	17.00	16.00	15.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH N. MANKE (ID No. 10431)

Your Score: 62.00/100.00 (62.00%)

Max Score: 87.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 71.26

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	CD	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PARTH N. MANKE (ID No. 10431)

Your Score: 62.00/100.00 (62.00%)

Max Score: 87.00

Rank: 17

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 71.26

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	A	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 61 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 62.00

Total Positive Marks: 62.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	19.00	7.00	21.00	62.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJSSINGH K. CHUNGADE (ID No. 10188)

Your Score: 61.00/100.00 (61.00%)

Max Score: 87.00

Rank: 18

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 70.11

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIRAJSSINGH K. CHUNGADE (ID No. 10188)

Your Score: 61.00/100.00 (61.00%)

Max Score: 87.00

Rank: 18

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 70.11

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 61.00

Total Positive Marks: 61.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	19.00	16.00	15.00	61.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARINJAY MRUDUL TAYDE (ID No. 10115)

Your Score: 60.00/100.00 (60.00%)

Max Score: 87.00

Rank: 19

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 68.97

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARINJAY MRUDUL TAYDE (ID No. 10115)

Your Score: 60.00/100.00 (60.00%)

Max Score: 87.00

Rank: 19

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 68.97

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 59 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	20.00	21.00	11.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 60.00/100.00 (60.00%)

Max Score: 87.00

Rank: 19

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 68.97

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANAV NILESH PAWAR (ID No. 10137)

Your Score: 60.00/100.00 (60.00%)

Max Score: 87.00

Rank: 19

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 68.97

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 59 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	19.00	15.00	11.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH D. SAWARKAR (ID No. 10164)

Your Score: 60.00/100.00 (60.00%)

Max Score: 87.00

Rank: 19

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 68.97

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	C	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH D. SAWARKAR (ID No. 10164)

Your Score: 60.00/100.00 (60.00%)

Max Score: 87.00

Rank: 19

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 68.97

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 59 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	18.00	16.00	16.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 60.00/100.00 (60.00%)

Max Score: 87.00

Rank: 19

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 68.97

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRITHVI M. GAWANDE (ID No. 10442)

Your Score: 60.00/100.00 (60.00%)

Max Score: 87.00

Rank: 19

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 68.97

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 59 **Incorrect:** 40) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	22.00	18.00	9.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 59.00/100.00 (59.00%)

Max Score: 87.00

Rank: 20

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 67.82

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH S. MHAISANE (ID No. 10120)

Your Score: 59.00/100.00 (59.00%)

Max Score: 87.00

Rank: 20

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 67.82

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 58 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 59.00

Total Positive Marks: 59.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	20.00	15.00	13.00	59.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANURAG N. GHAVAT (ID No. 10112)

Your Score: 58.00/100.00 (58.00%)

Max Score: 87.00

Rank: 21

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 66.67

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	C	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANURAG N. GHAVAT (ID No. 10112)

Your Score: 58.00/100.00 (58.00%)

Max Score: 87.00

Rank: 21

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 66.67

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 57 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
16.00	18.00	12.00	12.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 58.00/100.00 (58.00%)

Max Score: 87.00

Rank: 21

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 66.67

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAURESH K. DAKHORE (ID No. 10127)

Your Score: 58.00/100.00 (58.00%)

Max Score: 87.00

Rank: 21

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 66.67

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 57 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	20.00	17.00	10.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR (ID No. 10116)

Your Score: 57.00/100.00 (57.00%)

Max Score: 87.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 65.52

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ARYAN RITESH KELKAR (ID No. 10116)

Your Score: 57.00/100.00 (57.00%)

Max Score: 87.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 65.52

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	AB	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	AC	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC		L	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	AB	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 86 (**Correct:** 56 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	20.00	18.00	9.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 57.00/100.00 (57.00%)

Max Score: 87.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 65.52

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HRIGVED ANIL CHAVAN (ID No. 10129)

Your Score: 57.00/100.00 (57.00%)

Max Score: 87.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 65.52

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 95 (**Correct:** 56 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	17.00	19.00	11.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRIYA KISHOR WALKE (ID No. 10151)

Your Score: 57.00/100.00 (57.00%)

Max Score: 87.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 65.52

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRIYA KISHOR WALKE (ID No. 10151)

Your Score: 57.00/100.00 (57.00%)

Max Score: 87.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 65.52

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	A	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC		L	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 93 (**Correct:** 56 **Incorrect:** 37) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
19.00	14.00	15.00	9.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH L. RELKAR (ID No. 10165)

Your Score: 57.00/100.00 (57.00%)

Max Score: 87.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 65.52

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAMARTH L. RELKAR (ID No. 10165)

Your Score: 57.00/100.00 (57.00%)

Max Score: 87.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 65.52

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 56 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	14.00	14.00	16.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHOURYA S. BHATULKAR (ID No. 10175)

Your Score: 57.00/100.00 (57.00%)

Max Score: 87.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 65.52

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHOURYA S. BHATULKAR (ID No. 10175)

Your Score: 57.00/100.00 (57.00%)

Max Score: 87.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 65.52

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 95 (**Correct:** 56 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	15.00	16.00	14.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH UMESH MORE (ID No. 10434)

Your Score: 57.00/100.00 (57.00%)

Max Score: 87.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 65.52

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH UMESH MORE (ID No. 10434)

Your Score: 57.00/100.00 (57.00%)

Max Score: 87.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 65.52

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 56 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	16.00	18.00	15.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE (ID No. 10441)

Your Score: 57.00/100.00 (57.00%)

Max Score: 87.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 65.52

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASANNA Y. WANKHADE (ID No. 10441)

Your Score: 57.00/100.00 (57.00%)

Max Score: 87.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 65.52

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 56 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	16.00	18.00	15.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAVI M. DALAL (ID No. 10473)

Your Score: 57.00/100.00 (57.00%)

Max Score: 87.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 65.52

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAVI M. DALAL (ID No. 10473)

Your Score: 57.00/100.00 (57.00%)

Max Score: 87.00

Rank: 22

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 65.52

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 56 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 57.00

Total Positive Marks: 57.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
13.00	16.00	18.00	10.00	57.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH VINOD RAUT (ID No. 10415)

Your Score: 56.00/100.00 (56.00%)

Max Score: 87.00

Rank: 23

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 64.37

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	AC	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH VINOD RAUT (ID No. 10415)

Your Score: 56.00/100.00 (56.00%)

Max Score: 87.00

Rank: 23

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 64.37

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	19.00	17.00	10.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV P. THAKARE (ID No. 10436)

Your Score: 56.00/100.00 (56.00%)

Max Score: 87.00

Rank: 23

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 64.37

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV P. THAKARE (ID No. 10436)

Your Score: 56.00/100.00 (56.00%)

Max Score: 87.00

Rank: 23

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 64.37

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 55 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	17.00	19.00	11.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHARAT NITIN AGRAWAL (ID No. 10121)

Your Score: 55.00/100.00 (55.00%)

Max Score: 87.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 63.22

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	C	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHARAT NITIN AGRAWAL (ID No. 10121)

Your Score: 55.00/100.00 (55.00%)

Max Score: 87.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 63.22

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	AD	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	BD	W	0.00

Total Question: 100 **Attempted:** 93 (**Correct:** 54 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	21.00	14.00	11.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE (ID No. 10133)

Your Score: 55.00/100.00 (55.00%)

Max Score: 87.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 63.22

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAJENDRA PATOLE (ID No. 10133)

Your Score: 55.00/100.00 (55.00%)

Max Score: 87.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 63.22

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 97 (**Correct:** 54 **Incorrect:** 43) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	14.00	18.00	14.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 55.00/100.00 (55.00%)

Max Score: 87.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 63.22

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC		L	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHAN RAJIV HALADE (ID No. 10155)

Your Score: 55.00/100.00 (55.00%)

Max Score: 87.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 63.22

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC		L	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00

Total Question: 100 **Attempted:** 76 (**Correct:** 54 **Incorrect:** 22) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	22.00	13.00	10.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYALI SHRAVAN INGLE (ID No. 10170)

Your Score: 55.00/100.00 (55.00%)

Max Score: 87.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 63.22

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAYALI SHRAVAN INGLE (ID No. 10170)

Your Score: 55.00/100.00 (55.00%)

Max Score: 87.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 63.22

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	21.00	18.00	9.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 55.00/100.00 (55.00%)

Max Score: 87.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 63.22

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ATUL GAVHANE (ID No. 10428)

Your Score: 55.00/100.00 (55.00%)

Max Score: 87.00

Rank: 24

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 63.22

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	AC	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 54 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	15.00	19.00	13.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 54.00/100.00 (54.00%)

Max Score: 87.00

Rank: 25

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 62.07

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANJIVINI A. BHALTILAK (ID No. 10167)

Your Score: 54.00/100.00 (54.00%)

Max Score: 87.00

Rank: 25

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 62.07

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 53 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	14.00	18.00	12.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 54.00/100.00 (54.00%)

Max Score: 87.00

Rank: 25

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 62.07

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHANASHRI M. INGOLE (ID No. 10418)

Your Score: 54.00/100.00 (54.00%)

Max Score: 87.00

Rank: 25

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 62.07

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	A	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 53 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	17.00	15.00	11.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 54.00/100.00 (54.00%)

Max Score: 87.00

Rank: 25

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 62.07

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI U. NICHAL (ID No. 10455)

Your Score: 54.00/100.00 (54.00%)

Max Score: 87.00

Rank: 25

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 62.07

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 53 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	18.00	22.00	8.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHAIRYA DHIRAJ SHARMA (ID No. 10124)

Your Score: 53.00/100.00 (53.00%)

Max Score: 87.00

Rank: 26

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 60.92

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DHAIRYA DHIRAJ SHARMA (ID No. 10124)

Your Score: 53.00/100.00 (53.00%)

Max Score: 87.00

Rank: 26

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 60.92

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 82 (**Correct:** 52 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	11.00	15.00	15.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI SCHIN SHINDE (ID No. 10423)

Your Score: 53.00/100.00 (53.00%)

Max Score: 87.00

Rank: 26

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 60.92

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	BC	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI SCHIN SHINDE (ID No. 10423)

Your Score: 53.00/100.00 (53.00%)

Max Score: 87.00

Rank: 26

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 60.92

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 52 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	17.00	15.00	9.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 53.00/100.00 (53.00%)

Max Score: 87.00

Rank: 26

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 60.92

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YASH ANIL SURWADE (ID No. 10479)

Your Score: 53.00/100.00 (53.00%)

Max Score: 87.00

Rank: 26

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 60.92

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 52 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	17.00	15.00	9.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKIT AMIT MAHAJAN (ID No. 10110)

Your Score: 52.00/100.00 (52.00%)

Max Score: 87.00

Rank: 27

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 59.77

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKIT AMIT MAHAJAN (ID No. 10110)

Your Score: 52.00/100.00 (52.00%)

Max Score: 87.00

Rank: 27

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 59.77

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	18.00	13.00	12.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI ARUN SHARMA (ID No. 10159)

Your Score: 52.00/100.00 (52.00%)

Max Score: 87.00

Rank: 27

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 59.77

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI ARUN SHARMA (ID No. 10159)

Your Score: 52.00/100.00 (52.00%)

Max Score: 87.00

Rank: 27

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 59.77

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 93 (**Correct:** 51 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	11.00	15.00	15.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMRUT SURESH ASARE (ID No. 10405)

Your Score: 52.00/100.00 (52.00%)

Max Score: 87.00

Rank: 27

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 59.77

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	AD	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		BC	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMRUT SURESH ASARE (ID No. 10405)

Your Score: 52.00/100.00 (52.00%)

Max Score: 87.00

Rank: 27

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 59.77

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	16.00	18.00	12.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 52.00/100.00 (52.00%)

Max Score: 87.00

Rank: 27

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 59.77

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND VINOD TAYDE (ID No. 10406)

Your Score: 52.00/100.00 (52.00%)

Max Score: 87.00

Rank: 27

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 59.77

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 96 (**Correct:** 51 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	12.00	17.00	14.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 52.00/100.00 (52.00%)

Max Score: 87.00

Rank: 27

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 59.77

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	AB	W	0.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ATHARVA U. DIWARE (ID No. 10414)

Your Score: 52.00/100.00 (52.00%)

Max Score: 87.00

Rank: 27

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 59.77

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 51 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	16.00	19.00	7.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMEY NARENDRA SURE (ID No. 10106)

Your Score: 51.00/100.00 (51.00%)

Max Score: 87.00

Rank: 28

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 58.62

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AMEY NARENDRA SURE (ID No. 10106)

Your Score: 51.00/100.00 (51.00%)

Max Score: 87.00

Rank: 28

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 58.62

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 50 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	17.00	19.00	8.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 51.00/100.00 (51.00%)

Max Score: 87.00

Rank: 28

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 58.62

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AYUSH P. RAHANE (ID No. 10119)

Your Score: 51.00/100.00 (51.00%)

Max Score: 87.00

Rank: 28

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 58.62

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 50 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	17.00	12.00	7.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL (ID No. 10128)

Your Score: 51.00/100.00 (51.00%)

Max Score: 87.00

Rank: 28

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 58.62

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	C	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAVRAV S. MISAL (ID No. 10128)

Your Score: 51.00/100.00 (51.00%)

Max Score: 87.00

Rank: 28

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 58.62

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD		L	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 84 (**Correct:** 50 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
15.00	12.00	5.00	19.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 51.00/100.00 (51.00%)

Max Score: 87.00

Rank: 28

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 58.62

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JAYKUMAR B. PATOKAR (ID No. 10130)

Your Score: 51.00/100.00 (51.00%)

Max Score: 87.00

Rank: 28

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 58.62

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	AB	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	AC	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	CD	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 50 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	17.00	12.00	10.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHYAATI B. ROUT (ID No. 10134)

Your Score: 50.00/100.00 (50.00%)

Max Score: 87.00

Rank: 29

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 57.47

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHYAATI B. ROUT (ID No. 10134)

Your Score: 50.00/100.00 (50.00%)

Max Score: 87.00

Rank: 29

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 57.47

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC		L	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00

Total Question: 100 **Attempted:** 84 (**Correct:** 49 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	19.00	11.00	9.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT V. TIRUK (ID No. 10156)

Your Score: 50.00/100.00 (50.00%)

Max Score: 87.00

Rank: 29

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 57.47

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ROHIT V. TIRUK (ID No. 10156)

Your Score: 50.00/100.00 (50.00%)

Max Score: 87.00

Rank: 29

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 57.47

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 49 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	14.00	15.00	10.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 50.00/100.00 (50.00%)

Max Score: 87.00

Rank: 29

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 57.47

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHIVRAJ RAHUL SABLE (ID No. 10174)

Your Score: 50.00/100.00 (50.00%)

Max Score: 87.00

Rank: 29

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 57.47

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	A	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	CD	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 49 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	15.00	17.00	8.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKANSHA RUPESH PALI (ID No. 10104)

Your Score: 49.00/100.00 (49.00%)

Max Score: 87.00

Rank: 30

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 56.32

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AKANSHA RUPESH PALI (ID No. 10104)

Your Score: 49.00/100.00 (49.00%)

Max Score: 87.00

Rank: 30

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 56.32

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 48 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 49.00

Total Positive Marks: 49.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	16.00	13.00	11.00	49.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIJAYANDRA R. RATHOD (ID No. 10186)

Your Score: 48.00/100.00 (48.00%)

Max Score: 87.00

Rank: 31

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 55.17

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIJAYANDRA R. RATHOD (ID No. 10186)

Your Score: 48.00/100.00 (48.00%)

Max Score: 87.00

Rank: 31

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 55.17

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 91 (**Correct:** 47 **Incorrect:** 44) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	19.00	15.00	6.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHAVYA PRAFUL JAIN (ID No. 10194)

Your Score: 48.00/100.00 (48.00%)

Max Score: 87.00

Rank: 31

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 55.17

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: BHAVYA PRAFUL JAIN (ID No. 10194)

Your Score: 48.00/100.00 (48.00%)

Max Score: 87.00

Rank: 31

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 55.17

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 92 (**Correct:** 47 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	16.00	12.00	11.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: APEKSHA AJAY PETKAR (ID No. 10114)

Your Score: 47.00/100.00 (47.00%)

Max Score: 87.00

Rank: 32

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 54.02

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: APEKSHA AJAY PETKAR (ID No. 10114)

Your Score: 47.00/100.00 (47.00%)

Max Score: 87.00

Rank: 32

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 54.02

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00

Total Question: 100 **Attempted:** 87 (**Correct:** 46 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	19.00	12.00	11.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL R. INGALE (ID No. 10160)

Your Score: 47.00/100.00 (47.00%)

Max Score: 87.00

Rank: 32

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 54.02

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL R. INGALE (ID No. 10160)

Your Score: 47.00/100.00 (47.00%)

Max Score: 87.00

Rank: 32

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 54.02

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 97 (**Correct:** 46 **Incorrect:** 51) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	15.00	11.00	12.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL S. KUKULWAR (ID No. 10161)

Your Score: 47.00/100.00 (47.00%)

Max Score: 87.00

Rank: 32

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 54.02

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C		L	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SAHIL S. KUKULWAR (ID No. 10161)

Your Score: 47.00/100.00 (47.00%)

Max Score: 87.00

Rank: 32

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 54.02

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC		L	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00

Total Question: 100 **Attempted:** 79 (**Correct:** 46 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	13.00	10.00	12.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA (ID No. 10178)

Your Score: 47.00/100.00 (47.00%)

Max Score: 87.00

Rank: 32

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 54.02

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBH SACHIN SARDA (ID No. 10178)

Your Score: 47.00/100.00 (47.00%)

Max Score: 87.00

Rank: 32

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 54.02

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	A	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 46 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	16.00	10.00	11.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA AMBARISH SHUKLA (ID No. 10101)

Your Score: 46.00/100.00 (46.00%)

Max Score: 87.00

Rank: 33

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 52.87

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	AC	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA AMBARISH SHUKLA (ID No. 10101)

Your Score: 46.00/100.00 (46.00%)

Max Score: 87.00

Rank: 33

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 52.87

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 45 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	12.00	11.00	12.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DINESH SOLANKE (ID No. 10189)

Your Score: 46.00/100.00 (46.00%)

Max Score: 87.00

Rank: 33

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 52.87

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DINESH SOLANKE (ID No. 10189)

Your Score: 46.00/100.00 (46.00%)

Max Score: 87.00

Rank: 33

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 52.87

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 45 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	15.00	13.00	8.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHI VIJAY SAWALE (ID No. 10468)

Your Score: 46.00/100.00 (46.00%)

Max Score: 87.00

Rank: 33

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 52.87

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	AD	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SIDDHI VIJAY SAWALE (ID No. 10468)

Your Score: 46.00/100.00 (46.00%)

Max Score: 87.00

Rank: 33

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 52.87

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC		L	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00

Total Question: 100 **Attempted:** 86 (**Correct:** 45 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 46.00

Total Positive Marks: 46.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	15.00	16.00	5.00	46.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANJIRI SUSHIL GIRHE (ID No. 10138)

Your Score: 45.00/100.00 (45.00%)

Max Score: 87.00

Rank: 34

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 51.72

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANJIRI SUSHIL GIRHE (ID No. 10138)

Your Score: 45.00/100.00 (45.00%)

Max Score: 87.00

Rank: 34

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 51.72

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 44 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	19.00	12.00	5.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANITA UMESH TAYADE (ID No. 10149)

Your Score: 45.00/100.00 (45.00%)

Max Score: 87.00

Rank: 34

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 51.72

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	CD	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	BD	W	0.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANITA UMESH TAYADE (ID No. 10149)

Your Score: 45.00/100.00 (45.00%)

Max Score: 87.00

Rank: 34

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 51.72

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 44 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
6.00	18.00	13.00	8.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE (ID No. 10176)

Your Score: 45.00/100.00 (45.00%)

Max Score: 87.00

Rank: 34

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 51.72

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREE RAVINDRA DODKE (ID No. 10176)

Your Score: 45.00/100.00 (45.00%)

Max Score: 87.00

Rank: 34

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 51.72

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 44 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	11.00	11.00	11.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 45.00/100.00 (45.00%)

Max Score: 87.00

Rank: 34

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 51.72

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TANVI PRADIP TALE (ID No. 10471)

Your Score: 45.00/100.00 (45.00%)

Max Score: 87.00

Rank: 34

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 51.72

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 93 (**Correct:** 44 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 45.00

Total Positive Marks: 45.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	17.00	15.00	6.00	45.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR (ID No. 10102)

Your Score: 44.00/100.00 (44.00%)

Max Score: 87.00

Rank: 35

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 50.57

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA R. BHARKAR (ID No. 10102)

Your Score: 44.00/100.00 (44.00%)

Max Score: 87.00

Rank: 35

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 50.57

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 43 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	15.00	11.00	10.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PALASH N CHITLANGE (ID No. 10146)

Your Score: 44.00/100.00 (44.00%)

Max Score: 87.00

Rank: 35

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 50.57

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PALASH N CHITLANGE (ID No. 10146)

Your Score: 44.00/100.00 (44.00%)

Max Score: 87.00

Rank: 35

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 50.57

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	11.00	16.00	6.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOKASHADA A. GAWANDE (ID No. 10427)

Your Score: 44.00/100.00 (44.00%)

Max Score: 87.00

Rank: 35

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 50.57

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	C	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MOKASHADA A. GAWANDE (ID No. 10427)

Your Score: 44.00/100.00 (44.00%)

Max Score: 87.00

Rank: 35

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 50.57

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	A	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 43 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	13.00	14.00	10.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE (ID No. 10440)

Your Score: 44.00/100.00 (44.00%)

Max Score: 87.00

Rank: 35

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 50.57

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRASAD SANJAY HALADE (ID No. 10440)

Your Score: 44.00/100.00 (44.00%)

Max Score: 87.00

Rank: 35

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 50.57

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	14.00	13.00	8.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDANT BABAN THOTE (ID No. 10475)

Your Score: 44.00/100.00 (44.00%)

Max Score: 87.00

Rank: 35

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 50.57

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	BC	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	AB	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	AB	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDANT BABAN THOTE (ID No. 10475)

Your Score: 44.00/100.00 (44.00%)

Max Score: 87.00

Rank: 35

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 50.57

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 96 (**Correct:** 43 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	14.00	15.00	7.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDIKA RANJIT KHEDKAR (ID No. 10477)

Your Score: 44.00/100.00 (44.00%)

Max Score: 87.00

Rank: 35

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 50.57

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	C	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VEDIKA RANJIT KHEDKAR (ID No. 10477)

Your Score: 44.00/100.00 (44.00%)

Max Score: 87.00

Rank: 35

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 50.57

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	A	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 43 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	11.00	16.00	7.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 43.00/100.00 (43.00%)

Max Score: 87.00

Rank: 36

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 49.43

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	BD	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL V. MANWARKAR (ID No. 10438)

Your Score: 43.00/100.00 (43.00%)

Max Score: 87.00

Rank: 36

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 49.43

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 42 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	15.00	13.00	8.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRADDHA SANJAY NAKAT (ID No. 10464)

Your Score: 43.00/100.00 (43.00%)

Max Score: 87.00

Rank: 36

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 49.43

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	AD	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRADDHA SANJAY NAKAT (ID No. 10464)

Your Score: 43.00/100.00 (43.00%)

Max Score: 87.00

Rank: 36

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 49.43

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 42 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
7.00	13.00	11.00	12.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 42.00/100.00 (42.00%)

Max Score: 87.00

Rank: 37

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 48.28

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	AB	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANIKET VAIBHAV OLAMBE (ID No. 10108)

Your Score: 42.00/100.00 (42.00%)

Max Score: 87.00

Rank: 37

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 48.28

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 41 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	13.00	10.00	10.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHIKA DINKAR WAZIRE (ID No. 10444)

Your Score: 42.00/100.00 (42.00%)

Max Score: 87.00

Rank: 37

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 48.28

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	C	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	BC	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	BC	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHIKA DINKAR WAZIRE (ID No. 10444)

Your Score: 42.00/100.00 (42.00%)

Max Score: 87.00

Rank: 37

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 48.28

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	AD	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 41 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	13.00	12.00	8.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 42.00/100.00 (42.00%)

Max Score: 87.00

Rank: 37

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 48.28

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	BC	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: YUVRAJ A. SHARMA (ID No. 10480)

Your Score: 42.00/100.00 (42.00%)

Max Score: 87.00

Rank: 37

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 48.28

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 41 **Incorrect:** 55) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 42.00

Total Positive Marks: 42.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	16.00	12.00	5.00	42.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA R. RAJANDEKAR (ID No. 10158)

Your Score: 41.00/100.00 (41.00%)

Max Score: 87.00

Rank: 38

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 47.13

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC		L	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RUTUJA R. RAJANDEKAR (ID No. 10158)

Your Score: 41.00/100.00 (41.00%)

Max Score: 87.00

Rank: 38

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 47.13

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 88 (**Correct:** 40 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	14.00	11.00	8.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARUPA S. GOLE (ID No. 10469)

Your Score: 41.00/100.00 (41.00%)

Max Score: 87.00

Rank: 38

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 47.13

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARUPA S. GOLE (ID No. 10469)

Your Score: 41.00/100.00 (41.00%)

Max Score: 87.00

Rank: 38

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 47.13

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 97 (**Correct:** 40 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 41.00

Total Positive Marks: 41.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
8.00	10.00	18.00	5.00	41.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK V. SARNAIK (ID No. 10457)

Your Score: 40.00/100.00 (40.00%)

Max Score: 87.00

Rank: 39

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 45.98

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK V. SARNAIK (ID No. 10457)

Your Score: 40.00/100.00 (40.00%)

Max Score: 87.00

Rank: 39

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 45.98

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	A	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 39 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	9.00	15.00	7.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRUTI P. JADHAV (ID No. 10466)

Your Score: 40.00/100.00 (40.00%)

Max Score: 87.00

Rank: 39

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 45.98

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		A	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRUTI P. JADHAV (ID No. 10466)

Your Score: 40.00/100.00 (40.00%)

Max Score: 87.00

Rank: 39

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 45.98

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 95 (**Correct:** 39 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	12.00	20.00	4.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TUSHAR S. INGLE (ID No. 10183)

Your Score: 39.00/100.00 (39.00%)

Max Score: 87.00

Rank: 40

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 44.83

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	C	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: TUSHAR S. INGLE (ID No. 10183)

Your Score: 39.00/100.00 (39.00%)

Max Score: 87.00

Rank: 40

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 44.83

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 38 **Incorrect:** 61) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 39.00

Total Positive Marks: 39.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
9.00	9.00	14.00	7.00	39.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI K. TIWARI (ID No. 10168)

Your Score: 38.00/100.00 (38.00%)

Max Score: 87.00

Rank: 41

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 43.68

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI K. TIWARI (ID No. 10168)

Your Score: 38.00/100.00 (38.00%)

Max Score: 87.00

Rank: 41

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 43.68

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 37 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
11.00	10.00	12.00	5.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKITA P. GUDADHE (ID No. 10408)

Your Score: 37.00/100.00 (37.00%)

Max Score: 87.00

Rank: 42

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 42.53

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANKITA P. GUDADHE (ID No. 10408)

Your Score: 37.00/100.00 (37.00%)

Max Score: 87.00

Rank: 42

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 42.53

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	A	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00

Total Question: 100 **Attempted:** 98 (**Correct:** 36 **Incorrect:** 62) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 37.00

Total Positive Marks: 37.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	14.00	9.00	9.00	37.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RITESH S. GAIKWAD (ID No. 10154)

Your Score: 36.00/100.00 (36.00%)

Max Score: 87.00

Rank: 43

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 41.38

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC		L	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RITESH S. GAIKWAD (ID No. 10154)

Your Score: 36.00/100.00 (36.00%)

Max Score: 87.00

Rank: 43

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 41.38

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 68 (**Correct:** 35 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	16.00	13.00	2.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 36.00/100.00 (36.00%)

Max Score: 87.00

Rank: 43

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 41.38

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC		L	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A		L	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	BD	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SUYASH S. LOKHANDE (ID No. 10182)

Your Score: 36.00/100.00 (36.00%)

Max Score: 87.00

Rank: 43

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 41.38

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C		L	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A		L	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC		L	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC		L	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00

Total Question: 100 **Attempted:** 48 (**Correct:** 35 **Incorrect:** 13) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 36.00

Total Positive Marks: 36.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
2.00	19.00	15.00	0.00	36.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 35.00/100.00 (35.00%)

Max Score: 87.00

Rank: 44

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 40.23

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	C	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYANSHU C. MORE (ID No. 10125)

Your Score: 35.00/100.00 (35.00%)

Max Score: 87.00

Rank: 44

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 40.23

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC		L	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00

Total Question: 100 **Attempted:** 93 (**Correct:** 34 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	8.00	15.00	8.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYA G. SOLANKE (ID No. 10177)

Your Score: 35.00/100.00 (35.00%)

Max Score: 87.00

Rank: 44

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 40.23

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYA G. SOLANKE (ID No. 10177)

Your Score: 35.00/100.00 (35.00%)

Max Score: 87.00

Rank: 44

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 40.23

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 93 (**Correct:** 34 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
5.00	14.00	13.00	3.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT (ID No. 10402)

Your Score: 35.00/100.00 (35.00%)

Max Score: 87.00

Rank: 44

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 40.23

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADIBH VINOD VIRGHAT (ID No. 10402)

Your Score: 35.00/100.00 (35.00%)

Max Score: 87.00

Rank: 44

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 40.23

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	C	R	1.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 34 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	14.00	6.00	5.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHETAN GOPAL KHEDKAR (ID No. 10122)

Your Score: 34.00/100.00 (34.00%)

Max Score: 87.00

Rank: 45

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 39.08

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	B	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		D	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHETAN GOPAL KHEDKAR (ID No. 10122)

Your Score: 34.00/100.00 (34.00%)

Max Score: 87.00

Rank: 45

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 39.08

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 33 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 34.00

Total Positive Marks: 34.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
12.00	10.00	7.00	5.00	34.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK S. SONONE (ID No. 10456)

Your Score: 34.00/100.00 (34.00%)

Max Score: 87.00

Rank: 45

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 39.08

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00			C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SARTHAK S. SONONE (ID No. 10456)

Your Score: 34.00/100.00 (34.00%)

Max Score: 87.00

Rank: 45

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 39.08

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	D	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 91 (**Correct:** 33 **Incorrect:** 58) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 34.00

Total Positive Marks: 34.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	3.00	11.00	10.00	34.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 33.00/100.00 (33.00%)

Max Score: 87.00

Rank: 46

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 37.93

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	C	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		C	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	BC	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAND RAJESH GAVATRE (ID No. 10107)

Your Score: 33.00/100.00 (33.00%)

Max Score: 87.00

Rank: 46

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 37.93

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	A	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	CD	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 **Attempted:** 96 (**Correct:** 32 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 33.00

Total Positive Marks: 33.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
4.00	12.00	12.00	5.00	33.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH VILAS BHAND (ID No. 10147)

Your Score: 32.00/100.00 (32.00%)

Max Score: 87.00

Rank: 47

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 36.78

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	D	W	0.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PIYUSH VILAS BHAND (ID No. 10147)

Your Score: 32.00/100.00 (32.00%)

Max Score: 87.00

Rank: 47

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 36.78

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	B	W	0.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	D	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 31 **Incorrect:** 68) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 32.00

Total Positive Marks: 32.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	Total
10.00	11.00	5.00	6.00	32.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI P. WAGHMARE (ID No. 10453)

Your Score: 30.00/100.00 (30.00%)

Max Score: 87.00

Rank: 48

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 34.48

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	98.55	25.36	73.19	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
2	99.28	51.45	47.83	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
3	94.93	8.70	86.23	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
4	97.83	43.48	54.35	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
5	94.20	16.67	77.54	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
6	99.28	65.94	33.33	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	99.28	57.97	41.30	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
8	99.28	47.10	52.17	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
9	97.83	40.58	57.25	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
10	98.55	76.81	21.74	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
11	98.55	51.45	47.10	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	96.38	31.88	64.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	94.93	19.57	75.36	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
14	97.10	30.43	66.67	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
15	94.93	47.83	47.10	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	89.86	26.09	63.77	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
17	97.10	64.49	32.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	97.83	73.91	23.91	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
19	96.38	38.41	57.97	PHY	TWO ANS 1	1.00	0.00	AC	A	R	1.00
20	94.93	46.38	48.55	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	92.75	32.61	60.14	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
22	92.75	23.91	68.84	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
23	96.38	53.62	42.75	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	94.20	35.51	58.70	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
25	100.00	100.00	0.00	PHY	BONUS 1	1.00	0.00		B	C	1.00
26	100.00	94.93	5.07	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
27	100.00	83.33	16.67	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	95.65	13.04	82.61	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	99.28	80.43	18.84	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
30	95.65	77.54	18.12	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	98.55	81.16	17.39	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
32	97.10	24.64	72.46	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
33	99.28	84.78	14.49	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
34	97.83	58.70	39.13	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
35	99.28	76.09	23.19	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	99.28	70.29	28.99	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
37	99.28	86.23	13.04	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
38	100.00	68.12	31.88	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
39	100.00	90.58	9.42	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
40	98.55	64.49	34.06	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
41	98.55	92.75	5.80	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
42	96.38	6.52	89.86	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
43	97.10	71.01	26.09	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	97.10	77.54	19.57	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
45	96.38	67.39	28.99	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	99.28	69.57	29.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
47	97.83	37.68	60.14	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
48	97.10	34.78	62.32	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	98.55	92.03	6.52	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
50	99.28	90.58	8.70	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	98.55	59.42	39.13	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
52	98.55	85.51	13.04	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
53	97.83	62.32	35.51	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SANSKRUTI P. WAGHMARE (ID No. 10453)

Your Score: 30.00/100.00 (30.00%)

Max Score: 87.00

Rank: 48

Min Score: 30.00

TEST: MAJOR TEST-01 (STD. 10TH) (ID: 720 DT: 17-Jul-2023)

Percentile: 34.48

Avg Score: 56.38

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	97.10	76.09	21.01	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
55	97.10	67.39	29.71	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
56	99.28	76.81	22.46	BIO	TWO ANS 1	1.00	0.00	CD	C	R	1.00
57	96.38	76.09	20.29	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	97.83	75.36	22.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
59	98.55	71.74	26.81	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
60	97.10	79.71	17.39	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00
61	98.55	51.45	47.10	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	98.55	84.06	14.49	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	97.10	78.26	18.84	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
64	97.10	31.16	65.94	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	94.93	36.96	57.97	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.10	36.23	60.87	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00
67	98.55	78.99	19.57	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
68	99.28	86.23	13.04	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
69	96.38	47.83	48.55	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
70	97.10	70.29	26.81	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
71	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
72	100.00	46.38	53.62	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
73	96.38	31.16	65.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
74	99.28	85.51	13.77	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00
75	97.83	65.94	31.88	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	97.10	44.93	52.17	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
77	97.10	70.29	26.81	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.10	74.64	22.46	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.10	39.86	57.25	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
80	98.55	59.42	39.13	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
81	94.20	49.28	44.93	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
82	95.65	37.68	57.97	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
83	95.65	45.65	50.00	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	97.10	63.77	33.33	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
85	96.38	71.01	25.36	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
86	94.20	57.25	36.96	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
87	95.65	57.25	38.41	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
88	93.48	22.46	71.01	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
89	98.55	56.52	42.03	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
90	89.86	27.54	62.32	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
91	97.83	36.96	60.87	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
92	94.20	28.26	65.94	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
93	92.75	28.99	63.77	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
94	97.83	51.45	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
95	94.20	50.00	44.20	MATHS	REGULAR MT1	1.00	0.00	B	AD	W	0.00
96	93.48	42.03	51.45	MATHS	TWO ANS 1	1.00	0.00	AC	B	W	0.00
97	94.20	71.74	22.46	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
98	92.75	46.38	46.38	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
99	91.30	20.29	71.01	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
100	94.20	52.90	41.30	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00

Total Question: 100 Attempted: 99 (Correct: 29 Incorrect: 70) Score Rate: 0.00 Strike Rate: 0.00

Total: 30.00

Total Positive Marks: 30.00 Total Negative Marks:

PHY	CHEM	BIO	MATHS	Total
6.00	10.00	12.00	2.00	30.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. POS / NEG : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. ANS : Answer filled by the candidate. RESULT : Result (correct/incorrect/left). MARKS : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%