

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 660.00/720.00 (91.67%)

**Max Score:** 660.00

**Rank:** 1

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 100.00

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 660.00/720.00 (91.67%)

**Max Score:** 660.00

**Rank:** 1

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 100.00

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 660.00/720.00 (91.67%)

**Max Score:** 660.00

**Rank:** 1

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 100.00

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A		L	0.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B		L	0.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ROHIT SHANKAR ISHWARKAR ( ID No. 46024 )

**Your Score:** 660.00/720.00 (91.67%)

**Max Score:** 660.00

**Rank:** 1

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 100.00

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	L	0.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 180 (**Correct:** 168 **Incorrect:** 12) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 660.00

**Total Positive Marks:** 672.00 **Total Negative Marks:** 12.00

PHY	CHEM	BOT	ZOO	Total
160.00	160.00	175.00	165.00	<b>660.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 630.00/720.00 (87.50%)

**Max Score:** 660.00

**Rank:** 2

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 95.45

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 630.00/720.00 (87.50%)

**Max Score:** 660.00

**Rank:** 2

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 95.45

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 630.00/720.00 (87.50%)

**Max Score:** 660.00

**Rank:** 2

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 95.45

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A		L	0.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A		L	0.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** PRATHAMESH PRAMOD KALE ( ID No. 47456 )

**Your Score:** 630.00/720.00 (87.50%)

**Max Score:** 660.00

**Rank:** 2

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 95.45

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 180 (**Correct:** 162 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 630.00

**Total Positive Marks:** 648.00 **Total Negative Marks:** 18.00

PHY	CHEM	BOT	ZOO	Total
170.00	140.00	155.00	165.00	<b>630.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 574.00/720.00 (79.72%)

**Max Score:** 660.00

**Rank:** 3

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 86.97

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 574.00/720.00 (79.72%)

**Max Score:** 660.00

**Rank:** 3

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 86.97

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 574.00/720.00 (79.72%)

**Max Score:** 660.00

**Rank:** 3

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 86.97

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D		L	0.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A		L	0.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A		L	0.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B		L	0.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** ARYA ANIL RATHOD ( ID No. 46094 )

**Your Score:** 574.00/720.00 (79.72%)

**Max Score:** 660.00

**Rank:** 3

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 86.97

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D		L	0.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 166 (**Correct:** 148 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 574.00

**Total Positive Marks:** 592.00 **Total Negative Marks:** 18.00

PHY	CHEM	BOT	ZOO	Total
98.00	126.00	175.00	175.00	574.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 569.00/720.00 (79.03%)

**Max Score:** 660.00

**Rank:** 4

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 86.21

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D	B	W	-1.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B		L	0.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 569.00/720.00 (79.03%)

**Max Score:** 660.00

**Rank:** 4

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 86.21

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D		L	0.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 569.00/720.00 (79.03%)

**Max Score:** 660.00

**Rank:** 4

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 86.21

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A		L	0.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	D	W	-1.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B		L	0.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NAKSHATRA PRASHANT KHIRODKAR ( ID No. 47453 )

**Your Score:** 569.00/720.00 (79.03%)

**Max Score:** 660.00

**Rank:** 4

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 86.21

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A		L	0.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 171 (**Correct:** 148 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 569.00

**Total Positive Marks:** 592.00 **Total Negative Marks:** 23.00

PHY	CHEM	BOT	ZOO	Total
136.00	122.00	153.00	158.00	569.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 542.00/720.00 (75.28%)

**Max Score:** 660.00

**Rank:** 5

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 82.12

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD	A	W	-1.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B	D	W	-1.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 542.00/720.00 (75.28%)

**Max Score:** 660.00

**Rank:** 5

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 82.12

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 542.00/720.00 (75.28%)

**Max Score:** 660.00

**Rank:** 5

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 82.12

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A	D	W	-1.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B		L	0.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	D	W	-1.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHARVARI MANGESH MOHARIL ( ID No. 46084 )

**Your Score:** 542.00/720.00 (75.28%)

**Max Score:** 660.00

**Rank:** 5

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 82.12

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D		L	0.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 173 (**Correct:** 143 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 542.00

**Total Positive Marks:** 572.00 **Total Negative Marks:** 30.00

PHY	CHEM	BOT	ZOO	Total
97.00	135.00	150.00	160.00	542.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 513.00/720.00 (71.25%)

**Max Score:** 660.00

**Rank:** 6

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 77.73

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	A	W	-1.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C	D	W	-1.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D	C	W	-1.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B		L	0.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 513.00/720.00 (71.25%)

**Max Score:** 660.00

**Rank:** 6

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 77.73

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B	C	W	-1.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 513.00/720.00 (71.25%)

**Max Score:** 660.00

**Rank:** 6

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 77.73

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A		L	0.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RASHMI VIVEK AGRAWAL ( ID No. 47131 )

**Your Score:** 513.00/720.00 (71.25%)

**Max Score:** 660.00

**Rank:** 6

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 77.73

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A	D	W	-1.00

**Total Question:** 200 **Attempted:** 152 (**Correct:** 133 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 513.00

**Total Positive Marks:** 532.00 **Total Negative Marks:** 19.00

PHY	CHEM	BOT	ZOO	Total
79.00	123.00	150.00	161.00	513.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 504.00/720.00 (70.00%)

**Max Score:** 660.00

**Rank:** 7

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 76.36

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C	D	W	-1.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D	A	W	-1.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D	C	W	-1.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B	D	W	-1.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 504.00/720.00 (70.00%)

**Max Score:** 660.00

**Rank:** 7

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 76.36

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	AB	W	-1.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 504.00/720.00 (70.00%)

**Max Score:** 660.00

**Rank:** 7

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 76.36

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A		L	0.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A	D	L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** NEHAL NITINKUMAR NIMODIA ( ID No. 47454 )

**Your Score:** 504.00/720.00 (70.00%)

**Max Score:** 660.00

**Rank:** 7

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 76.36

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A		L	0.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 161 (**Correct:** 133 **Incorrect:** 28) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 504.00

**Total Positive Marks:** 532.00 **Total Negative Marks:** 28.00

PHY	CHEM	BOT	ZOO	Total
66.00	108.00	165.00	165.00	504.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 493.00/720.00 (68.47%)

**Max Score:** 660.00

**Rank:** 8

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 74.70

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A	D	W	-1.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 493.00/720.00 (68.47%)

**Max Score:** 660.00

**Rank:** 8

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 74.70

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B	B	R	4.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 493.00/720.00 (68.47%)

**Max Score:** 660.00

**Rank:** 8

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 74.70

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D		L	0.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A		L	0.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARANG GANESH INGALE ( ID No. 47397 )

**Your Score:** 493.00/720.00 (68.47%)

**Max Score:** 660.00

**Rank:** 8

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 74.70

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C		L	0.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 147 (**Correct:** 128 **Incorrect:** 19) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 493.00

**Total Positive Marks:** 512.00 **Total Negative Marks:** 19.00

PHY	CHEM	BOT	ZOO	Total
114.00	120.00	107.00	152.00	<b>493.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 488.00/720.00 (67.78%)

**Max Score:** 660.00

**Rank:** 9

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 73.94

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD	A	W	-1.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D	B	W	-1.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B		L	0.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 488.00/720.00 (67.78%)

**Max Score:** 660.00

**Rank:** 9

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 73.94

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 488.00/720.00 (67.78%)

**Max Score:** 660.00

**Rank:** 9

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 73.94

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A		L	0.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A		L	0.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHREEYA VIJAY KHETAN ( ID No. 47496 )

**Your Score:** 488.00/720.00 (67.78%)

**Max Score:** 660.00

**Rank:** 9

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 73.94

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D		L	0.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D		L	0.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 152 (**Correct:** 128 **Incorrect:** 24) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 488.00

**Total Positive Marks:** 512.00 **Total Negative Marks:** 24.00

PHY	CHEM	BOT	ZOO	Total
79.00	112.00	142.00	155.00	488.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 473.00/720.00 (65.69%)

**Max Score:** 660.00

**Rank:** 10

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 71.67

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	A	W	-1.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B		L	0.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B	A	W	-1.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A	D	W	-1.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A	D	W	-1.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 473.00/720.00 (65.69%)

**Max Score:** 660.00

**Rank:** 10

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 71.67

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B		L	0.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 473.00/720.00 (65.69%)

**Max Score:** 660.00

**Rank:** 10

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 71.67

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A		L	0.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	B	W	-1.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A		L	0.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B		L	0.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	A	W	-1.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUCHA RAVINDRA YEUL ( ID No. 47481 )

**Your Score:** 473.00/720.00 (65.69%)

**Max Score:** 660.00

**Rank:** 10

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 71.67

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00

**Total Question:** 200 **Attempted:** 157 (**Correct:** 126 **Incorrect:** 31) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 473.00

**Total Positive Marks:** 504.00 **Total Negative Marks:** 31.00

PHY	CHEM	BOT	ZOO	Total
54.00	114.00	150.00	155.00	473.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 469.00/720.00 (65.14%)

**Max Score:** 660.00

**Rank:** 11

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 71.06

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD	B	R	4.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B		L	0.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B		L	0.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B		L	0.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 469.00/720.00 (65.14%)

**Max Score:** 660.00

**Rank:** 11

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 71.06

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D		L	0.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D		L	0.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 469.00/720.00 (65.14%)

**Max Score:** 660.00

**Rank:** 11

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 71.06

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A		L	0.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A		L	0.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B		L	0.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D		L	0.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C		L	0.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAHIL KAILAS DUDHARKAR ( ID No. 47482 )

**Your Score:** 469.00/720.00 (65.14%)

**Max Score:** 660.00

**Rank:** 11

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 71.06

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C		L	0.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C		L	0.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D		L	0.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D		L	0.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D		L	0.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 136 (**Correct:** 121 **Incorrect:** 15) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 469.00

**Total Positive Marks:** 484.00 **Total Negative Marks:** 15.00

PHY	CHEM	BOT	ZOO	Total
105.00	100.00	132.00	132.00	469.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 456.00/720.00 (63.33%)

**Max Score:** 660.00

**Rank:** 12

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 69.09

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B		L	0.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B		L	0.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 456.00/720.00 (63.33%)

**Max Score:** 660.00

**Rank:** 12

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 69.09

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 456.00/720.00 (63.33%)

**Max Score:** 660.00

**Rank:** 12

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 69.09

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** DEVANSH SANJAY DAGA ( ID No. 47443 )

**Your Score:** 456.00/720.00 (63.33%)

**Max Score:** 660.00

**Rank:** 12

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 69.09

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A		L	0.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00

**Total Question:** 200 **Attempted:** 134 (**Correct:** 118 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 456.00

**Total Positive Marks:** 472.00 **Total Negative Marks:** 16.00

PHY	CHEM	BOT	ZOO	Total
41.00	116.00	139.00	160.00	456.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 452.00/720.00 (62.78%)

**Max Score:** 660.00

**Rank:** 13

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 68.48

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B		L	0.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 452.00/720.00 (62.78%)

**Max Score:** 660.00

**Rank:** 13

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 68.48

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C		L	0.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D		L	0.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 452.00/720.00 (62.78%)

**Max Score:** 660.00

**Rank:** 13

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 68.48

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D		L	0.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A		L	0.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	D	W	-1.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B		L	0.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SOMESH AJAY MANKAR ( ID No. 47498 )

**Your Score:** 452.00/720.00 (62.78%)

**Max Score:** 660.00

**Rank:** 13

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 68.48

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A		L	0.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D		L	0.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 133 (**Correct:** 117 **Incorrect:** 16) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 452.00

**Total Positive Marks:** 468.00 **Total Negative Marks:** 16.00

PHY	CHEM	BOT	ZOO	Total
100.00	102.00	115.00	135.00	452.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 435.00/720.00 (60.42%)

**Max Score:** 660.00

**Rank:** 14

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 65.91

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C	D	W	-1.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B		L	0.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B		L	0.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 435.00/720.00 (60.42%)

**Max Score:** 660.00

**Rank:** 14

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 65.91

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 435.00/720.00 (60.42%)

**Max Score:** 660.00

**Rank:** 14

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 65.91

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B	A	W	-1.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A	C	W	-1.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C		L	0.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKAR VIJAY POTE ( ID No. 47488 )

**Your Score:** 435.00/720.00 (60.42%)

**Max Score:** 660.00

**Rank:** 14

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 65.91

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00

**Total Question:** 200 **Attempted:** 145 (**Correct:** 116 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 435.00

**Total Positive Marks:** 464.00 **Total Negative Marks:** 29.00

PHY	CHEM	BOT	ZOO	Total
45.00	98.00	131.00	161.00	435.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 396.00/720.00 (55.00%)

**Max Score:** 660.00

**Rank:** 15

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 60.00

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D	C	W	-1.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B	D	W	-1.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 396.00/720.00 (55.00%)

**Max Score:** 660.00

**Rank:** 15

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 60.00

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C		L	0.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B		L	0.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 396.00/720.00 (55.00%)

**Max Score:** 660.00

**Rank:** 15

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 60.00

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A	C	W	-1.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	D	W	-1.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C		L	0.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHAMBHAVI VISHNU GHOGALE ( ID No. 47494 )

**Your Score:** 396.00/720.00 (55.00%)

**Max Score:** 660.00

**Rank:** 15

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 60.00

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 139 (**Correct:** 107 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 396.00

**Total Positive Marks:** 428.00 **Total Negative Marks:** 32.00

PHY	CHEM	BOT	ZOO	Total
59.00	74.00	118.00	145.00	<b>396.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 387.00/720.00 (53.75%)

**Max Score:** 660.00

**Rank:** 16

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 58.64

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B		L	0.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B		L	0.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B	C	W	-1.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 387.00/720.00 (53.75%)

**Max Score:** 660.00

**Rank:** 16

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 58.64

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D	D	R	4.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 387.00/720.00 (53.75%)

**Max Score:** 660.00

**Rank:** 16

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 58.64

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A		L	0.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	A	W	-1.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D		L	0.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANCHI PRAVIN CHONDIKAR ( ID No. 47483 )

**Your Score:** 387.00/720.00 (53.75%)

**Max Score:** 660.00

**Rank:** 16

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 58.64

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 133 (**Correct:** 104 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 387.00

**Total Positive Marks:** 416.00 **Total Negative Marks:** 29.00

PHY	CHEM	BOT	ZOO	Total
11.00	101.00	118.00	157.00	<b>387.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 386.00/720.00 (53.61%)

**Max Score:** 660.00

**Rank:** 17

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 58.48

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	C	W	-1.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B	D	W	-1.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 386.00/720.00 (53.61%)

**Max Score:** 660.00

**Rank:** 17

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 58.48

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B		L	0.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 386.00/720.00 (53.61%)

**Max Score:** 660.00

**Rank:** 17

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 58.48

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A	D	W	-1.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A		L	0.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B		L	0.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MAHEK JITENDRA CHANDWANI ( ID No. 47681 )

**Your Score:** 386.00/720.00 (53.61%)

**Max Score:** 660.00

**Rank:** 17

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 58.48

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 134 (**Correct:** 104 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 386.00

**Total Positive Marks:** 416.00 **Total Negative Marks:** 30.00

PHY	CHEM	BOT	ZOO	Total
34.00	93.00	123.00	136.00	<b>386.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 371.00/720.00 (51.53%)

**Max Score:** 660.00

**Rank:** 18

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 56.21

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B		L	0.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B	D	W	-1.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 371.00/720.00 (51.53%)

**Max Score:** 660.00

**Rank:** 18

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 56.21

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C	A	W	-1.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B		L	0.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 371.00/720.00 (51.53%)

**Max Score:** 660.00

**Rank:** 18

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 56.21

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A		L	0.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B		L	0.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B		L	0.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** RUTUJA KISHOR INGLE ( ID No. 47458 )

**Your Score:** 371.00/720.00 (51.53%)

**Max Score:** 660.00

**Rank:** 18

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 56.21

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C		L	0.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C		L	0.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D		L	0.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00

**Total Question:** 200 **Attempted:** 134 (**Correct:** 101 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 371.00

**Total Positive Marks:** 404.00 **Total Negative Marks:** 33.00

PHY	CHEM	BOT	ZOO	Total
24.00	77.00	133.00	137.00	<b>371.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VARAD VILAS NIMBALKAR ( ID No. 47512 )

**Your Score:** 359.00/720.00 (49.86%)

**Max Score:** 660.00

**Rank:** 19

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 54.39

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	BC	W	-1.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	B	R	4.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D	D	R	4.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B		L	0.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B		L	0.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VARAD VILAS NIMBALKAR ( ID No. 47512 )

**Your Score:** 359.00/720.00 (49.86%)

**Max Score:** 660.00

**Rank:** 19

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 54.39

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D		L	0.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C		L	0.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D		L	0.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B		L	0.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VARAD VILAS NIMBALKAR ( ID No. 47512 )

**Your Score:** 359.00/720.00 (49.86%)

**Max Score:** 660.00

**Rank:** 19

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 54.39

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D		L	0.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A		L	0.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A		L	0.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	D	W	-1.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B		L	0.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** VARAD VILAS NIMBALKAR ( ID No. 47512 )

**Your Score:** 359.00/720.00 (49.86%)

**Max Score:** 660.00

**Rank:** 19

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 54.39

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A		L	0.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D		L	0.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 111 (**Correct:** 94 **Incorrect:** 17) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 359.00

**Total Positive Marks:** 376.00 **Total Negative Marks:** 17.00

PHY	CHEM	BOT	ZOO	Total
58.00	65.00	104.00	132.00	<b>359.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 336.00/720.00 (46.67%)

**Max Score:** 660.00

**Rank:** 20

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 50.91

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	A	W	-1.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B	D	W	-1.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A	A	R	4.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A	D	W	-1.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 336.00/720.00 (46.67%)

**Max Score:** 660.00

**Rank:** 20

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 50.91

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C	B	W	-1.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 336.00/720.00 (46.67%)

**Max Score:** 660.00

**Rank:** 20

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 50.91

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	A	W	-1.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A		L	0.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C	D	W	-1.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A		L	0.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	D	W	-1.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	A	W	-1.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SANSKRUTI AVINASH NALINDE ( ID No. 47486 )

**Your Score:** 336.00/720.00 (46.67%)

**Max Score:** 660.00

**Rank:** 20

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 50.91

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B	A	W	-1.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 154 (**Correct:** 98 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 336.00

**Total Positive Marks:** 392.00 **Total Negative Marks:** 56.00

PHY	CHEM	BOT	ZOO	Total
54.00	62.00	105.00	115.00	336.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 311.00/720.00 (43.19%)

**Max Score:** 660.00

**Rank:** 21

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 47.12

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D	D	R	4.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D	B	W	-1.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B		L	0.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D	A	W	-1.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B	D	W	-1.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A	C	W	-1.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 311.00/720.00 (43.19%)

**Max Score:** 660.00

**Rank:** 21

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 47.12

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C	D	W	-1.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	B	W	-1.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B	B	R	4.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 311.00/720.00 (43.19%)

**Max Score:** 660.00

**Rank:** 21

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 47.12

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	D	W	-1.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	L	0.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	L	0.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** TANVI NIRANJAN KHANDARE ( ID No. 47509 )

**Your Score:** 311.00/720.00 (43.19%)

**Max Score:** 660.00

**Rank:** 21

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 47.12

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	AB	W	-1.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	D	W	-1.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D		L	0.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 139 (**Correct:** 90 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 311.00

**Total Positive Marks:** 360.00 **Total Negative Marks:** 49.00

PHY	CHEM	BOT	ZOO	Total
40.00	62.00	128.00	81.00	311.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 272.00/720.00 (37.78%)

**Max Score:** 660.00

**Rank:** 22

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 41.21

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	D	W	-1.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	A	W	-1.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C	C	R	4.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	B	W	-1.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B		L	0.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B		L	0.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 272.00/720.00 (37.78%)

**Max Score:** 660.00

**Rank:** 22

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 41.21

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	D	W	-1.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C		L	0.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 272.00/720.00 (37.78%)

**Max Score:** 660.00

**Rank:** 22

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 41.21

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A		L	0.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A		L	0.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B		L	0.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B		L	0.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SARVESH SUDHAKAR YEUL ( ID No. 47491 )

**Your Score:** 272.00/720.00 (37.78%)

**Max Score:** 660.00

**Rank:** 22

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 41.21

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D		L	0.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D		L	0.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D		L	0.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 113 (**Correct:** 77 **Incorrect:** 36) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 272.00

**Total Positive Marks:** 308.00 **Total Negative Marks:** 36.00

PHY	CHEM	BOT	ZOO	Total
10.00	54.00	118.00	90.00	<b>272.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 259.00/720.00 (35.97%)

**Max Score:** 660.00

**Rank:** 23

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 39.24

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B		L	0.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B		L	0.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B		L	0.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 259.00/720.00 (35.97%)

**Max Score:** 660.00

**Rank:** 23

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 39.24

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D	D	R	4.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	B	W	-1.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D	A	W	-1.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D	C	W	-1.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C	C	R	4.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C		L	0.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	D	R	4.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B	B	R	4.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B	D	L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D	C	L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 259.00/720.00 (35.97%)

**Max Score:** 660.00

**Rank:** 23

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 39.24

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A	C	W	-1.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	D	W	-1.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	A	W	-1.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	L	0.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	L	0.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** KETAKI OMNATH PATHAK ( ID No. 47449 )

**Your Score:** 259.00/720.00 (35.97%)

**Max Score:** 660.00

**Rank:** 23

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 39.24

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D		L	0.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D		L	0.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A	D	L	0.00

**Total Question:** 200 **Attempted:** 131 (**Correct:** 78 **Incorrect:** 53) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 259.00

**Total Positive Marks:** 312.00 **Total Negative Marks:** 53.00

PHY	CHEM	BOT	ZOO	Total
0.00	47.00	112.00	100.00	<b>259.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 238.00/720.00 (33.06%)

**Max Score:** 660.00

**Rank:** 24

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 36.06

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B		L	0.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B		L	0.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B		L	0.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 238.00/720.00 (33.06%)

**Max Score:** 660.00

**Rank:** 24

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 36.06

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D		L	0.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C		L	0.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D		L	0.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B		L	0.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	B	W	-1.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 238.00/720.00 (33.06%)

**Max Score:** 660.00

**Rank:** 24

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 36.06

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	CD	W	-1.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D		L	0.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A		L	0.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B		L	0.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C		L	0.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** HARSHWARDHAN TRIKAL ( ID No. 47447 )

**Your Score:** 238.00/720.00 (33.06%)

**Max Score:** 660.00

**Rank:** 24

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 36.06

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C		L	0.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D		L	0.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D		L	0.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 77 (**Correct:** 63 **Incorrect:** 14) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 238.00

**Total Positive Marks:** 252.00 **Total Negative Marks:** 14.00

PHY	CHEM	BOT	ZOO	Total
0.00	0.00	118.00	120.00	<b>238.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 236.00/720.00 (32.78%)

**Max Score:** 660.00

**Rank:** 25

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 35.76

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B	D	W	-1.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	B	W	-1.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B	B	R	4.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	C	W	-1.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B		L	0.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B		L	0.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	D	R	4.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 236.00/720.00 (32.78%)

**Max Score:** 660.00

**Rank:** 25

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 35.76

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D		L	0.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C		L	0.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D		L	0.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B		L	0.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 236.00/720.00 (32.78%)

**Max Score:** 660.00

**Rank:** 25

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 35.76

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A	C	W	-1.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	B	W	-1.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C	B	W	-1.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A		L	0.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	D	W	-1.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	D	W	-1.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	A	W	-1.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	L	0.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	BD	W	-1.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** JUVERIYA VIQAR PARVEZ ( ID No. 48837 )

**Your Score:** 236.00/720.00 (32.78%)

**Max Score:** 660.00

**Rank:** 25

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 35.76

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	C	W	-1.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D		L	0.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A	D	W	-1.00

**Total Question:** 200 **Attempted:** 99 (**Correct:** 67 **Incorrect:** 32) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 236.00

**Total Positive Marks:** 268.00 **Total Negative Marks:** 32.00

PHY	CHEM	BOT	ZOO	Total
42.00	16.00	85.00	93.00	<b>236.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 218.00/720.00 (30.28%)

**Max Score:** 660.00

**Rank:** 26

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 33.03

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B		L	0.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B		L	0.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B		L	0.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 218.00/720.00 (30.28%)

**Max Score:** 660.00

**Rank:** 26

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 33.03

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D		L	0.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C		L	0.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C	C	R	4.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B	B	R	4.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 218.00/720.00 (30.28%)

**Max Score:** 660.00

**Rank:** 26

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 33.03

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	C	W	-1.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D		L	0.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B	B	R	4.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C	A	W	-1.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A		L	0.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B		L	0.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	A	W	-1.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** MOHIT MANISH LALWANI ( ID No. 47452 )

**Your Score:** 218.00/720.00 (30.28%)

**Max Score:** 660.00

**Rank:** 26

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 33.03

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C		L	0.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D		L	0.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00

**Total Question:** 200 **Attempted:** 77 (**Correct:** 59 **Incorrect:** 18) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 218.00

**Total Positive Marks:** 236.00 **Total Negative Marks:** 18.00

PHY	CHEM	BOT	ZOO	Total
13.00	9.00	87.00	109.00	218.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 215.00/720.00 (29.86%)

**Max Score:** 660.00

**Rank:** 27

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 32.58

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B		L	0.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A	A	R	4.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B	D	W	-1.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B		L	0.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 215.00/720.00 (29.86%)

**Max Score:** 660.00

**Rank:** 27

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 32.58

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	A	W	-1.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D		L	0.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C		L	0.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D	D	R	4.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B		L	0.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	CD	W	-1.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 215.00/720.00 (29.86%)

**Max Score:** 660.00

**Rank:** 27

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 32.58

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D		L	0.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C	A	W	-1.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	D	W	-1.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B		L	0.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SHIVAM RAJESH DASHWANTRAO ( ID No. 47497 )

**Your Score:** 215.00/720.00 (29.86%)

**Max Score:** 660.00

**Rank:** 27

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 32.58

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A		L	0.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B	C	W	-1.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B	B	R	4.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	A	R	4.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C		L	0.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	B	W	-1.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A	D	W	-1.00

**Total Question:** 200 **Attempted:** 95 (**Correct:** 62 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 215.00

**Total Positive Marks:** 248.00 **Total Negative Marks:** 33.00

PHY	CHEM	BOT	ZOO	Total
12.00	28.00	106.00	69.00	<b>215.00</b>

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 210.00/720.00 (29.17%)

**Max Score:** 660.00

**Rank:** 28

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 31.82

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	A	W	-1.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B	C	W	-1.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	A	W	-1.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B		L	0.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	B	W	-1.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 210.00/720.00 (29.17%)

**Max Score:** 660.00

**Rank:** 28

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 31.82

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D		L	0.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C		L	0.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D		L	0.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B		L	0.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 210.00/720.00 (29.17%)

**Max Score:** 660.00

**Rank:** 28

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 31.82

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	D	W	-1.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D	B	W	-1.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A	C	W	-1.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A		L	0.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B	A	W	-1.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	D	W	-1.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	A	W	-1.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SAYEE DILIP MORE ( ID No. 47492 )

**Your Score:** 210.00/720.00 (29.17%)

**Max Score:** 660.00

**Rank:** 28

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 31.82

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	B	W	-1.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B	D	W	-1.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	A	R	4.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 90 (**Correct:** 60 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 210.00

**Total Positive Marks:** 240.00 **Total Negative Marks:** 30.00

PHY	CHEM	BOT	ZOO	Total
-1.00	0.00	94.00	117.00	210.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%



# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 210.00/720.00 (29.17%)

**Max Score:** 660.00

**Rank:** 28

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 31.82

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C	C	R	4.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C	B	W	-1.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A	C	W	-1.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B	C	W	-1.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D	A	W	-1.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A	D	W	-1.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B	A	W	-1.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B	D	W	-1.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B	A	W	-1.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B	B	R	4.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D	B	W	-1.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 210.00/720.00 (29.17%)

**Max Score:** 660.00

**Rank:** 28

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 31.82

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B	A	W	-1.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C	C	R	4.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	B	R	4.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	C	W	-1.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B	C	W	-1.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A	D	W	-1.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D	A	W	-1.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C		L	0.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	C	W	-1.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A	A	R	4.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D	B	W	-1.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B	D	W	-1.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D		L	0.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B		L	0.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B	A	W	-1.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 210.00/720.00 (29.17%)

**Max Score:** 660.00

**Rank:** 28

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 31.82

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	D	W	-1.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A	C	W	-1.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D	D	R	4.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	D	W	-1.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C		L	0.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A	A	R	4.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B		L	0.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C	A	W	-1.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D	D	R	4.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A	A	R	4.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C	C	R	4.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C		L	0.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D	B	W	-1.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SRUSHTI RAJENDRA DESHPANDE ( ID No. 47499 )

**Your Score:** 210.00/720.00 (29.17%)

**Max Score:** 660.00

**Rank:** 28

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 31.82

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	A	W	-1.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B	D	W	-1.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D	A	W	-1.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D	D	R	4.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	D	W	-1.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A	D	W	-1.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B	B	R	4.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A	D	W	-1.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C	B	W	-1.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C	C	R	4.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D		L	0.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D	D	R	4.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A	A	R	4.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	C	W	-1.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A	D	W	-1.00

**Total Question:** 200 **Attempted:** 120 (**Correct:** 66 **Incorrect:** 54) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 210.00

**Total Positive Marks:** 264.00 **Total Negative Marks:** 54.00

PHY	CHEM	BOT	ZOO	Total
6.00	30.00	75.00	99.00	210.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUJAL VINOD UMEKAR ( ID No. 47505 )

**Your Score:** 89.00/720.00 (12.36%)

**Max Score:** 660.00

**Rank:** 29

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 13.48

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	73.33	70.00	3.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
2	83.33	66.67	16.67	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
3	70.00	46.67	23.33	PHY	NEET REGULAR	4.00	1.00	B	A	W	-1.00
4	70.00	66.67	3.33	PHY	NEET REGULAR	4.00	1.00	B	B	R	4.00
5	36.67	23.33	13.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
6	73.33	46.67	26.67	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
7	43.33	33.33	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
8	53.33	23.33	30.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
9	80.00	36.67	43.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
10	23.33	16.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
11	80.00	66.67	13.33	PHY	NEET REGULAR	4.00	1.00	A	A	R	4.00
12	26.67	20.00	6.67	PHY	FOR TWO ANS4	4.00	1.00	BD		L	0.00
13	40.00	20.00	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
14	43.33	36.67	6.67	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
15	26.67	23.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
16	63.33	40.00	23.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
17	13.33	3.33	10.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
18	73.33	53.33	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
19	56.67	40.00	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
20	63.33	56.67	6.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
21	46.67	33.33	13.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
22	43.33	30.00	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
23	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
24	53.33	13.33	40.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
25	20.00	20.00	0.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
26	23.33	6.67	16.67	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
27	16.67	3.33	13.33	PHY	NEET REGULAR	4.00	1.00	C		L	0.00
28	40.00	16.67	23.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
29	40.00	26.67	13.33	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
30	56.67	33.33	23.33	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
31	46.67	26.67	20.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
32	26.67	26.67	0.00	PHY	NEET REGULAR	4.00	1.00	D		L	0.00
33	56.67	46.67	10.00	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
34	56.67	53.33	3.33	PHY	NEET REGULAR	4.00	1.00	A		L	0.00
35	23.33	23.33	0.00	PHY	NEET REGULAR	4.00	1.00	B		L	0.00
36	53.33	50.00	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
37	70.00	43.33	26.67	PHY	TOP10	4.00	1.00	B		L	0.00
38	40.00	30.00	10.00	PHY	TOP10	4.00	1.00	C		L	0.00
39	60.00	56.67	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
40	33.33	26.67	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
41	40.00	26.67	13.33	PHY	TOP10	4.00	1.00	D		L	0.00
42	43.33	13.33	30.00	PHY	TOP10	4.00	1.00	B		L	0.00
43	13.33	10.00	3.33	PHY	TOP10	4.00	1.00	A		L	0.00
44	0.00	0.00	0.00	PHY	TOP10	4.00	1.00	C		L	0.00
45	20.00	16.67	3.33	PHY	TOP10	4.00	1.00	B		L	0.00
46	13.33	6.67	6.67	PHY	TOP10	4.00	1.00	B		L	0.00
47	63.33	63.33	0.00	PHY	TOP10	4.00	1.00	B		L	0.00
48	66.67	60.00	6.67	PHY	TOP10	4.00	1.00	D		L	0.00
49	36.67	30.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
50	6.67	0.00	6.67	PHY	TOP10	4.00	1.00	A		L	0.00
51	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
52	43.33	30.00	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
53	83.33	80.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUJAL VINOD UMEKAR ( ID No. 47505 )

**Your Score:** 89.00/720.00 (12.36%)

**Max Score:** 660.00

**Rank:** 29

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 13.48

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	53.33	33.33	20.00	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
55	50.00	43.33	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
56	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
57	80.00	80.00	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
58	53.33	43.33	10.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
59	36.67	23.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
60	56.67	40.00	16.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
61	46.67	33.33	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
62	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
63	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
64	90.00	83.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
65	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
66	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
67	56.67	33.33	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
68	73.33	70.00	3.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
69	70.00	3.33	66.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
70	50.00	36.67	13.33	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
71	83.33	70.00	13.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
72	70.00	56.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
73	70.00	63.33	6.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
74	70.00	46.67	23.33	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
75	43.33	40.00	3.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
76	76.67	70.00	6.67	CHEM	NEET REGULAR	4.00	1.00	B	D	W	-1.00
77	80.00	66.67	13.33	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
78	76.67	76.67	0.00	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
79	70.00	36.67	33.33	CHEM	NEET REGULAR	4.00	1.00	A	A	R	4.00
80	63.33	63.33	0.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
81	56.67	50.00	6.67	CHEM	NEET REGULAR	4.00	1.00	D		L	0.00
82	70.00	23.33	46.67	CHEM	NEET REGULAR	4.00	1.00	B		L	0.00
83	66.67	46.67	20.00	CHEM	NEET REGULAR	4.00	1.00	A	B	W	-1.00
84	36.67	26.67	10.00	CHEM	NEET REGULAR	4.00	1.00	C		L	0.00
85	60.00	43.33	16.67	CHEM	NEET REGULAR	4.00	1.00	A		L	0.00
86	46.67	26.67	20.00	CHEM	TOP10	4.00	1.00	C		L	0.00
87	73.33	36.67	36.67	CHEM	TOP10	4.00	1.00	D		L	0.00
88	0.00	0.00	0.00	CHEM	TOP10	4.00	1.00	B		L	0.00
89	60.00	23.33	36.67	CHEM	TOP10	4.00	1.00	C		L	0.00
90	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
91	10.00	6.67	3.33	CHEM	TOP10	4.00	1.00	B		L	0.00
92	66.67	56.67	10.00	CHEM	TOP10	4.00	1.00	A		L	0.00
93	66.67	50.00	16.67	CHEM	TOP10	4.00	1.00	D		L	0.00
94	56.67	36.67	20.00	CHEM	TOP10	4.00	1.00	B		L	0.00
95	36.67	20.00	16.67	CHEM	TOP10	4.00	1.00	C		L	0.00
96	70.00	60.00	10.00	CHEM	TOP10	4.00	1.00	D		L	0.00
97	20.00	6.67	13.33	CHEM	TOP10	4.00	1.00	D		L	0.00
98	63.33	40.00	23.33	CHEM	TOP10	4.00	1.00	B		L	0.00
99	23.33	13.33	10.00	CHEM	TOP10	4.00	1.00	B		L	0.00
100	6.67	3.33	3.33	CHEM	TOP10	4.00	1.00	D		L	0.00
101	96.67	80.00	16.67	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
102	83.33	53.33	30.00	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
103	93.33	63.33	30.00	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
104	96.67	76.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
105	96.67	60.00	36.67	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
106	63.33	56.67	6.67	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUJAL VINOD UMEKAR ( ID No. 47505 )

**Your Score:** 89.00/720.00 (12.36%)

**Max Score:** 660.00

**Rank:** 29

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 13.48

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
107	96.67	73.33	23.33	BOT	NEET REGULAR	4.00	1.00	D	A	W	-1.00
108	90.00	50.00	40.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
109	96.67	56.67	40.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
110	90.00	73.33	16.67	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
111	80.00	66.67	13.33	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
112	66.67	53.33	13.33	BOT	NEET REGULAR	4.00	1.00	A	D	W	-1.00
113	83.33	50.00	33.33	BOT	NEET REGULAR	4.00	1.00	C	B	W	-1.00
114	83.33	66.67	16.67	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
115	93.33	73.33	20.00	BOT	NEET REGULAR	4.00	1.00	C	A	W	-1.00
116	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
117	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
118	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	B	B	R	4.00
119	90.00	90.00	0.00	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
120	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
121	100.00	96.67	3.33	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
122	100.00	80.00	20.00	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
123	100.00	100.00	0.00	BOT	NEET REGULAR	4.00	1.00	C	C	R	4.00
124	83.33	73.33	10.00	BOT	NEET REGULAR	4.00	1.00	D	D	R	4.00
125	86.67	66.67	20.00	BOT	NEET REGULAR	4.00	1.00	A	A	R	4.00
126	70.00	50.00	20.00	BOT	NEET REGULAR	4.00	1.00	D		L	0.00
127	60.00	26.67	33.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
128	93.33	76.67	16.67	BOT	NEET REGULAR	4.00	1.00	B	A	W	-1.00
129	90.00	86.67	3.33	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
130	80.00	56.67	23.33	BOT	NEET REGULAR	4.00	1.00	B	C	W	-1.00
131	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
132	93.33	90.00	3.33	BOT	NEET REGULAR	4.00	1.00	B		L	0.00
133	86.67	86.67	0.00	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
134	93.33	56.67	36.67	BOT	NEET REGULAR	4.00	1.00	C		L	0.00
135	90.00	76.67	13.33	BOT	NEET REGULAR	4.00	1.00	A		L	0.00
136	73.33	70.00	3.33	BOT	TOP10	4.00	1.00	D		L	0.00
137	13.33	10.00	3.33	BOT	TOP10	4.00	1.00	B		L	0.00
138	46.67	23.33	23.33	BOT	TOP10	4.00	1.00	A		L	0.00
139	90.00	73.33	16.67	BOT	TOP10	4.00	1.00	C	C	R	4.00
140	40.00	23.33	16.67	BOT	TOP10	4.00	1.00	C	B	W	-1.00
141	53.33	50.00	3.33	BOT	TOP10	4.00	1.00	A	D	W	-1.00
142	66.67	50.00	16.67	BOT	TOP10	4.00	1.00	B		L	0.00
143	76.67	43.33	33.33	BOT	TOP10	4.00	1.00	C		L	0.00
144	76.67	60.00	16.67	BOT	TOP10	4.00	1.00	B	B	R	4.00
145	90.00	90.00	0.00	BOT	TOP10	4.00	1.00	D		L	0.00
146	83.33	83.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
147	50.00	50.00	0.00	BOT	TOP10	4.00	1.00	B	B	R	4.00
148	76.67	73.33	3.33	BOT	TOP10	4.00	1.00	C		L	0.00
149	53.33	53.33	0.00	BOT	TOP10	4.00	1.00	C	C	R	4.00
150	23.33	23.33	0.00	BOT	TOP10	4.00	1.00	A		L	0.00
151	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
152	93.33	76.67	16.67	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
153	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
154	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
155	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
156	90.00	26.67	63.33	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
157	63.33	43.33	20.00	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
158	80.00	73.33	6.67	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
159	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

# SAFE HANDS

## QUESTION RESPONSE ANALYSIS

**NAME:** SUJAL VINOD UMEKAR ( ID No. 47505 )

**Your Score:** 89.00/720.00 (12.36%)

**Max Score:** 660.00

**Rank:** 29

**Min Score:** 89.00

**TEST:** MMT-07 (NB-15 NEET) ( ID: 715 DT: 05-May-2023 )

**Percentile:** 13.48

**Avg Score:** 391.70

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
160	96.67	40.00	56.67	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
161	100.00	93.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B	C	W	-1.00
162	90.00	80.00	10.00	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
163	73.33	43.33	30.00	ZOO	NEET REGULAR	4.00	1.00	A	C	W	-1.00
164	100.00	83.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
165	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	B	B	R	4.00
166	90.00	43.33	46.67	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
167	96.67	70.00	26.67	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
168	93.33	70.00	23.33	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
169	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
170	93.33	83.33	10.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
171	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
172	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
173	96.67	86.67	10.00	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
174	90.00	76.67	13.33	ZOO	NEET REGULAR	4.00	1.00	B	A	W	-1.00
175	93.33	73.33	20.00	ZOO	NEET REGULAR	4.00	1.00	D		L	0.00
176	96.67	93.33	3.33	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
177	100.00	100.00	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
178	90.00	73.33	16.67	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
179	96.67	96.67	0.00	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
180	96.67	83.33	13.33	ZOO	NEET REGULAR	4.00	1.00	A	B	W	-1.00
181	86.67	83.33	3.33	ZOO	NEET REGULAR	4.00	1.00	A	A	R	4.00
182	83.33	76.67	6.67	ZOO	NEET REGULAR	4.00	1.00	A		L	0.00
183	90.00	83.33	6.67	ZOO	NEET REGULAR	4.00	1.00	C		L	0.00
184	83.33	80.00	3.33	ZOO	NEET REGULAR	4.00	1.00	C	C	R	4.00
185	93.33	86.67	6.67	ZOO	NEET REGULAR	4.00	1.00	B		L	0.00
186	80.00	56.67	23.33	ZOO	TOP10	4.00	1.00	A	C	W	-1.00
187	33.33	23.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
188	43.33	33.33	10.00	ZOO	TOP10	4.00	1.00	B		L	0.00
189	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	B		L	0.00
190	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	A		L	0.00
191	86.67	80.00	6.67	ZOO	TOP10	4.00	1.00	C		L	0.00
192	80.00	63.33	16.67	ZOO	TOP10	4.00	1.00	C		L	0.00
193	66.67	63.33	3.33	ZOO	TOP10	4.00	1.00	D		L	0.00
194	50.00	33.33	16.67	ZOO	TOP10	4.00	1.00	A	B	W	-1.00
195	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	D		L	0.00
196	80.00	80.00	0.00	ZOO	TOP10	4.00	1.00	A		L	0.00
197	83.33	80.00	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
198	70.00	63.33	6.67	ZOO	TOP10	4.00	1.00	D	D	R	4.00
199	16.67	13.33	3.33	ZOO	TOP10	4.00	1.00	A		L	0.00
200	30.00	16.67	13.33	ZOO	TOP10	4.00	1.00	A		L	0.00

**Total Question:** 200 **Attempted:** 51 (**Correct:** 28 **Incorrect:** 23) **Score Rate:** 0.00 **Strike Rate:** 0.00

**Total:** 89.00

**Total Positive Marks:** 112.00 **Total Negative Marks:** 23.00

PHY	CHEM	BOT	ZOO	Total
11.00	6.00	46.00	26.00	89.00

**ATT% / R% / W% :** Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

**KEY :** Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%