

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 92028_NETAL_GANDHI)

Your Score: 71.00/100.00 (71.00%)

Max Score: 71.00

Rank: 1

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 100.00

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: (ID No. 92028_NETAL_GANDHI)

Your Score: 71.00/100.00 (71.00%)

Max Score: 71.00

Rank: 1

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 100.00

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 71 **Incorrect:** 29) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 71.00

Total Positive Marks: 71.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
12.00	16.00	15.00	14.00	14.00	71.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRISHNA PRAMOD SHUKLA (ID No. 92023)

Your Score: 68.00/100.00 (68.00%)

Max Score: 71.00

Rank: 2

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 95.77

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRISHNA PRAMOD SHUKLA (ID No. 92023)

Your Score: 68.00/100.00 (68.00%)

Max Score: 71.00

Rank: 2

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 95.77

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 68 **Incorrect:** 30) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 68.00

Total Positive Marks: 68.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	16.00	12.00	15.00	14.00	68.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 67.00/100.00 (67.00%)

Max Score: 71.00

Rank: 3

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 94.37

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NAMAN SHAILESH DUBEY (ID No. 91006)

Your Score: 67.00/100.00 (67.00%)

Max Score: 71.00

Rank: 3

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 94.37

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 67 **Incorrect:** 33) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 67.00

Total Positive Marks: 67.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
13.00	17.00	8.00	14.00	15.00	67.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL R. INGLE (ID No. 92032)

Your Score: 66.00/100.00 (66.00%)

Max Score: 71.00

Rank: 4

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 92.96

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANJAL R. INGLE (ID No. 92032)

Your Score: 66.00/100.00 (66.00%)

Max Score: 71.00

Rank: 4

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 92.96

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 66 **Incorrect:** 34) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 66.00

Total Positive Marks: 66.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	15.00	15.00	16.00	11.00	66.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 65.00/100.00 (65.00%)

Max Score: 71.00

Rank: 5

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 91.55

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRATIK SUNIL GAVHALE (ID No. 92033)

Your Score: 65.00/100.00 (65.00%)

Max Score: 71.00

Rank: 5

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 91.55

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 65 **Incorrect:** 35) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 65.00

Total Positive Marks: 65.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	18.00	16.00	13.00	10.00	65.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 60.00/100.00 (60.00%)

Max Score: 71.00

Rank: 6

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 84.51

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM PRAVIN MOHOD (ID No. 92031)

Your Score: 60.00/100.00 (60.00%)

Max Score: 71.00

Rank: 6

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 84.51

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 60 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 60.00

Total Positive Marks: 60.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	15.00	11.00	12.00	11.00	60.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 58.00/100.00 (58.00%)

Max Score: 71.00

Rank: 7

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 81.69

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DARSHANA P. NANDAPURE (ID No. 92012)

Your Score: 58.00/100.00 (58.00%)

Max Score: 71.00

Rank: 7

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 81.69

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 58 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 58.00

Total Positive Marks: 58.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	12.00	12.00	12.00	12.00	58.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAVI SUNIL LADDHA (ID No. 92008)

Your Score: 56.00/100.00 (56.00%)

Max Score: 71.00

Rank: 8

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 78.87

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANAVI SUNIL LADDHA (ID No. 92008)

Your Score: 56.00/100.00 (56.00%)

Max Score: 71.00

Rank: 8

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 78.87

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 56 **Incorrect:** 42) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 56.00

Total Positive Marks: 56.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	12.00	12.00	11.00	12.00	56.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYURI P. BHOJANE (ID No. 92027)

Your Score: 55.00/100.00 (55.00%)

Max Score: 71.00

Rank: 9

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 77.46

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MAYURI P. BHOJANE (ID No. 92027)

Your Score: 55.00/100.00 (55.00%)

Max Score: 71.00

Rank: 9

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 77.46

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 96 (**Correct:** 55 **Incorrect:** 41) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 55.00

Total Positive Marks: 55.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	10.00	13.00	11.00	13.00	55.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 54.00/100.00 (54.00%)

Max Score: 71.00

Rank: 10

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 76.06

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHREYASH NILESH GORE (ID No. 92037)

Your Score: 54.00/100.00 (54.00%)

Max Score: 71.00

Rank: 10

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 76.06

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 54 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 54.00

Total Positive Marks: 54.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	13.00	12.00	10.00	10.00	54.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NINAD RAJESH NITNAWARE (ID No. 92029)

Your Score: 53.00/100.00 (53.00%)

Max Score: 71.00

Rank: 11

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 74.65

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: NINAD RAJESH NITNAWARE (ID No. 92029)

Your Score: 53.00/100.00 (53.00%)

Max Score: 71.00

Rank: 11

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 74.65

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 53 **Incorrect:** 47) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
10.00	10.00	8.00	13.00	12.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI PRAMOD SURWADE (ID No. 92034)

Your Score: 53.00/100.00 (53.00%)

Max Score: 71.00

Rank: 11

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 74.65

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	BD	W	0.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SACHI PRAMOD SURWADE (ID No. 92034)

Your Score: 53.00/100.00 (53.00%)

Max Score: 71.00

Rank: 11

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 74.65

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 53 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 53.00

Total Positive Marks: 53.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	14.00	15.00	8.00	8.00	53.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 52.00/100.00 (52.00%)

Max Score: 71.00

Rank: 12

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 73.24

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANHAVI SHIVAJI DANDALE (ID No. 92019)

Your Score: 52.00/100.00 (52.00%)

Max Score: 71.00

Rank: 12

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 73.24

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 52 **Incorrect:** 48) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	16.00	12.00	8.00	10.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 52.00/100.00 (52.00%)

Max Score: 71.00

Rank: 12

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 73.24

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: JANVI DINESH TAROLE (ID No. 92020)

Your Score: 52.00/100.00 (52.00%)

Max Score: 71.00

Rank: 12

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 73.24

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 52 **Incorrect:** 46) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	14.00	11.00	11.00	9.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASVI AJAY RAUT (ID No. 92026)

Your Score: 52.00/100.00 (52.00%)

Max Score: 71.00

Rank: 12

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 73.24

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B		L	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: MANASVI AJAY RAUT (ID No. 92026)

Your Score: 52.00/100.00 (52.00%)

Max Score: 71.00

Rank: 12

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 73.24

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 90 (**Correct:** 52 **Incorrect:** 38) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 52.00

Total Positive Marks: 52.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	11.00	13.00	7.00	12.00	52.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 51.00/100.00 (51.00%)

Max Score: 71.00

Rank: 13

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 71.83

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RADHA PRASHANT PAGRUT (ID No. 91009)

Your Score: 51.00/100.00 (51.00%)

Max Score: 71.00

Rank: 13

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 71.83

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
11.00	11.00	10.00	10.00	9.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 51.00/100.00 (51.00%)

Max Score: 71.00

Rank: 13

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 71.83

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHISHEK A. SHIRBHATE (ID No. 92003)

Your Score: 51.00/100.00 (51.00%)

Max Score: 71.00

Rank: 13

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 71.83

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 96 (**Correct:** 51 **Incorrect:** 45) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	14.00	12.00	11.00	7.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADAIT HEMANT BANAIT (ID No. 92005)

Your Score: 51.00/100.00 (51.00%)

Max Score: 71.00

Rank: 13

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 71.83

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADAIT HEMANT BANAIT (ID No. 92005)

Your Score: 51.00/100.00 (51.00%)

Max Score: 71.00

Rank: 13

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 71.83

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 51 **Incorrect:** 49) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 51.00

Total Positive Marks: 51.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	14.00	10.00	11.00	9.00	51.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 50.00/100.00 (50.00%)

Max Score: 71.00

Rank: 14

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 70.42

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH H. RATHOD (ID No. 92016)

Your Score: 50.00/100.00 (50.00%)

Max Score: 71.00

Rank: 14

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 70.42

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 50 **Incorrect:** 50) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 50.00

Total Positive Marks: 50.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	14.00	15.00	7.00	7.00	50.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 48.00/100.00 (48.00%)

Max Score: 71.00

Rank: 15

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 67.61

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ISHANT SATISH TAKSALE (ID No. 92018)

Your Score: 48.00/100.00 (48.00%)

Max Score: 71.00

Rank: 15

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 67.61

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	9.00	8.00	8.00	15.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAVINDRA SURVE (ID No. 92022)

Your Score: 48.00/100.00 (48.00%)

Max Score: 71.00

Rank: 15

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 67.61

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KHUSHI RAVINDRA SURVE (ID No. 92022)

Your Score: 48.00/100.00 (48.00%)

Max Score: 71.00

Rank: 15

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 67.61

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 48 **Incorrect:** 52) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 48.00

Total Positive Marks: 48.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	11.00	12.00	9.00	7.00	48.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 47.00/100.00 (47.00%)

Max Score: 71.00

Rank: 16

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 66.20

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: CHIRAG RAKESH SHARMA (ID No. 92011)

Your Score: 47.00/100.00 (47.00%)

Max Score: 71.00

Rank: 16

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 66.20

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C		L	0.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A		L	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C		L	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00

Total Question: 100 **Attempted:** 86 (**Correct:** 47 **Incorrect:** 39) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 47.00

Total Positive Marks: 47.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
9.00	13.00	12.00	9.00	4.00	47.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYA GAJANAN INGLE (ID No. 92013)

Your Score: 44.00/100.00 (44.00%)

Max Score: 71.00

Rank: 17

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 61.97

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: DIVYA GAJANAN INGLE (ID No. 92013)

Your Score: 44.00/100.00 (44.00%)

Max Score: 71.00

Rank: 17

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 61.97

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 44 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	10.00	11.00	9.00	6.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNALI S. ARBAT (ID No. 92025)

Your Score: 44.00/100.00 (44.00%)

Max Score: 71.00

Rank: 17

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 61.97

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNALI S. ARBAT (ID No. 92025)

Your Score: 44.00/100.00 (44.00%)

Max Score: 71.00

Rank: 17

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 61.97

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 44 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 44.00

Total Positive Marks: 44.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	13.00	12.00	6.00	6.00	44.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 43.00/100.00 (43.00%)

Max Score: 71.00

Rank: 18

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 60.56

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHRAVAN SATISH WARADE (ID No. 92036)

Your Score: 43.00/100.00 (43.00%)

Max Score: 71.00

Rank: 18

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 60.56

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 43 **Incorrect:** 57) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 43.00

Total Positive Marks: 43.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	12.00	7.00	8.00	11.00	43.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 40.00/100.00 (40.00%)

Max Score: 71.00

Rank: 19

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 56.34

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GUNJAN A. NANDANWAR (ID No. 92015)

Your Score: 40.00/100.00 (40.00%)

Max Score: 71.00

Rank: 19

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 56.34

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 99 (**Correct:** 40 **Incorrect:** 59) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 40.00

Total Positive Marks: 40.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	12.00	7.00	4.00	9.00	40.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH MUKUNDA JAGTAP (ID No. 92017)

Your Score: 38.00/100.00 (38.00%)

Max Score: 71.00

Rank: 20

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 53.52

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D		L	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: HARSH MUKUNDA JAGTAP (ID No. 92017)

Your Score: 38.00/100.00 (38.00%)

Max Score: 71.00

Rank: 20

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 53.52

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A		L	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	AC	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 94 (**Correct:** 38 **Incorrect:** 56) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 38.00

Total Positive Marks: 38.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	8.00	6.00	7.00	10.00	38.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 37.00/100.00 (37.00%)

Max Score: 71.00

Rank: 21

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 52.11

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: GAYATRI PRASHANT UMALE (ID No. 92014)

Your Score: 37.00/100.00 (37.00%)

Max Score: 71.00

Rank: 21

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 52.11

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 37 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 37.00

Total Positive Marks: 37.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
8.00	9.00	7.00	4.00	9.00	37.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAV G. RATNAPARKHI (ID No. 92039)

Your Score: 37.00/100.00 (37.00%)

Max Score: 71.00

Rank: 21

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 52.11

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VAIBHAV G. RATNAPARKHI (ID No. 92039)

Your Score: 37.00/100.00 (37.00%)

Max Score: 71.00

Rank: 21

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 52.11

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 37 **Incorrect:** 63) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 37.00

Total Positive Marks: 37.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	8.00	8.00	5.00	11.00	37.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 35.00/100.00 (35.00%)

Max Score: 71.00

Rank: 22

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 49.30

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ABHINAV DILIP UPADHYE (ID No. 92002)

Your Score: 35.00/100.00 (35.00%)

Max Score: 71.00

Rank: 22

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 49.30

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 35 **Incorrect:** 65) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	6.00	10.00	5.00	10.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DHANANJAY GADHE (ID No. 92040)

Your Score: 35.00/100.00 (35.00%)

Max Score: 71.00

Rank: 22

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 49.30

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	AC	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: VIVEK DHANANJAY GADHE (ID No. 92040)

Your Score: 35.00/100.00 (35.00%)

Max Score: 71.00

Rank: 22

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 49.30

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D		L	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	AD	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 35 **Incorrect:** 64) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 35.00

Total Positive Marks: 35.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	13.00	5.00	8.00	5.00	35.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 34.00/100.00 (34.00%)

Max Score: 71.00

Rank: 23

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 47.89

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	C	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITI ATUL BHENDE (ID No. 91001)

Your Score: 34.00/100.00 (34.00%)

Max Score: 71.00

Rank: 23

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 47.89

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 34 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 34.00

Total Positive Marks: 34.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
3.00	12.00	7.00	6.00	6.00	34.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 34.00/100.00 (34.00%)

Max Score: 71.00

Rank: 23

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 47.89

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ADITYA RAVI INGLE (ID No. 92004)

Your Score: 34.00/100.00 (34.00%)

Max Score: 71.00

Rank: 23

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 47.89

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 34 **Incorrect:** 66) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 34.00

Total Positive Marks: 34.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
3.00	9.00	6.00	8.00	8.00	34.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 31.00/100.00 (31.00%)

Max Score: 71.00

Rank: 24

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 43.66

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: AARYA NITIN TAYADE (ID No. 92001)

Your Score: 31.00/100.00 (31.00%)

Max Score: 71.00

Rank: 24

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 43.66

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B		L	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 99 (**Correct:** 31 **Incorrect:** 68) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 31.00

Total Positive Marks: 31.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	5.00	7.00	4.00	11.00	31.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNA ANANTA MOHOD (ID No. 92024)

Your Score: 31.00/100.00 (31.00%)

Max Score: 71.00

Rank: 24

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 43.66

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	D	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: KRUSHNA ANANTA MOHOD (ID No. 92024)

Your Score: 31.00/100.00 (31.00%)

Max Score: 71.00

Rank: 24

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 43.66

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 31 **Incorrect:** 69) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 31.00

Total Positive Marks: 31.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
6.00	8.00	4.00	4.00	9.00	31.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJKUMARI R. HANUMANTE (ID No. 91010)

Your Score: 30.00/100.00 (30.00%)

Max Score: 71.00

Rank: 25

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 42.25

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: RAJKUMARI R. HANUMANTE (ID No. 91010)

Your Score: 30.00/100.00 (30.00%)

Max Score: 71.00

Rank: 25

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 42.25

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	BD	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 30 **Incorrect:** 70) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 30.00

Total Positive Marks: 30.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
3.00	7.00	7.00	2.00	11.00	30.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARA SWAPNIL DESHPANDE (ID No. 91014)

Your Score: 29.00/100.00 (29.00%)

Max Score: 71.00

Rank: 26

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 40.85

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	A	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SWARA SWAPNIL DESHPANDE (ID No. 91014)

Your Score: 29.00/100.00 (29.00%)

Max Score: 71.00

Rank: 26

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 40.85

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	D	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	BC	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 100 (**Correct:** 29 **Incorrect:** 71) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 29.00

Total Positive Marks: 29.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
7.00	5.00	7.00	1.00	9.00	29.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 27.00/100.00 (27.00%)

Max Score: 71.00

Rank: 27

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 38.03

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	BC	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: PRANAV KESHAV GHATE (ID No. 91007)

Your Score: 27.00/100.00 (27.00%)

Max Score: 71.00

Rank: 27

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 38.03

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	B	R	1.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	C	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 27 **Incorrect:** 73) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 27.00

Total Positive Marks: 27.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
3.00	8.00	5.00	5.00	6.00	27.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHRA SHARAD GHUGE (ID No. 92038)

Your Score: 26.00/100.00 (26.00%)

Max Score: 71.00

Rank: 28

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 36.62

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	D	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	A	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	D	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	BD	W	0.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	BC	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	BC	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	BC	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	A	R	1.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: SHUBHRA SHARAD GHUGE (ID No. 92038)

Your Score: 26.00/100.00 (26.00%)

Max Score: 71.00

Rank: 28

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 36.62

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	BD	W	0.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	B	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	AC	W	0.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	BD	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	B	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	CD	W	0.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	CD	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	BD	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	AB	W	0.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	BC	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	D	R	1.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 98 (**Correct:** 26 **Incorrect:** 72) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 26.00

Total Positive Marks: 26.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
5.00	8.00	3.00	3.00	7.00	26.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ANIL GAYAKWAD (ID No. 92030)

Your Score: 23.00/100.00 (23.00%)

Max Score: 71.00

Rank: 29

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 32.39

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	A	R	1.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	B	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B	C	W	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	B	W	0.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	A	R	1.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D	C	W	0.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	B	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	B	W	0.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C	C	R	1.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	A	W	0.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	C	R	1.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	B	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: OM ANIL GAYAKWAD (ID No. 92030)

Your Score: 23.00/100.00 (23.00%)

Max Score: 71.00

Rank: 29

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 32.39

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	B	W	0.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	C	W	0.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	C	W	0.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	B	W	0.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	B	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00

Total Question: 100 **Attempted:** 100 (**Correct:** 23 **Incorrect:** 77) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 23.00

Total Positive Marks: 23.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	8.00	6.00	4.00	1.00	23.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUSHKA NILESH GADE (ID No. 92009)

Your Score: 21.00/100.00 (21.00%)

Max Score: 71.00

Rank: 30

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 29.58

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
1	100.00	14.63	85.37	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
2	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	A		L	0.00
3	97.56	36.59	60.98	PHY	REGULAR MT1	1.00	0.00	A	D	W	0.00
4	100.00	36.59	63.41	PHY	REGULAR MT1	1.00	0.00	B	A	W	0.00
5	100.00	39.02	60.98	PHY	REGULAR MT1	1.00	0.00	B	D	W	0.00
6	100.00	31.71	68.29	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
7	95.12	43.90	51.22	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
8	97.56	24.39	73.17	PHY	REGULAR MT1	1.00	0.00	C	C	R	1.00
9	100.00	56.10	43.90	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
10	95.12	46.34	48.78	PHY	REGULAR MT1	1.00	0.00	A	C	W	0.00
11	95.12	19.51	75.61	PHY	REGULAR MT1	1.00	0.00	C		L	0.00
12	97.56	7.32	90.24	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
13	100.00	34.15	65.85	PHY	REGULAR MT1	1.00	0.00	D	C	W	0.00
14	97.56	31.71	65.85	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
15	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B	B	R	1.00
16	97.56	43.90	53.66	PHY	REGULAR MT1	1.00	0.00	B		L	0.00
17	100.00	46.34	53.66	PHY	REGULAR MT1	1.00	0.00	C	B	W	0.00
18	92.68	12.20	80.49	PHY	REGULAR MT1	1.00	0.00	D		L	0.00
19	100.00	60.98	39.02	PHY	REGULAR MT1	1.00	0.00	D	D	R	1.00
20	100.00	68.29	31.71	PHY	REGULAR MT1	1.00	0.00	D	A	W	0.00
21	100.00	60.98	39.02	CHEM	REGULAR MT1	1.00	0.00	C	B	W	0.00
22	97.56	46.34	51.22	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
23	100.00	41.46	58.54	CHEM	REGULAR MT1	1.00	0.00	C	A	W	0.00
24	100.00	68.29	31.71	CHEM	REGULAR MT1	1.00	0.00	B	B	R	1.00
25	100.00	92.68	7.32	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
26	95.12	41.46	53.66	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
27	95.12	51.22	43.90	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
28	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
29	92.68	60.98	31.71	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
30	97.56	41.46	56.10	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
31	97.56	78.05	19.51	CHEM	REGULAR MT1	1.00	0.00	D		L	0.00
32	97.56	51.22	46.34	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
33	97.56	48.78	48.78	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
34	100.00	24.39	75.61	CHEM	REGULAR MT1	1.00	0.00	A	D	W	0.00
35	97.56	34.15	63.41	CHEM	REGULAR MT1	1.00	0.00	D	D	R	1.00
36	95.12	65.85	29.27	CHEM	REGULAR MT1	1.00	0.00	B		L	0.00
37	97.56	65.85	31.71	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
38	97.56	68.29	29.27	CHEM	REGULAR MT1	1.00	0.00	C		L	0.00
39	97.56	60.98	36.59	CHEM	REGULAR MT1	1.00	0.00	B	D	W	0.00
40	95.12	46.34	48.78	CHEM	REGULAR MT1	1.00	0.00	B	C	W	0.00
41	100.00	65.85	34.15	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
42	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
43	100.00	75.61	24.39	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
44	100.00	48.78	51.22	BIO	REGULAR MT1	1.00	0.00	C	B	W	0.00
45	97.56	14.63	82.93	BIO	REGULAR MT1	1.00	0.00	D	C	W	0.00
46	97.56	19.51	78.05	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
47	100.00	68.29	31.71	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
48	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	B	R	1.00
49	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
50	95.12	51.22	43.90	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
51	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	C	D	W	0.00
52	100.00	41.46	58.54	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
53	100.00	56.10	43.90	BIO	REGULAR MT1	1.00	0.00	A	C	W	0.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG** : Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS** : Answer filled by the candidate. **RESULT** : Result (correct/incorrect/left). **MARKS** : Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%

SAFE HANDS

QUESTION RESPONSE ANALYSIS

NAME: ANUSHKA NILESH GADE (ID No. 92009)

Your Score: 21.00/100.00 (21.00%)

Max Score: 71.00

Rank: 30

Min Score: 21.00

TEST: COMPETITIVE TEST1 (STD 9) (ID: 726 DT: 07-Aug-2023)

Percentile: 29.58

Avg Score: 45.54

QNo	ATT%	R%	W%	SUBJECT	TOPIC / SCHEME	POS	NEG	KEY	ANSWER	RESULT	MARKS
54	100.00	51.22	48.78	BIO	REGULAR MT1	1.00	0.00	D	D	R	1.00
55	100.00	26.83	73.17	BIO	REGULAR MT1	1.00	0.00	B	C	W	0.00
56	100.00	53.66	46.34	BIO	REGULAR MT1	1.00	0.00	C	A	W	0.00
57	100.00	12.20	87.80	BIO	REGULAR MT1	1.00	0.00	B	D	W	0.00
58	100.00	36.59	63.41	BIO	REGULAR MT1	1.00	0.00	D	A	W	0.00
59	100.00	58.54	41.46	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
60	100.00	63.41	36.59	BIO	REGULAR MT1	1.00	0.00	B	A	W	0.00
61	100.00	43.90	56.10	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
62	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
63	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	C	C	R	1.00
64	95.12	46.34	48.78	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
65	100.00	46.34	53.66	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
66	97.56	19.51	78.05	MATHS	REGULAR MT1	1.00	0.00	C	A	W	0.00
67	97.56	17.07	80.49	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
68	97.56	48.78	48.78	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
69	100.00	87.80	12.20	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
70	100.00	41.46	58.54	MATHS	REGULAR MT1	1.00	0.00	A	D	W	0.00
71	97.56	36.59	60.98	MATHS	REGULAR MT1	1.00	0.00	A	A	R	1.00
72	100.00	24.39	75.61	MATHS	REGULAR MT1	1.00	0.00	D	D	R	1.00
73	97.56	31.71	65.85	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
74	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	D	A	W	0.00
75	97.56	29.27	68.29	MATHS	REGULAR MT1	1.00	0.00	A	C	W	0.00
76	100.00	31.71	68.29	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
77	97.56	26.83	70.73	MATHS	REGULAR MT1	1.00	0.00	C	B	W	0.00
78	97.56	58.54	39.02	MATHS	REGULAR MT1	1.00	0.00	C	D	W	0.00
79	97.56	46.34	51.22	MATHS	REGULAR MT1	1.00	0.00	B	A	W	0.00
80	100.00	58.54	41.46	MATHS	REGULAR MT1	1.00	0.00	B	C	W	0.00
81	100.00	7.32	92.68	GK+M.A.	REGULAR MT1	1.00	0.00	D	A	W	0.00
82	100.00	31.71	68.29	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
83	100.00	21.95	78.05	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
84	100.00	29.27	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
85	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	D	W	0.00
86	97.56	12.20	85.37	GK+M.A.	REGULAR MT1	1.00	0.00	A	D	W	0.00
87	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
88	100.00	78.05	21.95	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
89	100.00	80.49	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	D	B	W	0.00
90	92.68	17.07	75.61	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
91	97.56	26.83	70.73	GK+M.A.	REGULAR MT1	1.00	0.00	B	C	W	0.00
92	97.56	53.66	43.90	GK+M.A.	REGULAR MT1	1.00	0.00	C	A	W	0.00
93	100.00	87.80	12.20	GK+M.A.	REGULAR MT1	1.00	0.00	A	A	R	1.00
94	95.12	48.78	46.34	GK+M.A.	REGULAR MT1	1.00	0.00	B		L	0.00
95	97.56	68.29	29.27	GK+M.A.	REGULAR MT1	1.00	0.00	C	C	R	1.00
96	97.56	78.05	19.51	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
97	92.68	36.59	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	D		L	0.00
98	97.56	24.39	73.17	GK+M.A.	REGULAR MT1	1.00	0.00	B	A	W	0.00
99	97.56	41.46	56.10	GK+M.A.	REGULAR MT1	1.00	0.00	C	D	W	0.00
100	97.56	73.17	24.39	GK+M.A.	REGULAR MT1	1.00	0.00	B	B	R	1.00

Total Question: 100 **Attempted:** 81 (**Correct:** 21 **Incorrect:** 60) **Score Rate:** 0.00 **Strike Rate:** 0.00

Total: 21.00

Total Positive Marks: 21.00 **Total Negative Marks:**

PHY	CHEM	BIO	MATHS	GK+M.A.	Total
4.00	2.00	3.00	7.00	5.00	21.00

ATT% / R% / W% : Percent candidates attempted / solved correct / solved incorrect. **POS / NEG :** Positive / Negative marks for correct / incorrect answer

KEY : Correct answer of the question. **ANS :** Answer filled by the candidate. **RESULT :** Result (correct/incorrect/left). **MARKS :** Marks obtained for question.

ATTEMPT: 0-25% | 26-50% | 51-75% | 76-100% RIGHT: 0-25% | 26-50% | 51-75% | 76-100% WRONG: 0-25% | 26-50% | 51-75% | 76-100%